

OVER 100 YEARS SERVICE TO THE TRADE

BARRETT HARDWARE CO.



**building
hardware**

JOLIET PHONE 4341
CHICAGO PHONE Bishop 2-3070
CATALOG B-53



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>



THIS CATALOG
WILL, WE BELIEVE,
BE USEFUL TO YOU. WE HAVE ENDEAVORED
TO MAKE IT A COMPLETE AND HANDY REFER-
ENCE AND HOPE YOU WILL FIND OCCASION
TO USE IT REGULARLY.

IN COMPILING THIS CATALOG, WE HAVE RE-
CEIVED, AND ARE GLAD TO ACKNOWLEDGE
WITH THANKS, THE GENEROUS COOPERATION
AND ASSISTANCE OF THE MANUFACTURERS
REPRESENTED.

BARRETT

HARDWARE COMPANY
HENDERSON AVENUE AT JACKSON STREET
JOLIET, ILLINOIS

VARIOUS ITEMS SHOWN IN THIS CATALOG ARE FAIR TRADE
ITEMS AND MAY BE SOLD ONLY TO DEALERS HOLDING A
MANUFACTURERS FRANCHISE COVERING THE PURCHASE
OF THIS MERCHANDISE

A

B

B

Blind Hinges	89, 101
Bolt & Strap Hinge	100
Bolt, Barrel	5, 6
Light	5
Heavy	5
Plated	6
Cane Bottom	6
Chain	6
Clothesline Hook	11
Door	5-7, 11-15
Draw	7
Exit	11, 12
Eye	9, 10
Assortment	10
Wrought Nut	10
Flush	13
Extension	13
Foot	14
Latch, Anti-Friction	13
Mortise	15
Replacement, Screen Door	219
Replacement Spring	5, 15
Heavy Square	5
Light	5
Surface	15
Turned Eye	9
Window	6
Cellar	6
Spring	15
Bookcase Hinge	26
Bored-in Latch Sets.....	197-199, 219
Lock Sets	198
Boring Bit, Lock	213
Jig, Lock	126, 218
Box Catches	51
Corners	61
Hinges	87-92
Braces, Card Table Leg	16
Chair Corner	123
Screen Door	16
Table Leg	17
Brackets, Brainerd	21
Corner	19
Corner, Reversible	19
Door Check	19
Closer	19
Track	19
End	19
Folding	21
Garment	71, 72, 113
Glass Shelf	21
Handrail	21

B

Brackets, Intermediate	19
Lock Joint	19
Lock Joint Double	19
Lock Joint Single	19
Parallel Center	19
Parallel End	19
Shelf	21
Sidewall	19
Soffit	19
Brakes, Side Caster	43, 44
Brass & Rubber Shod Felt Weatherstrip	239
Cup Hooks	118
Broad Butts	33
Hinges	27-30
Bronze Weatherstrip	238
Building Corners	62
Bullet Catches	52
Bumper Wheel, Caster	44
Butt Hinges	22, 96
Full Mortise	22
Buttons, Sash Weight	243
Turn	34
Butts, (See Also Hinges)	22-33
Broad	29, 30, 33
Half Surface	22
Middle	33
Mortise	22-27
Narrow	29, 30, 33
Table Leaf	31
By-Passing Door Sets	191, 192

C

Cabinet Catches	52, 35 (insert)
Door Closer	57
Door Pulls	194, 35 (insert)
Hardware	35 (insert)
Hinges	25, 26, 97, 101, 35 (insert)
Knobs	35 (insert)
Lock	147
Cane Bottom Bolts	6
Caps, Moulding Trim	148, 149
Card Table Leg Braces	16
Carrier, Clothing	71
Casement Fasteners	67
Window Operators	1, 2
Caster Bumper Wheel	44
Cups	36
Dolly	37
Side Brakes	43, 44
Sockets	35
Wheels, Extra	46
Castors,	37-49
Ball Bearing	37-46
Bumper Wheel	44
Chair	43
Crib or Tea Wagon	42
Double Wheel Plate,	42
Stem	42
Grip Neck	35-41, 43, 44
Hospital Bed	44
Industrial	49
Metal Bed	39-45
Narrow	38, 41, 43
Office Chair	43

C

Castors, Piano	42, 46
Plain Bearing	39-45
Plate	37-43, 47, 48, 49
Rigid	47, 48
Small Plate	38, 41, 43
Socket	46
Square Plate	37, 39, 40
Stationary	47, 48
Stem	39-45
Swivel	37-48
Tea Wagon	42
Truck	47, 48
Wheel Plate	42
Wood Office Chair	43
Catches	51-53, 222
Box	51
Bullet	52
Cabinet	52, 35 (insert)
Elbow	51
Flush Spring	51
Friction	52
Leco Latch	52
Magnet	52
Roller	51
Screen Door	222
Screen & Storm Door	53
Spring	51
Transom	53
Tutch Latch	52
Ceiling Hooks	112
Pulleys	174
Cellar Window Bolts	6
Sets	188
Cement, Cold Application	183
Plastic	183
Roofing	183
Centers, Sash	55
Chain Bolts	6
Guards	74
Chains, Door Stop Spring	222
Padlock	156
Transom	55
Chair Braces	123
Castors	43
Shoes	235
Check, Door	55, 59, 60
Ball Door	55
Check Spring, Door	228
Chest Handles	75
Hinges	90
Lock	147
China Closet Hinges	26
Chromtrim Moulding	148
Chutes, Coal	55
Cleanout Doors	64
Cleats, Line	55
Clincher Weatherstrip	238
Closed Pocket Door Installations	193
Pulls	194
Sets	191
Closers,	
Automatic, Door	57
Cabinet Door	57

C

Closers, Closet Door	57
Door Spring	227
Liquid Door	56, 57
Pull-Tite Door	57
Screen Door	56-60
Window	57
Closet Bars	3
Door Closers	57
Door Locks	198
Fixtures	71, 72
Knob Spindles	225
Lock Set	205
Lock Spindle	198
Rods	71
Clothes Holder	71, 72, 113
Clothesline Holders	107
Clothesline Hook	111
Bolt	111
Clothing Carrier	71
Hangers & Racks	71, 72
Hooks	72
Coal Chutes	55
Coat & Hat Hooks	112
Coating, Roof	183
Cold Application Cement	183
Colonial Furniture Trim	35 (insert)
Combination Guide & Friction Latch	193
Padlock	154, 159
Communicating Office Door Lock Sets	207
Concrete Floor Stay Roller	180
Construction Roofing & Felts	182
Continuous Hinge	90
Control Springs, Window	229
Copperweld Nails	239
Corner Braces	123
Brackets	19
Flat Irons	126
Irons	123
Plates	165
Corners,	61, 62, 148, 149
Box	61
Metal Building	62
Inside, Outside	148, 149
Screen	62, 63
Weather Boarding	62
Corridor Locks & Lock Sets	198, 203, 205-207
Costumer Hooks	113
Counter Edgings	148, 149
Couplings, Screen Corner	63
Cove Strips	148, 149
Crescent Drawer Pulls	171
Crib Casters	42
Crutch Tips	235
Cup Hooks	118
Racks	72
Cupboard Latch	35 (insert)
Cupboard Turns	236
Cups, Furniture & Caster	36
Curtain Rod Hooks	114
Cylinder, Lock	63
Mortise Rim	63, 213
Cylinder Mortise Locks	145, 146
Padlocks	151-162
Rim Latch	136

D

D Locks, Front Entrance	210
Deadlatch	134, 135
Pin Tumbler	208
Deadlocking Latchbolt	209, 211
Deadlocks	142-145, 208
Double Cylinder	208
Pin Tumbler	208
Decorative Strips, Aluminum	148, 149
Dee Rings	179
Demonstrators, Door Knob	218
Furniture Hardware	35 (insert)
Furniture Trim	35 (insert)
Household Hardware	35 (insert)
Lock Sets	218, 135 (insert)
Sash Lock	35 (insert)
Desk Shoes	36
Detachable Hinges	99
Display Hooks	113, 243
Dolly, Steel Caster	37
Domes of Silence	73
Door Binders	3
Bolts	5-7, 11-15
Braces, Screen	16
Catches, Screen	53, 222
Check	55, 59, 60
Check, Ball	55
Check Brackets	19
Check Springs	228
Closer,	56-60
Automatic	57
Liquid	56, 57
Pneumatic	59
Pull-Tite	57
Screen	56-60
Closer Spring	227
Escutcheon	212
Guards (Screen)	73
Handles, Entrance	214-216
Store	215
Hangers & Track	79, 80, 195
Hardware	35 (insert)
Hinges	93-96, 102, 103, 35 (insert)
Holders	14, 109
Holders, Rubber Shoes	109
Installations, Closed Pocket	193
Knob	127, 132, 209, 212, 216
Knob, Demonstrators	218
Knockers	35 (insert)
Latches	133-139
Lock Boring Jig	126, 218
Lock Escutcheons	218
Lock Sets	201-207
Lock Spindles	225
Springs	228
Locks,	
French	201
Inside	142
Marker	218
Mortise Cylinder	145, 146
Opener, Electric	213
Pulls,	169-172, 194, 196, 35 (insert)
Colonial	35 (insert)
Custom Installation	194
Edge	196
Finger	196
Flush	194, 196

D

Door Pulls, Kennapull	194
Plates	170
Scottie Installation	194
Sliding	196
Push Bars	2
Sets, Bored-In	219
Entrance or Front	203, 207
French	201
Garage	188-190
Open & Closed Pocket	191
Screen	219-223
Sliding Door	191-193
Silencer	51
Sills	235
Springs	227-229
Stops	3, 231, 232
Stops, Baseboard	232
Stops, Spring Chain	232
Stop-A-Draft	241
Track	80, 195
Brackets	19
Doors, Ashpit	64
Cleanout	64
Sliding	
Latch	133
Sets	191-193
Double-Acting Hinges	97
Double Cylinder Deadlock	208
Double Wheel Casters (Plate Stem)	42
Draft-Seal Weather Strips	237
Draw Bolts	7
Drawer Handles	75
Knobs	128
Lock	147
Pulls	171
Drive, Concrete, Stay Roller	180
Drive Nails	149
Screws	149
Drop Siding Corners	62
Dummy Trim Door Knobs	212, 216
Dumps, Ash	64

E

E Lock	210
Edge Pulls	196
Edgings, Counter	148, 149
8 Hooks	115
Elbow Catch	51
Electric Door Opener	213
Latch Release	213
Strike	213
Emergency Exit Bolts	11, 12
End Brackets	19
Entrance Door Knobs	209
Handles	214-216
Lock & Lock Sets	203, 207, 210, 211, 217
Escutcheons, Auxiliary	212
Door Lock	218
Key	65
Exit Bolts	11, 12

E

Exit Bolts, Bar-Locking	12
Gravity-Locking	11
Extension Links	210
Exterior Door Handle	216
Eye Bolts,	9, 10
Assortment of	10
Turned Eye	9
Wrought Nut	10
Eyes, Padlock	65
Screen Hanger	77
Screw	65, 66

F

Fasteners,	67-70, 167
Casement	67
Ludwig Snap	69
Mirror	167
Refrigerator	70
Sash	67, 68, 69
Screen	69
Storm Door	69
Storm Window	68
Felt, Asphalt Saturated	182
Construction	182
Weatherstrip	237
Feltoid Tips	37
Fibre Coating, Asphalt	183
Finger, Pull-Round	196
Fixtures, Closet	71, 72
Flange-Type Cap Strips	148, 149
Flap Hinges	88
Flat Track	81
Floor, Concrete, Stay Roller	180
Floor Hinges	93-95
Flush Bolts, Extension	13
Pulls	194, 196
Pulls, Oval	196
Rings	179
Sash Lift	141
Spring Catch	51
Folding Brackets, Shelf	21
Screen Hinges	97
Foot Bolts	14
French Door Locks	201
Sets	201
Friction Catches	52
Hinges	92
Latch	193
Stay	2
Front Door Handles	214, 215
Knobs	209
Locks & Lock Sets	203, 207, 209, 210, 211
Full Mortise Butt Hinges	22
Full Surface Screen Latch Set	223
Furniture Casters	37-46
Cups	36
Glides,	35-37, 73, 235
Domes of Silence	73
Feltoid Tips	37
Rubber Cushion	35, 36
Shoes	36, 235
Trim	35 (insert)

F

Furniture Glides, Socket Type.....	35, 36
Knobs	128-132, 35 (insert)
Rests	36
Slides	73

G

Garage Door Bolts	6
Cushion Weather Stripping	240
Holders	109, 110
Sets	188-190
Sets, Hinged	188
Sets, Push Over	190
Sets, Roll up Hardware	190
Sets, Swing up Hardware	189, 190
Garment Brackets	71, 72, 113
Gasket Weatherstrip	237
Gate Hinges	95, 100
Hooks & Eyes	119
Latch	135, 139
Glass Door Knobs	197, 198, 212
Drawer Knobs	128
Shelf Brackets	21
Glides, Furniture	35-37, 73, 235
Domes of Silence	73
Feltoid Tips	37
Rubber Cushion	35, 36
Shoes	36, 235
Socket Type	35, 36
Grub Screws	187
Guards, Chain	74
Push Bar	2
Screen Door	73
Guide & Friction Latch	193
Gun Tacker	121, 122

H

Half Spindles, Knob	225
Half Surface Ball Bearing Hinges	24
Hammer Tacker	121, 122
Hammock Hook	114
Handles, Chest & Drawer	75
Door	214-216
Leather	75
Handrail Brackets	21
Screws	187
Hanger Plates	167
Hangers, Barn Door	79, 80
Closet	71, 72
Industrial Door	80
Mirror Plate	167
Overdoor	72
Screen	77
Skirt	71
Trouser	71
Hangers & Track	195
Hardware, Furniture	35 (insert)
Household	35 (insert)
Hasp Lock	154
Hasps,	82-85, 154
Hinge	82, 83
Safety	82, 83, 154
With Latch & Staple	84
With Staples	84

H

Hat Hooks	112
Rack	72
Hinge Hasps	82, 83, 85
Hook	100
Hinged Garage Door Sets	188
Hinges,	22-33, 87-106
Back Flap	89
Ball Bearing	23, 24, 93-95
Extra Heavy	24
Half Surface	24
Pivot	93-95
Blind	89, 101
Bolt & Strap	100
Bookcase	26
Box	87-92
Broad	27-30
Butt	22-33, 96
Full Mortise	22
Cabinet	25, 26, 97, 101, 35 (insert)
Chest	90
China Closet	26
Continuous	90
Detachable	99
Door	93-96, 102, 103
Double-Acting Folding Screen	97
Flap	88
Floor	93-95
Friction	92
Gate Spring	95, 100
Invisible	89, 101
Jamb	96
Loose Pin	99
Metal Door	102, 103
Narrow	29, 30
Pins, Extra	23
Pivot	93-95
Refrigerator	91
Roller Bearing	103
Screen Door	99, 100
Screw & Strap	100
Showcase	90
Side Stop	88, 91
Spring	93-96, 99, 100
Steel Bearing	103
Strap	90, 105, 35 (insert)
Support	92
Surface	100, 35 (insert)
Table Leaf	31
Tee	106
Transom	26
With Foot Bracket	91
Without Screws	31
Wood or Metal Door	102, 103
Holders, Bar	107
Card	108
Clothes	71, 72, 113
Clothesline	107
Door	14, 109
Garage Door	109, 110
Sash	110
Tite-Line	107
Hook & Staples	111
Bolt, Clothesline	111
Hooks,	72, 111-119, 243
Ceiling	112

H

Hooks, Clothesline	111
Clothing	72
Coat & Hat	112
Costumer	113
Cup	118
Curtain Rod	114
Display	113, 243
8	115
Hammock	114
Hat & Coat	112
Hinge	100
Household Display Assortment	118
Pole	114
Porch Swing	118
S & 8 Hook Assortment	115
Safety Gate	114
Screw	117
Shoulder	118
Utility	113
Wardrobe	112
Hooks & Eyes,	
Gate	119
Round Wire	119
Square Twisted	119
Hospital Bed Casters	44
Hot House Pulleys	174
Household Hardware	35 (insert)
Household Hooks Display Assortment	118

I

Industrial Casters	49
Door Hangers	79, 80
Inner Office Door Lock Sets	206, 207
Inner Seal Weather Stripping	239, 240
Inside, Outside Corners	148, 149
Inside Trim for Lock Sets	211
Intermediate Brackets	19
Invisible Hinges	89, 101
Irons, Corner	123, 126

J

Jack & Post	125
Jacks	125
Jamb Attaching Plate	93
Bolt	196
Hinges	96
Jig, Boring	126, 218

K

Kennaframe	193
Kennalatch	193
Kennalock	193
Kennapull	194
Key Escutcheons	65
Key-in-Knob Locks	217
Keylocks	217
Keys, Skeleton, Plain	127
Skeleton, Cut	127
Kitchen Cabinet By-Passing Door Sets.....	191
Knob Latch, Mortise	142

K

Knobs,	127-132, 209, 212
Cabinet	35 (insert)
Door	127, 132, 209, 212
Drawer	128, 35 (insert)
Dummy Door	212
Glass	128, 197, 198, 212
Turn	129
Wood	131
Knockers, Door	35 (insert)

L

Lag Screw Barn Door Stay Roller	180
Lag Thread Eye Bolts	9
Latch Bolt, Anti-Friction	13
Deadlocking	209, 211
Latch Catch, Leco	52
Release, Electric	213
Latches,	
Cabinet	35 (insert)
Cylinder Rim	136
Dead	134, 135
Door	133-139
Gate	135, 139
Leco Magnetic	52
Mortise Adjustable	196
Mortise Knob	142
Mortise Screen Door	221
Mortise Tubular	135
Night	136, 135 (insert)
Rim Door	134, 136, 223
Sargent	135
Screen Door	219-223
Secret Gate	135
Sliding Door	133
Spring	134, 135, 205, 206
Swinging Door	133
Thumb	137, 138
Tubular Deadlatch	135
Tubular Mortise	135
Tutch Automatic	52
Latch Sets,	135, 142, 193, 196-199, 208, 211, 219-223, 236
Bored-In	197-199, 219
Cupboard	236, 35 (insert)
Friction	193
Kennalatch	193
Mortise,	135, 142, 196
Adjustable	196
Knob	142
Night	208, 135 (insert)
Screen Door	219-223
Sliding Door	193
Storm Door	219-223
Latch, Strikes	199
Leaf, Table, Supports	233
Leather Handles	75
Leco Latch Catch	52
Letter Box Plates	163
Lifters, Transom	141
Lifts, Sash	140, 141
Screen	141
Line Cleats	55
Links, Extension	210
Long Backset	210
Liquid Door Closers	56, 57

L

Lock with Anti-Friction Latch Bolt	13
Boring Bit	213
Boring Jig	126, 218
Cylinders	63, 213
Joint Track	81
Brackets	19
Spring	228
Strike	199, 233
Lock Sets, (See Also Latch Sets).....	198, 199, 201-208, 211, 217
With Automatic Release Buttons	197
Basement Door	206
Bathroom	197, 201, 203, 206
Bored-In	197
Bedroom	197, 203, 206
Closet	198, 205
Communicating Office Door	207
Demonstrators	218
Emergency Key	197
French Door	210
Front Door	203, 207, 211, 217
Inner Office Door	206, 207
Inside Trim for	211
Mortise Dead Lock	202
Passage or Corridor Door	198, 203, 205-207
Office Door	207
Rear Door	202, 203
Roses for	197
Saf-T-Lock	135 (insert)
Sun Deck Door	206

Locks.

Bathroom.....	142, 201, 203, 206, 216
Bedroom.....	197, 203, 206, 216
Bicycle	155, 156
Cabinet	147
Closet	198
Chest	147
Cylinder Mortise Door	145
D	210
Dead	142-145, 208
Deadlock Pin-Tumbler	142
Door	142-147, 216, 217
Drawer	147
E	210
Entrance	203, 207, 210, 211, 217
Hasp	154
Kennalock	193
Key	217
Key-in-Knob	217
Mortise Inside Door	142
Passage	198, 216
Patio	217
Privacy	216
Saf-T-Lock	135 (insert)
Sash	68, 35 (insert)
Screen Door Sets	219-223
Sliding Door	193
Suitcase	147
Trunk	147
Ventilating Sash	68
Wardrobe	147
Loose Pin Hinges	99

M

Magnet Catch	52
Marker, Mortise	218

M

Mechanics Weatherstrip	238
Mending Plates	123, 165, 166
Straps	165
Metal Bed Casters	39-45
Building Corners	62
Door Hinges	102, 103
Weatherstrip	238
Middle Butts	33
Mirror Fasteners	167
Plate Hangers	167
Mortise Adjustable Latch	196
Bolts	15
Butts	22-27
Cylinder Door Locks	145, 146
Cylinders	63
Dead Locks	202
Door Knobs	127
French Door Locks	201
Inside Door Locks	142
Knob Latch	142
Latch	135, 142, 221
Lock Cylinders	63, 213
Mortise Marker, Door Locks	218
Screen Door Latch	221
Moulding	148, 149
Chromtrim	148
Strips	148, 149
Wallboard	149

N

Nails, Copperweld	239
Drive	149
Weatherstrip	239
Narrow Butts & Hinges	29, 30, 33
Night Latch Set	208
Latches	136, 135 (insert)
Nosing, Stair	148, 149
Straight	149

O

Office Chair Casters	43
Office Door Knobs	209
Lock Sets	206, 207
Office Gate Latches	135
One Arm Spring Latch	134
Open & Closed Pocket Door Sets	191
Operators, Window	1, 2
Outside Corners	148, 149
Overdoor Hanger	72
Overhead Garage Door Weatherstripping.....	240

P

Padlock,	151-162
Combination	154, 159
Cylinder Key	151
Ratchet Shackle	159
Removable Cylinder	208
Padlock Chains	156
Display	156
Eyes	65

P

Pan Racks	72
Parallel Center Brackets	19
Passage Locks & Lock Set.....	198, 203, 205-207, 216
Patio Door Locks	217
Piano Caster	42, 46
Pin-Tumbler Dead-Locking Latches.....	208, 209
Pin-Tumbler Dead Locks	142, 208
Pins, Hinge, Extra	23
Pivot, Sash	163
Pivot-Hinges	93-95
Plastic Cement	183
Plate Casters	38, 43
Door Pulls	170
Hangers, Mirror	167
Plates, Corner	165
Hanger	167
Jamb Attaching	93
Letter Box	163
Mending	123, 165, 166
Push	166
Sash Pull	167
Tee	166
Plunger Type Door Holders	14
Pneumatic Door Closer	59
Pole Hooks	114
Sockets	225
Porch Locks	217
Porch Swing Hooks	118
Prime Coat Butts,	22
Half Surface	22
Privacy Lock	216
Pull Plates, Sash	167
Pull-Tite Door Closer	57
Pulleys,	173-177
Awning	173
Ceiling	174
Hot House	174
Sash	175, 176
Screw	177
Side, Single Wheel	177
Pulls, Cabinet	35 (insert)
Closed Pocket Door	193
Custom Installation	194
Door	169-172, 194, 196
Drawer	169-170
Edge	196
Flush	194, 196
Finger	196
Kennapull	194
Plate	170
Ring	35 (insert)
Scottie Installation	194
Screen Door	172
Sliding Door	196
Push Bars	2
Plates	166
Push-Over Garage Door Sets	190
Push-Pull Screen Door Sets	222

R

Racks, Belt	71
Cup	72

R

Racks, Garment & Shoe	71, 72
Hat	72
Pan	72
Tie	71
Towel	72
Ratchet Shackle Padlock	159
Rear Door Lock Sets	202, 203
Reflecting Signs	225
Refrigerator Fasteners	70
Gasket Weatherstrip	237
Hinges	91
Removable Cylinder Padlock	208
Replacement Bolt, Screen Door Set.....	219
Rests, Furniture	36
Resurfacer, B-U	183
Ridge & Valley Roofing Rolls.....	182
Rim Door Latches	134, 136, 223
Lock Cylinders	213
Ring Pulls	35 (insert)
Rings, Dee	179
Flush	179
Trap Door	179
Rod, Extension, Closet	71
Roll Roofing	182
Roller Bearing Hinges	103
Roller Catches	51
Rollers, Stay	180
Rolls, Ridge & Valley	182
Roll-up Garage Door Sets	190
Roof Coating	183
Roofing, Ridge & Valley Rolls.....	182
Selvedge Slate Rolls	182
Smooth Surface	182
Roofing & Felts, Construction	182
Cement	183
Roses, for Lock Sets	197, 199
Rubber Bumper Wheel	44
Shoes, Furniture	36
Weatherstripping	239, 240

S

S & 8 Hook Assortment	115
Safety Gate Hook	114
Hasp	82, 83, 154
Sargent Latch	135
Sash Adjusters	68
Centers	55
Fasteners	67-69
Flush Lift	141
Holders	110
Lifts	140, 141, 35 (insert)
Locks	68, 35 (insert)
Pivots	163
Pull Plates	167
Pulleys	175, 176
Weight Buttons	243
Weights	243
Scottie Installation Door Pulls	194
K Frame	193
Screen, Window	185
Screen Adjusters	69

S

Screen, Attachments Sets	69
Corners	62, 63
Couplings	63
Fasteners	69
Hanger Eyes	77
Hangers	77
Lifts	141
Screen Door Braces	16
Catches	53, 222
Closers	56-60
Couplings	63
Fasteners	69
Guards	73
Hinges	99, 100
Latch Sets,	219-223
Bored-In	219
Full Surface	223
Mortise	221
Rim	223
Spring	227-229
Pulls	172
Sets	223
Screen-o-matic Window Assortment	185
Screw & Strap Hinges	100
Eyes	65, 66
Hooks,	117
Square End	117
Pulleys	177
Screws,	149, 187, 188
Drive	149
Grub	187
Handrail	187
Side Knob	187
Stop Bead with Washers	187
Wood	188
Secret Gate Latches	135
Selvedge Slate Roofing Rolls	182
Sets	
Cellar Window	188
Garage Door	188-190
Latch.....	135, 142, 193, 196-199, 208, 219-223, 236
Lock.....	198, 201-208, 211, 217
Sliding Door	191-193
Sheaves, Ball Bearing	223
Shelf Brackets	21
Standard & Supports	233
Shingles, Asphalt	181
Shoe Racks	71
Shoes, Chair	235
Door Holder	109
Rubber, Table or Desk	36
Shoulder Hooks	118
Showcase Hinges	90
Side Brakes, Caster	43, 44
Knob Screws	187
Pulleys, Single Wheel	177
Sash Fasteners	68
Stop Hinges	88, 91
Stops	88
Sidewall Brackets	19
Siding Corners	62
Signs, Reflecting	225

S

Silencer, Door	51
Sills, Door	235
Skeleton Keys, Plain	127
Cut	127
Skirt Hangers	71
Slate Surface Roll Roofing	182
Slides, Furniture	73
Sliding Door Guide & Friction Latch.....	193
Hardware	191, 192
Latch	133
Pulls	196
Sets	191, 193
Smooth Surface Roofing	182
Socket Caster	38, 46
Type Glides	35, 36
Sockets, Bed Caster	35, 44
Pole	225
Spindles, Closet Knob	225
Door Lock	225
Half	225
Spring Action Foot Bolts	14
Bolts,	5
Window	15
Catch	51
Chain, Door Stop	222
Hinges	93-96, 99, 100
Latch	134, 135
Lock Sets	205, 206
Springs, Adjustable	227
Check	228
Closer	227
Door	227-229
Gate	227
Window Control	229
Stair Nosing	148, 149
Standards, Shelf	233
Staples,	82-85, 121, 122, 229
Adjustable	82
Tacker	121, 122
Stay, Friction	2
Stay Rollers	180
Steel Bearing Hinge	103
Leg Braces	17
Track	223
Stop, Door	3, 231, 232
Stop-A-Draft, Door	241
Assortments	241
Stop Bead Screws with Washers	187
Washers	187
Store Door Handles	215
Storm Door Catches	53
Fasteners	69
Latches	219-223
Sets	219-223
Spring	227-229
Stop	232
Storm Sash Adjusters	68, 69
Storm Window Fastener	69
Strap Hinges	90, 105, 35 (insert)
Straps, Mending	165
Strike, Electric	213

S

Strike, Lock	199, 233
Strips, Aluminum Decorative	148, 149
Weather	237, 240
Square End Screw Hooks	117
Suitcase Lock	147
Support Hinges	92
Supports, Shelf	233
Table Leaf	233
Sun Deck Lock Sets	206, 207
Super-Flex Gaskets	237
Sure Grip Holders	107
Surface Bolts	15
Hinges	100
Swing Hooks	118
Swinging Door Latch	133
Swing-up, Garage Door Hardware.....	189, 190
Swivel, Ball Bearing	37

T

Table Leaf Butts	31
Supports	233
Table Leg Braces	17
Tackers	121, 122
Automatic	121
Hammer	121
Tea Wagon Caster	42
Tee Hinge	106
Plates	166
Thumb Latches	137, 138
Tie Racks	71
Tips, Crutch	235
Feltoid	37
Tite-Line Holders	107
Towel Rack	72
Track, Door	80, 195
Flat	81
Lock-Joint	81
Brackets	19
Steel	223
Track Hangers	79, 80, 195
Transom Catches	53
Chains	55
Hinges	26
Lifters	141
Trap Door Rings	179

T

Trim, Dummy Door Knob	216
Furniture	35 (insert)
Trolley Track Brackets	19
Door Hangers	79
Trouser Hangers	71
Trunk Lock	147
Tubular Deadlatch	135
Turn Button	34
Knobs	129
Locks	217
Turned Eye Bolts	9
Tutch Latch Catch	52

U

Utility Hooks	113
---------------------	-----

V

Valley Rolls	182
Ventilating Sash Lock	68


W

Wall Board Moulding Strips	148, 149
Wardrobe By-Passing Door Sets	191
Hooks	112
Lock	147
Washers, Stop Bead Screw	187
Weather Boarding Corners	62
Weatherstripping	237-240
Nails	239
Overhead Garage Door	240
Wheels, Caster Rubber	46
Bumper	44
White Metal Weatherstrip	238
Window, Cellar Sets	188
Window (See Also Sash)	
Assortment Screen-o-matic	185
Bolts	6, 15
Control Springs	229
Operators, Casement	1, 2
Screen	185
Spring Bolts	15
Wire Ceiling Hooks	112
Coat & Hat Hooks	112
Wood or Metal Door Hinge	102, 103
Wood Knobs	131, 132
Wrought Nut Eyebolts	10


CASEMENT WINDOW OPERATORS

No. 4715 OPERATOR has external gear construction. A medium priced angle drive worm-and-gear operator for light casements. Neat, compact housing and crank handle are die cast Zamak alloy. Cold-rolled steel worm and gear. Brass channel guide. For screened or non-screened wood casements.

NUMBER	TYPE	LIST PRICE
NO. 4715-R	Right Hand	2.60 ea.
NO. 4715-L	Left Hand	2.60 ea.



De Luxe Model — No. 100



BRONZE, OR CADMIUM FINISH	LIST PRICE
Operator—Complete with 6" Roller Knob Crank	3.20 each

Specifications:

Installation: Designed for all sizes of standard wood casement windows swinging out. Requires only $1\frac{3}{8}$ " of sill width and 9" of sill length. Reversible for right or left hand windows. Opens to full 90 degrees or more.

Material: Special Alloy Zamac—a strong, rust-proof metal with excellent wearing qualities.

Gears: Large in size and reinforced for heavy duty. Worm gear engages **three** arm gear teeth. Packed with lifetime lubricant.

Dimensions:

Housing— $1\frac{3}{4}$ " long x $1\frac{3}{8}$ " wide x 1" high.

Arm—7" x $\frac{7}{8}$ " mean width.

Crank: $\frac{1}{4}$ " square shaft—obtainable in various lengths.

Track: $6\frac{3}{4}$ " long x $\frac{13}{16}$ " wide x 1" high.

Track: Special cast track with same finish as operators. Closed ends and special attachment prevent arm from slipping out of track.

Crank: Roller knob crank. Finished in 6" length unless otherwise specified. Longer lengths furnished when requested.

Accessories: Furnished complete with screws and screen flanges.

Finish: Bronze or Ivory Enamel or Cadmium Plate.

Weight: Net 1 lb., 1 oz. each, shipping weight—13 lbs. per dozen.

GUARANTEED

The Parlyn DeLuxe is unconditionally guaranteed as to material and workmanship.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

2

BARS - Push

NUMBER
1736-K

steel — bright zinc plated

two piece



uses guards mounted on the door protect the wire cloth, reinforce the door and serve as a push bar

construction made of wrought steel, in two pieces of strong u-shaped construction

adjustable from 21" to 32"




suggested application

length closed (inches)	width (inches)	projection (inches)	gauge of metal	size of RH wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
21	1	3/4	.050	3/4 x 7	11 1/2	4	47

one-half dozen in a box with screws

List Price 6.80 dozen



FRICITION STAY NO. 50
for doors, casement
or any hinged window

Shipping Weight
7 lbs. per Doz.


12 Dozen to
Shipping Carton

This stay is reversible, and may be used on either right or left-hand casement windows or doors.

It permits a full 180 degree opening. Set consists of one adjuster and screws.

1. Two adjustable friction heads with double friction in large friction joint makes it possible to hold the window securely in all positions.
2. Bakelite friction washers assure smooth operation under all conditions.
3. Will operate in a space between screen and window of only 1 3/4 inches.


FRICITION STAY NO. 50
List Price 8.50 dozen



CLOSET BARS



applied



center supporting
bracket applied

uses an ideal, sturdy bar for closets • the center support is recommended for use with the 72" bar and safely permits extension to 120"; made 3" overall, width 1", provides a clearance of 2" between shelf and bar

construction the bar consists of two tubes, one which telescopes into the other, giving a wide range of adjustment • the outside tube is 1" in diameter • a rosette with three screw holes is securely fastened to each end
the outside tubing of 7021 is made of seamless brass

size, length (inches)	extends to (inches)	diameter of rosettes (inches)	gauge of metal	quantity and size of OH wood screws	dozen in a case	average net weight per case (lbs.)	
						7020	7021
18	30	2 1/8	.035	6 — 3/4 x 8	1/2	7 1/4	8
30	48	2 1/8	.035	6 — 3/4 x 8	1/2	12	13 1/4
48	72	2 1/8	.035	6 — 3/4 x 8	1/2	20	22
72	96	2 1/8	.035	6 — 3/4 x 8	1/2	26 1/4	30

one in a box with screws

steel — bright nickel finish

7020

NO. 7020N

NO. 7020N-Inches	List Price
" 18"	18.90 doz.
" 30"	23.30 doz.
" 48"	32.10 doz.
" 72"	51.00 doz.
Center Support	7.00 doz.

Door Binders

•No. 89 Adjustable Door Binder and Stop

For doors 1-3/4" to 3" thick. Three-piece construction, base 3/16" thick, brace 1/8" thick by 1-3/4" wide. Attached with 7/16" lag screws or bolts.

End is flared to receive door. May be used at front or back of door.

Finish, gray enamel.

Packed two in a box with screws.

Weight, per hundred, 179 lbs.

List Price 1.70 each



No. 89

1. [Illegible]

2. [Illegible]

3. [Illegible]

4. [Illegible]

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

5

BARREL BOLTS

Light
No. SC-1078J

1078—Steel, Japanned with zinc plated bolt.
Sc1078—Steel, Japanned with zinc plated bolt;
bright zinc plated or galvanized.




1078 without screws.

NUMBER	LIST PRICE	size, length of bolt (inches)	plate (inches)	diameter of bolt (inches)	strike (inches) surface	quantity and size of wood screws	average net wt. per dz. (lbs.)	dozen in a case 1078	average case weight (lbs.)
1078J - 2"	3.36 doz.	2	2 1/8 x 1	1/4	1 x 7/8	6 - 3/8 x 4	1 3/8	25	33
" - 2 1/2"	3.60 "	2 1/2	2 1/2 x 1	1/4	1 x 7/8	6 - 3/8 x 4	1 1/2	25	36
" - 3"	3.85 "	3	3 x 1 1/8	3/16	1 1/8 x 1 1/8	7 - 3/4 x 5	2 1/4	25	56
" - 4"	4.80 "	4	4 x 1 1/8	3/16	1 1/8 x 1 1/8	7 - 3/4 x 5	3	25	72
" - 5"	6.00 "	5	5 x 1 1/8	23/64	1 1/8 x 1 1/8	7 - 3/4 x 7	5 1/4	15	73
" - 6"	8.00 "	6	6 x 1 1/8	23/64	1 3/8 x 1 1/8	9 - 3/4 x 7	6	10	57

One dozen in a box; 1078 without screws; other numbers with screws.

Use Three Hinges to a Door

HEAVY BARREL BOLTS



1084—Steel, japanned with zinc plated bolt.
Sc1084—Steel, japanned with zinc plated bolt.

NUMBER	LIST PRICE
1084-J - 6"	11.00 doz.
1084-J - 8"	20.10 "

size, length of bolt (inches)	plate (inches)	diameter of bolt (inches)	strike surface	quantity and size of wood screws	average net wt. per dz. (lbs.)	dozen in a case 1084	average case weight (lbs.)
3	3 1/8 x 1 3/16	25/64	1 3/16 x 1 3/16	7 - 3/4 x 6	3 1/2	10	34
4	4 1/8 x 1 3/16	25/64	1 3/16 x 1 3/16	7 - 3/4 x 6	4 1/4	10	41
5	4 3/4 x 1 1/2	25/64	1 1/2 x 1 1/2	7 - 7/8 x 7	6 1/4	5	31
6	6 x 1 1/2	27/64	1 1/2 x 1 1/2	9 - 7/8 x 7	7 3/4	5	37
8	8 x 1 3/4	37/64	1 3/4 x 2	9 - 1 x 8	15 1/4	3	46

5" and smaller one dozen; 6" one-half dozen; 8" one-quarter dozen; in a box; 1084 without screws; other numbers with screws.



NO. SC-1150-J

light spring bolts

Sc1150 steel — japanned with zinc plated bolt, with screws

NUMBER	LIST PRICE
2"	6.00 doz.


size, length of plate (inches)	width of plate (inches)	throw (inches)	gauge of metal	bolt (inches)	strikes (inches)	quantity and size of wood screws	average net weight per dozen (lbs.)
2	7/8	1/4	.036	5/32	7/8 x 7/8	6 - 1/2 x 5	3/4
2 1/2	1	1/2	.036	13/64	1 x 1	6 - 1/2 x 5	1
3	1	9/16	.036	1/4	1 x 1	8 - 1/2 x 5	1 1/4
4	1 1/8	3/4	.036	5/16	1 1/8 x 1 1/8	8 - 1/2 x 6	2

one dozen in a box with screws

steel — japanned; bolt zinc plated,
with screws

Sc1088

heavy square spring bolts



equipped with a heavy spring which
holds the bolt in position

No. SC-1088-J

NUMBER	LIST PRICE
1088-J - 4"	11.00 doz.
" - 6"	16.80 "
" - 8"	22.80 "
" - 10"	41.80 "

size, length of plate (inches)	width of plate (inches)	gauge of metal	bolt (inches)	strikes (inches)		quantity and size of wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
				flat	surface				
3	1	.062	5/16	1 1/2 x 1	1 1/2 x 7/16	8 — 3/8 x 5	2 1/2	10	26
4	1 5/16	.071	3/8	1 1/2 x 1 1/8	2 1/8 x 3/8	8 — 3/4 x 6	5	10	49
5	1 5/16	.071	3/8	1 1/2 x 1 1/8	2 1/8 x 3/8	10 — 3/4 x 7	6	10	57
6	1 3/4	.077	1/2	2 x 1 1/2	2 1/2 x 1	10 — 1 x 8	11	5	54
8	2	.077	3/4	2 1/4 x 1 9/16	2 11/16 x 1	12 — 1 x 9	17 1/2	3	54
10	2 1/4	.095	3/4	2 3/4 x 2 1/16	2 15/16 x 1 1/4	12 — 1 x 9	31

6" and smaller one dozen; 8" one-half dozen; 10" one-quarter dozen; in a box; 1088 without screws; Sc1088 and 1336 with screws


BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

6

cellar window and
window spring bolts

CELLAR WINDOW BOLTS NO. SC-1076



cellar window bolt

Sc1076

steel — japanned with zinc plated bolt or
bright zinc plated, with screws



1134 strike

furnished on order with bolts 1073 and 1076, or
separately

no. 2 for sizes 2" and 2½"
no. 3 for size 3"
no. 4 for size 3½"

when ordering strikes, specify class number and
size; also class number of bolt with which to be
used



1136 strike

furnished on order with bolts 1073 and 1076, or
separately

no. 1 for size 2"
no. 2 for size 2½"
no. 3 for size 3"
no. 4 for size 3½"

when ordering strikes, specify class number and
size; also class number of bolt with which to be used

size, length of bolt (inches)	plate (inches)	gauge of metal	diameter of bolt (inches)	strikes (inches)			quantity and size of wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
				surface	1134	1136				
2	1 5/16 x 1 3/8	.058	1 9/64	1 3/16 x 7/16	1 1/4 x 1 3/16	1 9/32 x 5/8	6 — 3/4 x 5	1 1/4	25	31
2 1/2	1 9/16 x 1 1/2	.058	1 11/32	1 1/2 x 1/2	1 1/4 x 1 3/16	1 19/64 x 4 3/64	6 — 3/4 x 6	2	25	47
3	1 7/8 x 1 13/16	.065	3/8	1 7/8 x 3/4	1 1/2 x 1 1/8	1 11/16 x 3/4	8 — 3/4 x 7	3 1/4	25	67

one dozen in a box; 1076 without screws; other
numbers with screws

NUMBER LIST PRICE

2"	3.36 doz.
2 1/2"	3.65 "
3"	4.50 "



406

steel — planished and plated, with screws

BARREL BOLTS Plated NO. 406-F

NUMBER LIST PRICE

2 1/2"	6.10 doz.
3"	6.50 "



BOLTS, Chain NO. 1055-J

NUMBER LIST PRICE

1055-J - 4"	13.75 doz.
" - 6"	15.50 "
" - 8"	29.65 "
" - 10"	50.50 "

No. 524 Cane Bottom Bolt

•Use

For garage or warehouse doors.

•Construction

Steel. No. 4 size guides, gray iron. Bolt drops by gravity when handle is
lifted out of socket. Keeper installed in wood or concrete floor.

Size	Dimensions	Projection from Door	Weight Each
No. 1	5/8" x 18" long	1-5/16"	3 lbs.
No. 2	3/4" x 24" long	1-7/16"	4-1/2 lbs.

•Packed


Two in box.

•Finish

Gray enamel.

#524-1 ... List Price 1.68 ea.

#524-2 ... List Price 2.22 ea.



No. 524 Bolt


BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


7

DRAW BOLTS

WROUGHT STEEL



Full Size




Full Size

No. 0827 3 $\frac{7}{8}$ " x 1 $\frac{7}{8}$ ", Steel, 1 dozen in a box, weigh 1 lb. 6 oz.		No. 0864 2 $\frac{3}{4}$ " x 1 $\frac{1}{2}$ ", Steel, 1 dozen in a box, weigh 13 oz. Pierced for $\frac{5}{8}$ " x No. 5 Screws	
Finish - BP -	List Price 2.83 doz.	Finish - BP -	List Price 2.72 doz.
" - NP -	3.11 "	" - NP -	2.99 "

BOLTS

WROUGHT BRASS



Full Size—No. 769
Made of .040 Metal

No. 769 2" x 1 $\frac{1}{4}$ ", 1 dozen in a box, weigh 1 lb. 5 oz.
Finish - BP - List Price 7.09 doz.

No. 770 3" x 1 $\frac{1}{4}$ ", 1 dozen in a box, weigh 2 $\frac{1}{4}$ lbs.
Finish - BP - List Price 8.82 doz.

Pierced for $\frac{5}{8}$ " x No. 4 Screws

1825-1826 1827-1828 1829-1830

and all other years 1831-1832

1825-1826

1827-1828

1829-1830

1831-1832

1833-1834

1835-1836

1837-1838

1839-1840

1841-1842

1843-1844

1845-1846


1847-1848

BARRETT HARDWARE COMPANY


Over 100 Years Service to the Trade

9

EYE BOLTS				
Turned Eye No. 113 Style				
Turned eyewith square nut. Bright zinc finish. Rolled machine thread...U.S. Standard				
Thread Size	Overall Length	Pack Gross	Lbs. Gross	List Price
3/16" X 2"		1/12	4	4.10 gr
1/4" X 2 1/2"		"	8	5.40
1/4" X 3"		"	9	5.62
1/4" X 4"		"	11	6.70
1/4" X 8"		"	17	9.28
5/16" X 4"		"	18	9.72
3/8" X 4"		"	28	11.24
3/8" X 5"		"	32	12.10
3/8" X 6"		"	35	12.95
3/8" X 8"		"	44	15.76
7/16" X 6"		"	63	29.60
7/16" X 8"		"	75	35.00



EYE BOLTS				
Turned Eye Lag Thread No. 11 Style				
Wire Size	Overall Length	Pack Gross	Lbs. Gross	List Price
1/4" x 4"		1/12	11	13.18 gr
5/16" x 4"		"	18	17.32 gr
3/8" x 4 1/2"		"	30	22.00 gr
7/16" x 5 1/4"		"	47	30.76 gr
1/2" x 5 1/4"		"		36.00 gr



BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

10

WROUGHT NUT EYEBOLTS

Made with Closed Bent Eyes—Not Welded

**BRIGHT ZINC
PLATED**



**BRIGHT
FINISH**

Stock No.	Thread Diameter Inches	Overall Length Inches	Shank Length Inches	Thread Length Inches	Inside Eye Diameter Inches	Weight per Dozen Pounds	Weight per Gross Pounds	Weight per 100 Pounds	List Price
1	5/32	1 5/8	1 1/8	1	1/4	.3	3	2	.36 doz
2	3/16	2	1 5/16	1 1/4	5/16	.4	4	3	.36
3	7/32	2 3/16	1 1/2	1 3/8	11/32	.5	6	4	.48
4	1/4	2 5/8	1 7/8	1 1/2	3/8	.6	7	5	.48
4-A	1/4	4	3	2	9/16	.8	9	7	.60
4-B	1/4	5	4	2	9/16	.9	11	7.2	.72
4-C	1/4	6	5	2	9/16	1.	12	8.2	.84
4-D	1/4	7	6	2	9/16	1.1	13.2	9.3	.96
4-E	1/4	8	6 3/4	2	9/16	1.2	14.5	10.3	1.08
5	5/16	3 1/4	2 1/4	1 7/8	1/2	1.3	14.8	10	.84
5-A	5/16	4	2 5/8	2	3/4	1.4	16.5	11.5	.96
5-B	5/16	5	3 5/8	3	3/4	1.6	20	14	.96
5-C	5/16	6	4 5/8	3	3/4	1.7	20.4	14.3	1.20
5-D	5/16	7	5 5/8	3	3/4	1.8	21.7	16	1.20
5-E	5/16	8	6 5/8	3	3/4	2.	24	18.9	1.44
6	3/8	4	2 1/2	2 1/8	5/8	2.	24	17	1.08
6-A	3/8	5	3 1/4	2 7/8	1	2.3	28	19	1.20
6-B	3/8	6	4 1/4	3 3/4	1	3.	34.5	24	1.20
6-C	3/8	8	6 1/4	3 3/4	1	3.5	43	29	1.44

NO. 1000



EYE BOLT ASSORTMENT

10 POPULAR SIZES
METAL DISPLAY PANEL
ILLUSTRATED 14"x6"
CATALOG NO. 1000

List Price 11.20 ea

Catalog No.	2	4	4A	5	5A	5B	6	6A	6B	6C
Thread Dia.	3/16"	1/4"	1/4"	5/16"	5/16"	5/16"	3/8"	3/8"	3/8"	3/8"
Overall Length	2"	2 5/8"	4"	3 1/4"	4"	5"	4"	5"	6"	8"

ASSORTMENT INCLUDES 1 DOZ. EACH ABOVE STOCK NOS. WITH DISPLAY PANEL
PACKED IN INDIVIDUAL SHIPPING CONTAINERS—SHIPPING WEIGHT 19 lbs.

Exit Bolts

Gravity Locking

No. J5344 - Dead Black Japanned

FOR EMERGENCY EXIT, SINGLE AND DOUBLE DOORS


Operation

Both top and bottom Bolts are operated from inside of door only, by slight pressure on the Cross Bar at any point. Inclosed in the top Case is a device which holds the ends of the Rods in position when they are withdrawn from the Strikes by the operation of the Cross Bar so that the door may be swung over a carpeted, marble or tile floor. When the door is closed the Rods are instantly released by the Auxiliary Latch and return, by gravity, to the locked position. Cannot be operated from outside of door and no hardware is required on the outside.

Rods, Steel, Cross Bar, Steel Tubing, all other parts Cast Bronze, all Japanned or EOP Finish.

No. 5344

CROSS BAR.....3/4 inch
 ACTUATING CASE.....8 x 2 inches
 HINGE STILE BRACKET..2 x 2 inches
 TOP GUIDE.....1 1/8 x 2
 TOP CASE.....2 1/4 x 2 1/2
 TOP STRIKE.....1 3/8 x 2 1/2
 BOTTOM STRIKE.....1 1/4 x 2 3/4
 BOTTOM GUIDE.....1 1/2 x 1 7/8 inches
 UPPER ROD.....5/8 inch
 LOWER ROD.....1/2 inch
 FOR STILES.....Not less than 3 inches wide
 HEIGHT.....Floor to Cross Bar, 3 feet
 REVERSIBLE.....Right or Left Hand Doors



Side View
of
Top Case
Showing
Auxiliary
Latch

Specify in Ordering
Height of Door between
Floor and Stop
or Threshold and Stop,
width of Door, width of
Stile.

CENTER BEARING BRACKETS
Furnished when required.

PACKING & WEIGHTS

	Door 3' 6" x 8'
Set in box	1
Wt. per box (lbs.)	11 1/2
Set in case	4
Wt. per case (lbs.)	51

Bolts No. 5344 are carried in packed stock for doors 3' 6" wide, 8' high, For smaller doors the Cross Bar can be cut off to the necessary length.

List Price 35.20 each

Get acquainted with your BARRETT salesman. Learn the products he stocks that you can use. Tell him the items you buy and your supply problems. He can save you headaches, money and deliver the goods.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

12

Exit Bolts NOS. 5391

FOR EMERGENCY EXIT, SINGLE DOORS

PACKING & WEIGHTS

Door 3' 6" x 8'
One Set in Box - Weight, 11 1/2 lbs.

Complete Sets

With Bar Locking Device

Furnished with Bar Locking Device
in Actuating Case to lock the Bar in
an inactive position.

No. J5391

Outside Trim: OB Finish
Inside Trim: J Finish

With No. 3771TC Sectional Entrance Door Handle for Outside: Wrought
Brass Cylinder Bases; Forged Brass Grip No. 736; size overall 15 3/4 x
2 1/2 inches. Cylinder Mortise Anti-Friction Lock No. 993.

Actuating Case.....8 x 2 inches, Cast Bronze
Hinge Stile Bracket...2 x 2 inches, Cast Bronze
Cross Bar.....3/4 inch, Steel Tubing
For Stiles.....4 1/2 inch Minimum
Handed.....Not reversible - Specify Hand

When required for Double Doors, Open Strike #1123 1/2 will be fur-
nished as illustrated

Illustration shows
a Right Hand Reverse
Bevel Lock.

Operation

FROM INSIDE. By Exit Bolt Cross Bar at all
times by a slight pressure on Cross Bar at any point.

FROM OUTSIDE. By the Entrance Handle Thumb
Piece. Outside Thumb Piece may be set by Key from Outside.



Inside Exit Bolt for No. 5391 with Lock No. 993

List Price 69.60 each

Exit Bolts

FOR SINGLE OR DOUBLE EXIT DOORS

Automatic Release Action - Double Acting Cross Bar

REGULAR FINISHES - Group 1, 3, CM, DCM

NO. 5525

Operation - Inside of Door
(No Outside Operation)

OPERATION. Both top and bottom Bolts are operated from inside of door
only by a slight pressure or an upward pull on the Cross Bar at any point. A
device in connection with the top Guide holds both the top and bottom Bolts in
position when they are withdrawn from the Strikes by the operation of the
Cross Bar, so that the door may be swung over a carpeted, marble or tile floor.
When the door is closed the Bolts are automatically released and projected
into the Strikes.

CENTER CASE 8 x 2
HINGE BRACKET 4 5/16 x 2
TOP BOLT CASE 3 1/2 x 2 1/4
BOTTOM BOLT CASE 3 1/8 x 2 1/8
GUIDES 1 3/4 x 1 7/8
TOP STRIKE 2 1/2 x 1 3/4 inches


Angle for Standard 1/2 inch Stop

BOTTOM STRIKE 1 1/2 x 3 1/16 inch
BOLT ENDS 3/4 inch diameter
ROD 1/2 inch diameter
CROSS BAR 1 inch diameter
HEIGHT Floor to Cross Bar, 3 feet

HANDED Not Reversible, Specify Hand
SCREWS All packed with Interlocking Machine
Screws and Wood Screws to match

No. 5525 for Single or Double Outside Doors. No outside trim,


Cast Bronze with
Wrought Bronze Cross Bar
Top and Bottom Rods



(A) Indicates through
machine screws with
square mortise nuts.

List Price 73.80 each

VIEW OF PARTS OF 993 LOCK WITH ANTI-FRICTION LATCH BOLT



Nos. Names of Parts

- | | |
|----|---------------------------------|
| 1 | Front |
| 3 | Case |
| 3A | Case Screws |
| 4 | Cap |
| 4A | Cap Screws |
| 5 | Cylinder Clamp |
| 6 | Cylinder Clamp Screw |
| 9 | Latch Bolt complete with Spring |
| 9A | Latch Bolt Dog and Dog Pin |
| 9S | Latch Bolt Spring only |
| 11 | Cross Bar |

Nos. Names of Parts

- | | |
|-----|---------------------------------|
| 16A | Stop |
| 22 | Guard Bolt complete with Spring |
| 22S | Guard Bolt Spring only |
| 23 | Guard Bolt Lever |
| 24 | Slide |
| 28A | Outside Thumb Piece Lever |
| 28B | Inside Thumb Piece Lever |
| 29A | Outside Thumb Piece Spring |
| 30 | Latch Lever |
| 31 | Latch Lever Spring |
| 32 | Stop Spring |
| 33 | Check Spring |

Operation

FROM INSIDE: By Exit Bolt Cross Bar at all times by a slight pressure on the Cross Bar at any point.

FROM OUTSIDE: By the Entrance Handle Thumb Piece. Outside Thumb Piece may be set by the Key from the Outside.

JAPANNED

CASE..... $5\frac{1}{2}$ x 4 inches, 11-16 inch thick
 BACKSET..... $2\frac{3}{4}$ inches
 FRONT.....Heavy Bronze, 8 x $1\frac{1}{4}$ inches
 STRIKE.....Lip to Center $1\frac{1}{4}$ inches
 BOLTS.....Heavy Bronze, Reverse Bevel
 $\frac{9}{16}$ inch Throw
 LATCH.....Center Anti-Friction
 HANDED.....Not Reversible, Specify Hand
 CYLINDERS....One Bronze Cylinder
 KEYS.....Two Keys 267

No. 993 Lock
Cut shows a Left Hand Reverse Bevel Lock



Two Keys

STRIKE PLATE
1123 $\frac{1}{2}$ 4.40 each

REPAIR PARTS LOCK ONLY - LESS CYLINDER

NUMBER LIST PRICE
OB-993 37.10 each

Flush Bolts

Extension

Size, 12 Inches

$6\frac{3}{4}$ x $1\frac{1}{4}$ Inch Plate, $\frac{1}{8}$ x $2\frac{1}{4}$ Inch Guide,
 $\frac{1}{2}$ Inch Square Bolt, Heavy

Bronze and Brass

No. 1116 - SUITABLE FINISHES-B,OB,OP
 P,BN,LN,CM,DCM

No.1116 can be furnished on Contract Orders
 in the following finishes - NLB,NLP,03P.


Conform to Fed. Spec. FF-H-111A, Type 1045

Two in a box-Weight 2 lbs.
 In case. twelve-Weight 13 lbs.

$5\frac{3}{4}$ x $\frac{3}{8}$ Inch Plate, $\frac{5}{8}$ x 2 Inch Guide,
 $\frac{3}{4}$ Inch Square Bolt

The whole length of rod is furnished (complete in one piece, with bolt head attached)
 as per sizes given. Bolt can be used equally well for either top or bottom of door.
 Sizes given are lengths from head of bolt, when withdrawn, to center of operating mechanism.

LIST PRICE 3.60 each



1116

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

foot bolts

spring action



1056 furnished in jappaned (1)

number	size, length of bolt (inches)	case (inches)	diameter of bolt (inches)	throw (inches)
1056-356	2	1 1/2 x 1 1/16	1 3/32	3/8
	3	2 1/2 x 1 3/16	1/2	1/2
	4	3 3/8 x 1 1/2	3 9/64	1
	5	4 1/2 x 1 11/16	3 9/64	1
	6	5 x 2	2 3/32	1 3/32
	8	7 x 2 3/4	1 3/16	1 1/4
	10	9 x 3 3/8	2 7/32	1 1/4

strike (inches)	quantity and size of wood screws (plate)	average net weight per dozen (lbs.)	dozen in a case 1056-1057	average case weight (lbs.)
1 1/2 x 5/8	4 — 5/8 x 4	1	10	12
1 3/4 x 1 5/16	4 — 3/4 x 6	2 1/2	10	27
2 1/4 x 1 1/8	4 — 3/4 x 7	5	5	25
2 1/4 x 1 1/8	4 — 3/4 x 7	6	5	30
2 13/32 x 1 1/4	4 — 1 x 8	9	5	48
2 3/4 x 1 1/2	4 — 1 1/4 x 10	17	2	35
2 3/8 x 2	6 — 1 1/4 x 12	31	1	33

1056 steel — jappaned or bright
zinc plated

FOOT BOLTS

NUMBER	LIST PRICE
SC-1056J-6"	15.50 doz.
SC-1056J-8"	29.65 doz.
SC-1056J-10"	50.50 doz.

uses for garages and industrial buildings • smaller sizes, in plated finishes, are for cabinets or double screen doors

construction made of wrought brass or steel • operated by pressure of the foot on the cap and released by pressure on the trip

DOOR HOLDERS

steel — planished and
plated

FOOT BOLTS NO. SC456F

456


plate (inches)	length overall (inches)	maximum throw (inches)	size of OH wood screws	average net weight per dozen (lbs.)
5 x 2	6 5/8	1 5/16	7/8 x 8	12 1/2

one-quarter dozen in a box with screws

List Price 26.00 per dozen

— equipped with soft rubber feet with
concentric rings for greater holding power
rubber feet are replaceable on all numbers

plunger
type



456- — made of wrought brass, bronze or steel • a spring in the plunger base makes possible the securing of added pressure against the floor • a slight pressure of the foot on the serrated base of the plunger sets the rubber firmly against the floor and a slight pressure on the trip releases the holder • equipped with a rubber silencer insuring quiet operation when released

Mortise Bolts

Case 9-16 x 2 3/4 Inches
Turn Knob Plate . . . 1 3/4 x 3/4 Inches
Backset 1 3/8 Inches



No. 272

Wrought Bronze and Brass Trim

Listed Finishes: Groups 1, 3, CM


No. 242

NUMBER LIST PRICE
B-242 9.70 doz.
B-272 11.40 doz.
CM-272 14.70 doz.

Cast Iron Turn Knob. Steel Turn Knob Plate

Listed Finishes: Groups 1, 3, CM

Conforms to Government Specification FF-H-111:
No. 272 X Strike 85, Type 1053A



No. 1163 -

Wrought Steel

9 inch-SUITABLE FINISHES-OB




SURFACE BOLTS

NUMBER	LIST PRICE
OB-1152 - 3"	6.00 doz.
OB-1152 - 6"	7.30 doz.
OP-1152 - 6"	7.30 doz.
B-1155--	
B-1155 - 6"	15.70 doz.
OB-1155 - 6"	15.70 doz.
OP-1155 - 6"	15.70 doz.
LN-1155 - 6"	15.70 doz.
CM-1155 - 6"	26.10 doz.
OB-1163 - 6"	9.40 doz.



1152, 1155



Available Finishes:
OB, OP, B, LN, CM

One dozen in a box - Weight, 5 1/2 lbs.
1163, In case, 12 dozen - Weight, 68 lbs.

polished and finely finished
surface bolts

379-381 steel

number	size, length (inches)	width (inches)	throw (inches)	guides (inches)	size of wood screws FH for strikes OH for guides	average net weight per dozen (lbs.)
379	3	3/8	3/8	3/8 x 1 5/16	3/8 x 5	2 1/4
	4	3/8	1	3/8 x 1 5/16	3/8 x 5	2 1/2
	6	3/8	1	3/8 x 1 5/16	3/8 x 5	3
381	6	1/2	1 1/4	1 x 1 1/2	3/4 x 6	4 1/2
	9	1/2	1 1/4	1 x 1 1/2	3/4 x 6	6
	12	1/2	1 1/4	1 x 1 1/2	3/4 x 6	7
	18	1/2	1 1/4	1 x 1 1/2	3/4 x 6	9

NUMBER	LIST PRICE
379-C - 4"	7.00 doz.
379-A5 - 4"	7.00
381-F - 9"	9.25
381-SF4 - 9"	9.25



WINDOW SPRING BOLTS


No. 1697 - 3 1/4"

size, length of bolt (inches)	length of case (inches)	throw (inches)	diameter of hole to bore (inches)	average net weight per gross (lbs.)	gross in a case	average case weight (lbs.)
2 3/8	1 1/2	3/8	1/4	3 1/2	5	19
3 1/4	1 3/8	1/2	3/8	9 3/4	5	50

one-half gross in a box

List Price 14.60 Gross

for windows and for stationary or hinged screens
size 2 3/8" recommended for screens



window spring bolt

1697 steel - bright zinc plated

BARRETT HARDWARE COMPANY


Over 100 Years Service to the Trade

16

screen door braces

steel — bright zinc plated

1738



uses for taking up the sag in a screen or storm door
applied on the inside of the door


construction the steel rod is zinc plated with solid brass adjusting screw • the serrated end makes a firm contact
easily adjusted with a screw driver

length overall (inches)	diameter of rod (inches)	adjustment (inches)	size of RH wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
21	1/4	3/4	3/4 x 7	3 3/4	6	24

one-half dozen in a box with screws

steel — bright zinc plated

1739



uses for taking up the sag in a screen or storm door • applied on the inside of the door

construction the steel rods are zinc plated • the serrated ends make a firm contact

equipped with a solid brass turnbuckle • the desired tension can be secured either by inserting a nail in the hole or using a wrench or pliers

offset ends on rods provide clearance permitting turnbuckle to turn freely

length overall (inches)	diameter of rod (inches)	adjustment (inches)	size of RH wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
42	1/4	1 3/4	3/4 x 8	6	6	39

one dozen in a box with screws


BRACES
for Screen Door

NUMBER	LIST PRICE
1739K - 42"	9.10 doz.
1738K - 42"	5.00 doz.

card table leg braces

441

steel — bright brass or bright
nickel finishes



length overall (inches)	width (inches)	gauge of metal	size of RH wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
9 1/2	1/2	.058	1 x 10	1 1/4	24	33

two dozen in a box with screws

furnished in bright brass (C) or bright nickel (N)
finishes


NUMBER	LIST PRICE
441-N	3.90 doz.

NUMBER LIST PRICE

446-K	4.80 pair
446-1/4-K	2.40 pair
446-1/2-K	2.20 pair
448-K	2.62 set

table leg braces

extra heavy for banquet tables




for banquet tables, folding counters, folding wall racks, roadside stands, etc

made with a positive, easily operated locking feature
• when folded, the legs lie flat against the table



(RH) applied (LH)
legs equipped with hinges 814 1/2-2

for table-tennis tables



made with a positive, easily operated locking feature • the braces insure rigid, sturdy legs when open, and when closed, permit the legs to be folded flat against the table

446 1/2 is made without a base, for tables with reinforcing rails along the edges



446 1/4-446 1/2 applied
table hinged with 311-1 1/2" continuous hinge, legs with 814 1/2-2"

number	length overall (inches)	width (inches)	gauge of metal	quantity and size of wood screws	average net weight per pair (lbs.)	pairs in a case	average case weight (lbs.)
446	16 3/4	1 1/4	.187	5-1 x 12 FH	3 3/4	10	37
446 1/4	13 1/2	5/8	.125	1-3/4 x 10 RH (arm) 2-3/4 x 7 FH (base)	3/4	60	50
446 1/2	13 1/4	5/8	.125	2-3/4 x 10 RH	5/8	60	42

446 two pairs in a box; 446 1/4, 446 1/2 six pairs in a box; all one-half right hand with screws

448 steel - bright zinc plated or brown lacquer finishes

uses for tables having an apron or side rail, 1 1/8" or more in depth

construction the angle plate is fastened to the apron, and the moving leaf to the leg, with screws • a hole is drilled in the leg to receive the pin which serves as a bearing surface for the sliding arm • a positive catch holds the leg braced in the open position and a friction arrangement holds the folded leg up under the top

a set consists of four braces with screws and pins




table corner brace (inches)	leg brace (inches)	width of corner brace (inches)	gauge of metal leg brace	size of OH corner brace	size of OH wood screws	average net weight per 100 sets (lbs.)	set in a box	average case weight (lbs.)
4 11/16 x 2 13/16	4 1/16	1 1/8	.050	.062	6-3/4 x 7	131	12	17

one set in a box

furnished in bright zinc (K) plated or brown lacquer finishes

CORNER
BRACKET



DOORCHECK BRACKETS
Soffit or Corner
A, B, C, D, E, F

NO.	LIST
A	2.60 ea.
B	3.40 "
C	3.90 "
D	4.92 "
E	5.85 "
F	6.25 "



SOFFIT
BRACKET

Brackets for Door Closers

Packed with wood screws for attaching to door or frame.

No. 53 — Corner Bracket, Reversible

Locates Closer well out on door to exert good control, yet Bracket can be fastened firmly to two sides of door frame. Closer will open the full 180°.




53


Size for	Widths of Base	Heights of Base	Lengths of Base	Weight	In Case	Per Case
43V	1 5/8 In.	4 5/8 In.	7 3/8 In.	2 5/8 lbs.	4	12 lbs.
44V	1 1/2 In.	5 1/8 In.	7 7/8 In.	3 1/2 lbs.	4	16 lbs.
45V	1 1/2 In.	5 3/8 In.	8 3/4 In.	4 3/4 lbs.		

NUMBER	LIST PRICE
53V-43V	3.40 ea.
53V-44V	5.00 ea.
53V-45V	6.00 ea.


Dimensions of Sidewall Brackets for Nos. 232 and 31 Lock-Joint Trolley Track



1X31



39X31




† 2X31

INTERMEDIATE LOCK JOINT SINGLE


END

† LOCATE NOS. 2X31 & 23X31 & BRACKETS TO PERMIT TRACK TO ENTER BRACKET 1 5/8".


★ LOCATE NO. 2X232 END BRACKET TO PERMIT TRACK TO ENTER BRACKET 2 1/4".



1X232



39X232



★ 2X232


INTERMEDIATE

LOCK JOINT

END


DOOR TRACK BRACKETS

1 x 31	List - .55 ea.
2 x 31	List - .62 ea.
22 x 31	List - 1.70 ea.
23 x 31	List - 2.05 ea.
39 x 31	List - .70 ea.
229 x 31	List - 2.85 ea.
1 x 232	List - 1.30 ea.
2 x 232	List - 1.30 ea.
39 x 232	List - 1.45 ea.




22X31

PARALLEL CENTER



229X31

LOCK JOINT
DOUBLE



† 23X31

PARALLEL END

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

21

HANDRAIL BRACKETS

NO. 420 Available Finishes:

B - OB - OP


Size of Base, $3\frac{1}{4}$ x $1\frac{1}{2}$ Inches

Base to Center, $2\frac{5}{8}$ Inches

Cast Iron
Wrought Steel Loop

No. 420 - SUITABLE FINISHES-

B, OB, OP




420

Half Dozen in a box - Weight 2 $\frac{5}{8}$ lbs.
In case, 8 dozen - Weight 44 lbs.

NUMBER	LIST PRICE
B-420	4.50 dozen
OB-420	4.50 dozen
OP-420	4.50 dozen

HANDRAIL BRACKETS

Cast Aluminum



Polished Brass NO. 59-A3

Dull Brass - - - NO. 59-A10


Polished Nickel- NO. 59-A14

NUMBER	LIST PRICE
59-A3	4.50 dozen
59-A10	4.50 dozen
59-A14	5.00 dozen

SHELF BRACKETS

NO. 796-J without screws


SIZE	LIST PRICE
3x4	3.40 doz. pr.
4x5	4.25 "
5x7	6.50 "
6x8	7.25 "
7x9	9.05 "
8x10	9.70 "
10x12	14.40 "
12x14	22.60 "



SHELF BRACKETS

NO. 794-J Folding

SIZE	LIST PRICE
8x8	36.00 doz. pr.
12x12	54.00 "
16x16	90.00 "



BRAINERD BRACKETS BRASS

NUMBER	SIZE	LIST PRICES
400	$\frac{1}{2}$ x $\frac{3}{4}$	5.89 gross
401	1	7.07 "
401 $\frac{1}{2}$	$1\frac{1}{2}$	8.84 "
402	2	10.63 "

For 5" Glass Shelf

NUMBER	LIST PRICE
x-45-NP	.18 pair

BRACKETS

WROUGHT BRASS



Full Size—No. 401 $\frac{1}{2}$ —Made of .060 Metal

No. 400 $\frac{1}{2}$ " x $\frac{3}{4}$ ", per single gross.
 $\frac{1}{4}$ gross in a box, weigh 6 oz.

No. 401 $\frac{1}{2}$ " x 1", per single gross.
 $\frac{1}{4}$ gross in a box, weigh 8 $\frac{1}{2}$ oz.

No. 401 $\frac{1}{2}$ $\frac{1}{2}$ " x 1 $\frac{1}{2}$ ", per single gross.
 $\frac{1}{4}$ gross in a box, weigh 13 oz.

No. 402 $\frac{1}{2}$ " x 2", per single gross.
 $\frac{1}{4}$ gross in a box, weigh 17 oz.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

22

Prime Coat BUTTS - Half Surface

NUMBER	SIZE	LIST PRICE
125-P	2	90.00 per 100 pair
125-P	2½	151.00 "
125-P	3	159.60 "
125-P	3½	169.40 "
125-P	4	244.20 "



5% Additional Discount on
Butts in Full Case (50 Pr.)




BUTTS - Half Surface

NUMBER	SIZE	LIST PRICE
165 - F	2	90.00 per 100 pair
165 - F	2½	151.00 "
165 - F	3	159.60 "
165 - F	3½	169.60 "
165 - F	4	244.20 "
165 - A5	2	90.00 "
165 - A5	2½	196.00 "
165 - A5	3	204.60 "
165 - A5	3½	214.40 "
165 - A5	4	289.20 "

5% Additional Discount
on Butts in Full Case
(50 pair)

Dull Brass - Symbol F
Dull Bronze - Symbol A5



brass or bronze — polished and
finely finished

(non-template)

175

Full Mortise BUTT HINGES

uses for doors of residences, apartment houses and other medium weight wood doors receiving low frequency service, where the finest regular weight plain bearing butt hinge is desired

hollow metal and high frequency doors should always be equipped with ball bearing butt hinges

use template butt hinges on wood doors with pressed steel jambs

use non-template butt hinges on wood doors with wood jambs

use three hinges to a door

construction made of wrought brass, bronze or steel, toughened and hardened by cold rolling

the inner edges of the leaves are beveled to make close-fitting joints

highly polished steel butt hinges are heavily copper plated before final plating, insuring a fine durable finish

equipped with easily seated, non-rising loose pins (except in size 2" x 2") • the pins in the brass and bronze butt hinges are stainless steel

brass and bronze butt hinges (except sizes 2½" x 2½" and smaller) are equipped with stainless steel bushings, reducing wear at the joints

template hinge illustrated

flat button tips furnished in
place of ball tips on order

knuckles (cut open)
showing stainless steel
bushing in 194 and 175

size open (inches)	gauge of metal	quantity and size of screws			average net weight per 100 pairs (lbs)	
		template	non-template		bronze	steel
3½ x 3½	.123	3 — ½ x 10-24	3 — 1 x 10	6 — 1 x 9	152	135

Polished Brass - symbol C
Polished Chrome - symbol CM

2½ x 2½ and smaller three pairs in a box; larger sizes one pair •
template with one-half machine screws and one-half wood screws •
non-template with wood screws

NUMBER	SIZE	LIST PRICE
175-C	3½x3½	8.00 pair
175-CM	" "	9.50 pair

BARRETT HARDWARE COMPANY


Over 100 Years Service to the Trade

23

MORTISE BUTTS		
NUMBER	SIZE	LIST PRICE
241F } 241J }	2 x 2	94.75c pr.
	2½ x 2½	96.80 "
	3 x 3	98.90 "
	3½ x 3½	101.00 "
	4 x 4	135.00 "
	4½ x 4½	317.00 "
	5 x 5	584.00 "
	6 x 6	168.00 "
241A4 } 241A5 } 241C }	3½ x 3½	147.00 "
	4 x 4	181.00 "
	4½ x 4½	372.00 "

NUMBER	SIZE	LIST PRICE
241N	2 x 2	214.75c pr.
	2½ x 2½	216.80 "
	3 x 3	218.90 "
	3½ x 3½	221.00 "
	4 x 4	255.00 "
	5 x 5	764.00 "
241CM	2 x 2	244.75c pr.
	2½ x 2½	246.80 "
	3 x 3	248.90 "
	3½ x 3½	251.00 "
	4 x 4	285.00 "
	4½ x 4½	547.00 "
	5 x 5	814.00 "

NO. 241



EXTRA PINS for No. 241F	
SIZE	LIST PRICE
3"	.06 ea.
3½"	.08 ea.
4"	.10 ea.

ball bearing hinges

BB241 (non-template)

steel — planished and plated

size open (inches)	gauge of metal	quantity and size of screws			average net weight per 100 pairs (lbs)	pairs in a case	average case weight (lbs)
		template		non-template			
		machine	wood	wood			
4½ x 4½	.134	4 — ½ x 12-24	4 — 1¼ x 12	8 — 1¼ x 10	230	25	59
3½ x 3½	.123	3 — ½ x 10-24	3 — 1 x 10	6 — 1 x 9	135	50	70
4 x 4	.130	4 — ½ x 12-24	4 — 1¼ x 12	8 — 1 x 10	178	25	46
5 x 5	.146	4 — ½ x 12-24	4 — 1¼ x 12	10 — 1¼ x 12	309	20	64


one pair in a box with screws

when ordering template butt hinges for hollow metal doors with pressed steel jambs, specify "all MS"
use three hinges to a door

NUMBER	SIZE	LIST PRICE
BB-241-A5	3½ x 3½	4.56 pr.
	4 x 4	5.06 "
	4½ x 4½	6.95 "
	5 x 5	9.55 "
BB-241F	3½ x 3½	4.10 pr.
	4 x 4	4.60 "
	4½ x 4½	6.40 "
	5 x 5	9.00 "

BB: BALL BEARING

ball bearing hinges of
all types available in
wrought stainless steel
and aluminum



template hinge
illustrated

uses for medium weight interior doors receiving average frequency service
use template butt hinges on hollow metal doors or wood doors with pressed steel jambs
use non-template butt hinges on wood doors with wood jambs

construction made of wrought steel, toughened and hardened by cold rolling
butt hinges for painting are bonderized and prime coated • the bonderizing forms a strong bond between the metal and the prime coat, thereby preventing paint from peeling or flaking • ample paint clearance is provided between the barrel and the inner edges of the leaves
equipped with two Stanley permanently lubricated non-detachable ball bearings
equipped with easily seated non-rising loose pins
for wide-throw hinges.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

24

ball bearing hinges half surface



(template) BB173

steel — polished and plated

BB: BALL BEARING

uses for medium weight kalamein doors receiving average frequency service

use template butt hinges on kalamein doors with pressed steel jambs

use non-template butt hinges on kalamein doors with kalamein jambs

construction made of wrought brass, bronze or steel, toughened and hardened by cold rolling; also available in wrought stainless steel and aluminum

the inner edges of the leaves of the brass, bronze and highly polished steel butt hinges are beveled to make close-fitting joints

the highly polished steel butt hinges are heavily copper plated before final plating, insuring a fine durable finish

butt hinges for painting are bonderized and prime coated • the bonderizing forms a strong bond between the metal and the prime coat, thereby preventing paint from peeling or flaking • ample paint clearance is provided between the barrel and the inner edges of the leaves

equipped with two Stanley permanently lubricated non-detachable ball bearings

equipped with easily seated, non-rising loose pins • the pins in non-ferrous butt hinges are stainless steel


size length of joint (inches)	gauge of metal	width		offset (inches) (C)	quantity and size of screws				average net weight per 100 pairs (lbs)		
		jamb leaf (inches) (A)	door leaf (inches) (B)		FH machine		wood				OH machine
					jamb leaf						
					template	non-template	door leaf				
4½	.134	2¼	2⅞ ₁₆	¾	4 — ½ x 12-24	4 — 1¼ x 10	3 — 2 x ¼-20	285	254		

NUMBER

LIST PRICE

BB-173-CM 4 1/2 x 4 1/2 | 13.25 pr.

ball bearing hinges extra-heavy



template hinge illustrated

uses for heavy doors or doors where high frequency service is expected, such as entrance doors to office buildings, stores, public buildings and corridor entrance doors to offices

use template butt hinges on hollow metal doors or wood doors with pressed steel jambs

use non-template butt hinges on wood doors with wood jambs

construction made of extra heavy wrought brass, bronze or steel, toughened and hardened by cold rolling

the inner edges of the leaves (except those for painting) are beveled to make close fitting joints

the highly polished steel butt hinges are heavily copper plated before final plating, insuring a fine durable finish

butt hinges for painting are bonderized and prime coated • the bonderizing forms a strong bond between the metal and the prime coat, thereby preventing paint from peeling or flaking • ample paint clearance is provided between the barrel and the inner edges of the leaves

equipped with four Stanley permanently lubricated non-detachable ball bearings, except size 4" x 4", which has two bearings

equipped with easily seated, non-rising loose pins • the pins in non-ferrous butt hinges are stainless steel

size open (inches)	gauge of metal	quantity and size of screws			average net weight * per 100 pairs (lbs)	
		template		non-template		
		machine	wood	wood	bronze	steel
4 x 4	.170	4 — 1/2 x 12-24	4 — 1 1/4 x 12	8 — 1 1/4 x 12	274	244
4 1/2 x 4 1/2	.180	4 — 1/2 x 12-24	4 — 1 1/4 x 12	8 — 1 1/4 x 12	342	304
5 x 4	.190	4 — 1/2 x 12-24	4 — 1 1/2 x 12	10 — 1 1/2 x 12	382	339
5 x 4 1/2	.190	4 — 1/2 x 12-24	4 — 1 1/2 x 12	10 — 1 1/2 x 12	408	362

BUTTS - Mortise

NUMBER SIZE

LIST PRICE

BB-181-A5 5 x 4 1/2 | 19.45 pr.
BB-250-J1 4 1/2 x 4 1/2 | 19.00 pr.

BB: BALL BEARING

BB181 (non-template)	brass or bronze — polished and finely finished
BB250 (non-template)	steel — highly polished and heavily plated

BUTTS - Mortise

NUMBER


hinges

242-P

steel — bonderized and prime coated for painting



flat button tips furnished with 146 and 242 other numbers on order



uses for doors of residences, apartment houses and other medium weight wood doors receiving low frequency service

hollow metal and high frequency doors should always be equipped with ball bearing butt hinges

use template butt hinges on wood doors with pressed steel jambs

use non-template butt hinges on wood doors with wood jambs

construction made of wrought steel, toughened and hardened by cold rolling

butt hinges for painting are bonderized and prime coated • the bonderizing forms a strong bond between the metal and the prime coat, thereby preventing paint from peeling or flaking • ample paint clearance is provided between the barrel and the inner edges of the leaves

equipped with easily seated, non-rising loose pins (except size 2" x 2")

size open (inches)	gauge of metal	quantity and size of screws			average net weight per 100 pairs (lbs)	pairs in a case	average case weight (lbs)	SIZE	LIST PRICE
		template		non-template					
		machine	wood	wood					
2 x 2	.082	4 — ¾ x 7	33	102	35	2 x 2	94.75 c pr.
2½ x 2½	.089	3 — ½ x 8-32	3 — ¾ x 8	6 — ¾ x 8	53	102	55	2½x2½	96.80 "
3 x 3	.092	3 — ½ x 10-24	3 — 1 x 10	6 — ¾ x 8	79	50	41	3 x 3	98.90 "
3½ x 3½	.123	3 — ½ x 10-24	3 — 1 x 10	6 — 1 x 9	135	50	69	3 x 3	98.90 "
4 x 4	.130	4 — ½ x 12-24	4 — 1¼ x 12	8 — 1 x 10	178	25	46	3½x3½	101.00 "
4½ x 4½	.134	4 — ½ x 12-24	4 — 1¼ x 12	8 — 1¼ x 10	230	25	59	4 x 4	135.00 "
5 x 5	.146	4 — ½ x 12-24	4 — 1¼ x 12	10 — 1¼ x 12	309	20	63	4½x4½	317.00 "
2½" x 2½" and smaller three pairs in a box; larger sizes one pair •					use three hinges to a door				
template with one-half machine screws and one-half wood screws •									
non-template with wood screws									
								5 x 5	584.00 "

2 1/2" x 2 1/2" and smaller three pairs in a box; larger sizes one pair •
template with one-half machine screws and one-half wood screws •
non-template with wood screws

use three hinges to a door

cabinet hinges

285-P


steel — bonderized and prime coated for painting

289-F

steel — planished and plated



flat button tip furnished on 285 other numbers on order



broed

for doors of cabinets, bookcases, china closets, etc

made of wrought brass, bronze or steel, toughened and hardened by cold rolling • pins of non-ferrous metal are used in the brass and bronze hinges

on butt hinges for painting, the inner edges of the leaves are provided with sufficient paint clearance

size, open (inches)	gauge of metal	quantity and size of wood screws	average net weight per dozen pairs (lbs.)		dozen pairs in a case	average case weight (lbs.)	285-P	289-F
			bronze	steel				
2 x 2	.062	4 — 3/4 x 6	3	2 3/4	15	43	2 1/2 x 2	8.25 doz. pr.
2 1/2 x 2	.062	6 — 3/4 x 6	3 3/4	3 3/4	15	56	2 1/2 x 2 1/2	9.00 " "
2 1/2 x 2 1/2	.062	6 — 3/4 x 6	4 3/4	4	15	65		
3 x 2 1/2	.074	6 — 3/4 x 7	6 1/4	5 3/4	10	62		
3 x 3	.074	6 — 3/4 x 7	7	6 3/4	10	69		

one-half dozen pairs in a box with screws

289-A4 2 1/2 x 2 1/2 11.15 doz. pr.


2 x 2	7.60 doz. pr.
2 1/2 x 2	8.25 "
2 1/2 x 2 1/2	9.00 "
3 x 2 1/2	10.60 "
3 x 3	11.35 "

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

26

transom hinges fast spun pin



template hinge illustrated

291-F steel — planished and plated

uses for wood or metal transoms or wherever a fast pin hinge of this type is required
use template butt hinges on metal transoms or wood transoms with pressed steel frames
use non-template butt hinges on wood transoms with wood frames

3" x 3" and smaller three pairs; in a box with screws •
template with one-half machine screws and one-half wood screws

when ordered for hollow metal transoms with pressed steel frames, specify "all MS"

construction made of wrought brass, bronze or steel, toughened and hardened by cold rolling

the inner edges of the leaves of brass and bronze butt hinges are beveled to make close-fitting joints

butt hinges for painting are bonderized and prime coated • the bonderizing forms a strong bond between the metal and the prime coat, thereby preventing paint from peeling or flaking • ample paint clearance is provided between the barrel and the inner edges of the leaves


the pins in non-ferrous hinges are stainless steel

size open (inches)	gauge of metal	quantity and size of screws			average net weight per 100 pairs (lbs)		pairs in a case 291	average case weight (lbs)		
		template		non-template	bronze	steel			2 x 2	11.28 doz. pr.
		machine	wood							
2 x 2	.082	4 — ¾ x 7	34	30	60	20	2 x 2	11.28 doz. pr.
3 x 3	.092	3 — ½ x 10-24	3 — 1 x 10	6 — ⅞ x 8	77	68	60	45	3 x 3	13.92 "

295 - F steel — planished and plated



flat button tip
furnished on 282
other numbers on order



narrow

hinges

for doors of cabinets, bookcases, china closets, etc

made of wrought brass, bronze or steel toughened and hardened by cold rolling • pins of non-ferrous metal are used in the brass and bronze hinges
on butt hinges for painting, the inner edges of the leaves are provided with sufficient paint clearance

size, length of joint (inches)	width open (inches)	gauge of metal	quantity and size of wood screws	average net weight per dozen pairs (lbs.)		dozen pairs in a case	average case weight (lbs.)
				bronze	steel		
1 1/2	1 3/4	.050	4 — 3/8 x 5	1 1/2	1 1/4	25	36
2	1 9/16	.062	4 — 3/4 x 6	2 3/4	2 3/4	15	39
2 1/2	1 11/16	.062	6 — 3/4 x 6	3 1/2	3 1/2	15	52
3	2	.074	6 — 3/4 x 7	5 1/4	4 3/4	15	78

one-half dozen pairs in a box with screws

295-F

1 1/2	7.00 doz. pr.
2	7.40 "
2 1/2	7.90 "
3	10.10 "

295-A5

1 1/2	9.15 doz. pr.
2	9.55 "
2 1/2	10.05 "
3	12.25 "

295-N

1 1/2	14.50 doz. pr.
2	14.90 "
2 1/2	15.40 "

BARRETT HARDWARE COMPANY


Over 100 Years Service to the Trade

27

BROAD HINGES

steel — galvanized, with brass pin

1334



loose pin

Galvanized
Loose Pin
NO. 1334R

made of wrought steel

Extra 5% discount on
#242-P, #1334R & SC-8080
when sold in full case lots
(50 pairs)

size open (inches)	gauge of metal	quantity and size of wood screws	pairs in a case	dozen pairs in a case	average net case weight (lbs.)		
			Sc804-1334	804-K-KBP	Sc804-1334	804	804K-KBP
2 x 2	.082	4 — 3/4 x 7	102	10	34	33	39
2 1/2 x 2 1/2	.089	6 — 3/4 x 8	102	10	54	52	63
3 x 3	.092	6 — 7/8 x 8	50	5	39	41	47
3 1/2 x 3 1/2	.101	6 — 1 x 9	50	5	57	59	68
4 x 4	.107	8 — 1 x 10	25	4	39	64	72

1334 2 1/2" x 2 1/2" and smaller three pairs; larger sizes one pair; in a box with screws

NUMBER	SIZE	LIST PRICE
1334R	2x2	108.00 c.pr.
"	2 1/2 x 2 1/2	119.50 "
"	3x3	165.00 "
"	3 1/2 x 3 1/2	200.00 "
"	4x4	262.00 "



Phone 4341
Joliet, Illinois

100 YEARS OF EXPERIENCE HAS
PROVEN THAT THE CUSTOMERS
NEVER CHANGE FROM BARRETT
HARDWARE QUALITY AND SERVICE
ONCE THEY KNOW IT.

First Session of the
General Assembly of the
State of New York
1880-1881

Volume 1

Part 1

1880-1881


NARROW HINGES

steel — plain		800
NUMBER	SIZE	LIST PRICE
800	1"	1.38 doz. pr.
	1 1/4"	1.76 "
	1 1/2"	2.16 "
	2"	2.54 "

made of wrought steel

sizes 3" and 3 1/2" have five knuckles, all other sizes have three

800 furnished on order, at additional cost, without holes; swaged or not swaged for metal work



fast spun pin

size length of joint (inches)	width open (inches)	gauge of metal	quantity and size of wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
800					800	800
1	1 3/16	.063	4 — 5/8 x 5	3/4	50	35
1 1/4	1 3/8	.065	4 — 3/4 x 6	1	25	27
1 1/2	1 1/2	.068	4 — 3/4 x 6	1 1/2	25	35
2	1 11/16	.074	4 — 3/4 x 7	2 1/2	25	60


one dozen pairs;

- galvanized finish one dozen pairs in a box with screws

BROAD HINGES

steel — plain	804
---------------	-----

made of wrought steel




size open (inches)	gauge of metal	quantity and size of wood screws	dozen pairs in a case	average net case weight (lbs.)	loose pin	LIST PRICE
			804-K-KBP	804		
2 x 2	.082	4 — 3/4 x 7	10	33		5.10 doz. pr.
2 1/2 x 2 1/2	.089	6 — 3/4 x 8	10	52		5.50 "
3 x 3	.092	6 — 7/8 x 8	5	41		5.70 "
3 1/2 x 3 1/2	.101	6 — 1 x 9	5	59		6.60 "
4 x 4	.107	8 — 1 x 10	4	64		10.40 "
4 1/2 x 4 1/2	.123	8 — 1 1/4 x 10	2	46		22.60 "

804 2 1/2" x 2 1/2" and smaller one dozen pairs; 3" x 2 1/2" to 3 1/2" x 3 1/2" inclusive one-half dozen pairs; 4" x 4" and 4 1/2" x 4 1/2" one-quarter dozen pairs; 5" x 5" and 6" x 6" one-twelfth dozen pairs; in a box without screws

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

30



fast spun pin

BROAD HINGES

808

steel — plain


uses hinges on this and the following page are for casement windows and general utility work • not recommended for use on regular weight doors

construction made of wrought steel, toughened and hardened by cold rolling

804 and 808 furnished on order, at additional cost, without holes; swaged or not swaged for metal work

size open (inches)	gauge of metal	quantity and size of wood screws	dozen pairs in a case	average net case weight (lbs.)	LIST PRICE
			808-K-KBP	808	
2 x 2	.082	4 — 3/4 x 7	10	33	4.90 doz. pr.
2 1/2 x 2 1/2	.089	6 — 3/4 x 8	10	52	5.40 "
3 x 2 1/2	.092	6 — 7/8 x 8	5	34	5.60 "
3 x 3	.092	6 — 7/8 x 8	5	41	5.60 "
3 1/2 x 3 1/2	.101	6 — 1 x 9	5	59	6.10 "
4 x 4	.107	8 — 1 x 10	4	64	10.10 "
4 1/2 x 4 1/2	.123	8 — 1 1/4 x 10	2	46	21.40 "
5 x 5	.140	10 — 1 1/4 x 12	1 1/3	56	41.10 "

808 2 1/2" x 2 1/2" and smaller one dozen pairs; 3" x 2 1/2" to 3 1/2" x 3 1/2" inclusive one-half dozen pairs; 4" x 4" and 4 1/2" x 4 1/2" one quarter dozen pairs; 5" x 5" and 6" x 6" one-twelfth dozen pairs; in a box without screws



838

fast spun pin

steel — plain, with fast pin

838

steel — plain, with loose pin

840

light narrow

made of wrought steel

size 2" and larger have five knuckles, small sizes have three

for planished and plated hinges,

838 and 840 furnished on order, at additional cost, without holes;


swaged for metal work swaged or not

size length of joint (inches)	width open (inches)	gauge of metal	quantity and size of wood screws	dozen pairs in a case	average case weight (lbs.)
838				838	838
840				840	840
*3/4	1 1/16	.037	4 — 1/2 x 2	100	20
1	1	.050	4 — 1/2 x 3	50	26
1 1/4	1 1/16	.050	4 — 5/8 x 4	25	19
1 1/2	1 3/8	.050	4 — 5/8 x 5	25	24
2	1 9/16	.062	4 — 3/4 x 6	25	46
2 1/2	1 11/16	.062	6 — 3/4 x 6	25	60
3	2	.074	6 — 3/4 x 7	15	58
3 1/2	2 1/4	.074	6 — 3/4 x 8	10	50
4	2 7/8	.077	8 — 1 x 9	6	51
4 1/2	3	.077	8 — 1 1/4 x 10
5	3 3/16	.084	8 — 1 1/4 x 10

NUMBER SIZE LIST PRICE

838	3/4"	1.30	doz. pr.
1		1.30	"
1 1/4		1.58	"
1 1/2		2.00	"
2		2.28	"
2 1/2		2.64	"
3		3.64	"
3 1/2		4.10	"
4		6.60	"
4 1/2		15.60	"
5		29.60	"

840	3/4"	1.30	doz. pr.
1		1.38	"
1 1/4		1.66	"
1 1/2		2.08	"
2		2.44	"
2 1/2		2.82	"
3		3.94	"
3 1/2		4.38	"
4		7.05	"



840

loose pin

plain steel 3" and smaller one dozen pairs; 3 1/2" to 4 1/2" inclusive one-half dozen pairs; larger sizes one-quarter dozen pairs; in a box without screws

BUTTS - Plain Steel without screws

narrow

802

steel — plain

loose joint
right-hand

made of wrought steel

size length of joint (inches)	width open (inches)	gauge of metal	quantity and size of wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
2½	1⅞	.075	6 — ¾ x 7	3¼	20	66
3	2⅞	.079	6 — ¾ x 8	4½	50	231

one dozen pairs in a box without screws


specify hand

802 R or L 2½" 5.10 doz. pr.
3 7.00 "

806

steel — plain

broad



made of wrought steel


size open (inches)	gauge of metal	quantity and size of wood screws	average net weight per dozen pairs (lbs.)
			806
2½ x 2½	.089	6 — ¾ x 8	5
3 x 3	.092	6 — ¾ x 8	7½

specify hand

loose joint
left hand


806 R or L 2½" 7.40 doz. pr.
3 7.70 "

BUTTS - Table Leaf without screws

steel — plain		810	
drop leaf table hinges			
made of wrought steel			
hinges are swaged and the countersinking is on the outside of each leaf			
• for drop leaf			
810	1"	2.90 doz. pr.	
	1 1/4"	3.70 "	

BUTT HINGES

WROUGHT BRASS BRASS PINS



NARROW WROUGHT BRASS BUTTS

Length Along Pin	Width		List w/o Screws
1/2"	1/2"	Dip Brass Finish, Steel Pin	.51 doz. pr.
3/4"	21/32"	Dip Brass Finish, Steel Pin	.61
1"	3/4"	Dip Brass Finish, Steel Pin	.68
1 1/4"	3/4"	Dip Brass Finish, Steel Pin	.96
1 1/2"	7/8"	Dip Brass Finish, Steel Pin	1.10
2"	1"	Dip Brass Finish, Steel Pin	1.68
2 1/2"	1 1/32"	Dip Brass Finish, Steel Pin	2.94
3"	1 5/8"	Dip Brass Finish, Steel Pin	5.25

Packed 1 dozen pairs in a box

MIDDLE WROUGHT BRASS BUTTS

Length Along Pin	Width		List w/o Screws
3/4"	3/4"	Dip Brass Finish, Steel Pin	.63 doz. pr.
1"	13/16"	Dip Brass Finish, Steel Pin	.80
1 1/4"	7/8"	Dip Brass Finish, Steel Pin	1.01
1 1/2"	1 1/32"	Dip Brass Finish, Steel Pin	1.26
2"	1 3/16"	Dip Brass Finish, Steel Pin	1.94
2 1/2"	1 1/2"	Dip Brass Finish, Steel Pin	4.47
3"	1 7/8"	Dip Brass Finish, Steel Pin	6.30

Packed 1 dozen pairs in a box

BROAD WROUGHT BRASS BUTTS

Length Along Pin	Width		List w/o Screws
1"	1 1/3"	Dip Brass Finish, Steel Pin	.68 doz. pr.
3/4"	1"	Dip Brass Finish, Steel Pin	.79
1 1/4"	1 1/32"	Dip Brass Finish, Steel Pin	1.14
2"	1 3/8"	Dip Brass Finish, Steel Pin	1.43
2 1/4"	1 1/2"	Dip Brass Finish, Steel Pin	2.19
2 1/2"	1 5/8"	Dip Brass Finish, Steel Pin	4.20
3"	2 1/16"	Dip Brass Finish, Steel Pin	7.35


Packed 1 dozen pairs in a box

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

34

turn buttons



4 without screws
Sc4 with screws



5 without screws
Sc5 with screws




made of wrought steel, japanned or bright zinc plated

number	size, length (inches)	size of wood screws	average net weight per gross (lbs.)		gross in a case	average case weight (lbs.)	
			with screws	without screws		with screws	without screws
4-Sc4	1½	1 x 8	2½	1½	10	26	19
	1¾	1 x 8	2½	2½	10	30	22
	2	1 x 8	3½	2½	5	19	15
5-Sc5	1¼	1 x 8	2	1½			

one gross in a box

furnished in japanned (J) or bright zinc plated (K)
finishes

TYPE	FINISH - NUMBER	SIZE	LIST PRICE
Galvanized	SC - 4K	1½	4.15 gross
"	SC - 4K	1 3/4	4.25 gross
"	SC - 4K	2	4.70 gross
Japanned	SC - 4J	1½	4.15 gross
"	SC - 4J	1 3/4	4.25 gross
"	SC - 4J	2	4.70 gross
Half Jap'd	SC - 5J	1¼	4.90 gross



ALUMINUM TURN BUTTONS

FOR SCREENS, STORM DOORS AND STORM WINDOWS

1-3/4" Size

\$4.20 Per Gross

Aluminum Turn Buttons are more satisfactory than steel or iron turn buttons, inasmuch as they leave no rust stains on doors or casings. Keep a gross on your counter tray for quick turnover. Furnished without screws. Screws recommended - Flat Head Brass Wood Screw 7/8" No. 8



DETACHABLE METAL BED CASTER SOCKETS

Packed Separately From Casters—one set per box

These sockets are designed for use with any of the "Diamond-Dart" casters listed above. With these six popular sizes of sockets the necessity of carrying a large inventory of regular metal bed casters with springs attached is eliminated. Dealers can take care of 90% of customers' requirements and supply a high quality caster. Patented grip-ring construction holds caster stem securely in socket yet allows easy removal by hand.

Catalog Number	For Metal Tubing Outside Diam.	Weight Per Set Oz.	List Price Per Set of 4
DMS-2	7/8"	2	\$.60
DMS-3	1"	2	.60
DMS-5	1 1/4"	3	.60
DMS-6	1 1/2"	4	.60
DMS-6 sq.	1 1/2" sq.	6	.60
DMS-7	1.9"	6	.60



RUBBER CUSHION FURNITURE GLIDES

FOR USE WITH DETACHABLE SOCKETS

Rubber cushion glides are a real necessity on all chairs and furniture where protection of floors, and the elimination of noise is desirable. Supplied with X42 stem for use with the Detachable Metal Bed Sockets

GLIDE SPECIFICATIONS WITH X42 STEMS


Cat. No.	Overall Height	Socket Data			Standard Finish	Base Diam.	List Price
		Bore Diam.	Bore Depth	Standard Socket			
CG 392 X 42	1 5/8"	3/8"	1 3/4"	#25 with 3/4" Track Plate	Nickel	1 1/4"	.75 set
CG 393 X 42	1 1/2"	3/8"	1 3/4"			1 1/2"	.90

Carton Packing

Boxed Sets	Gross Wt.
25	14 lbs.
25	17 lbs.

Unit Packing

Sets per box	Wt. per box
1	8 oz.
1	10 oz.



SOCKET TYPE GLIDES FOR WOOD

These glides are for use where chairs and other furniture have already been equipped with gripneck caster sockets. It is an easy matter to remove the caster and insert these quiet, easy sliding rubber cushion glides.

Constructed with a heavier gauge flat steel base having a greater degree of hardness than competitive glides, providing longer life and easier sliding qualities. A live rubber cushion affords complete cushioning and maximum quietness.

SPECIFICATIONS

Cat. Nos.	Socket Data			Standard Finish	Base Diam.	Unit Pkg.		Carton Pkg.		List Price
	Bore Diam.	Bore Depth	Standard Socket			Sets per Box	Wt. per Box	Boxed Sets	Gross Wt.	
CG - 392	3/8"	1 1/2"	No. 3 1" Track Plate	Nickel	1 1/4"	1	702	25	12 lbs.	.75 set

NO MAR

FURNITURE RESTS

Socket-Type fits standard grip-neck caster sockets. Drive-On-Type has a patented hollow driving tube for application to legs of chairs and furniture without the need of drilling holes. Will not split end grain wood. Packed one set per box.

Catalog Number	Type	Diam. of Base	Carton Packing		List Price Per Set of 4
			Boxed Sets	Gross Weight	
NR-2	Socket	1½"	60	20 lbs.	.90
NR-3	Socket	2"	36	20 lbs.	1.50
NR-4	Socket	2½"	18	14 lbs.	1.80





SOCKET-TYPE

RUBBER CUSHION GLIDES

The top quality chair and furniture slides with flat hardened steel base and specially designed resilient rubber cushion. These glides give quiet easy sliding action and protect floors from the destructive effects of dome shaped metal slides or unprotected furniture legs. Nickel plated finish. Packed six sets per box.



Catalog Number	Base Diameter	Carton Packing		List Price Per Set of 4
		Boxed Sets	Gross Weight	
CG-90	7/8"	180	20 lbs.	\$.37
CG-91	1 1/16"	108	20 lbs.	.45
CG-92	1 1/4"	72	15 lbs.	.65



NOMAR "ATLASITE" FURNITURE AND CASTER CUPS

Packed
six sets
per box.

Cat. Nos.	Size Of Opening	Weight Per 6 Sets	List Price
NDC - 125	1½"	2 1/8 lbs.	.90 set
NDC - 225	1¾"	2 3/4 lbs.	1.10
NDC - 325	2"	4 3/4 lbs.	1.60
Cat. Nos.	Diam. Of Opening	Weight Per 6 Sets	List Price
NDC - 6	1 3/8"	1 1/2 lbs.	.70 set
NDC - 7	1 5/8"	2 lbs.	.80


NoMar desk cups are made of an attractive, unbreakable, brown phenolic hard composition that cannot rust or lose its glossy finish, nor will they discolor or affect floors by chemical action. For use under round and square desk, stove, radiator and table legs, etc.

SQUARE RUBBER NORMAR SHOES

Rubber shoes for square desk or table legs, which offer the maximum of floor protection. They prevent sharp edges or legs from digging in and disfiguring floors with permanent damage and ugly scars. Easy to apply, and will not slip off when the furniture is moved. The shoe becomes a part of the desk. They insure a neat, orderly appearance. Dark brown in color and designed to fit 10 sizes of square legs. It is sound economy to protect your floors.

SPECIFICATIONS

Catalog No.	Will Fit Square Legs Of Sizes Listed Below	Standard Packing	Weight Per 6 Sets	List Price
L-135	1¼" to 1 3/8"	6 Sets Per Box	2 3/4 lbs.	.86 set
L-136	1½" to 1 5/8"	6 Sets Per Box	3 1/4 lbs.	.90
L-137	1¾" to 1 7/8"	6 Sets Per Box	4 lbs.	1.10
L-138	2" to 2 1/8"	6 Sets Per Box	5 1/4 lbs.	1.40
L-139	2¼" to 2 3/8"	6 Sets Per Box	6 1/4 lbs.	1.60



"FELTOID" TIPS

A product for light tables, light chairs, small radio cabinets, etc., to prevent scratching and marring of polished surfaces and floors. Made with a high grade durable felt pad held securely in metal cup and attached by means of wood screw. Packed 12 sets per box.

Catalog Number	Wheel Diameter	Weight Per Box of 12 Sets	List Price Per Set of 4
FT-1	3/4"	8 oz.	\$.44
FT-2	1"	18 oz.	.58




STEEL CASTER DOLLY

New improved design—all purpose caster dolly is an extremely popular useful product. Ideal for display of heavy equipment—stoves, refrigerators, cabinets, desks, heavy furniture, etc., and for movement of heavy equipment in homes for repair or during installation. Slips easily under flat surfaces or angle legs.

Ball bearing casters, with 1 1/4" diameter "Atlasite" non-marking wheels. Steel frame in cadmium rust proof finish.

Overall height 1 7/8" —Wt. per Set 3 1/2 lbs. Packed in Bulk.

No. 509RP.....List Price Per Set of 4 \$4.40




DIAMOND-DART FULL FLOATING—BALL BEARING SWIVEL

A quality furniture and miscellaneous equipment caster with the patented Bassick two level ball bearing construction that provides remarkably easy action. Equipped with "X42" stems for use with standard grip-neck sockets for wood or for use with Bassick detachable metal bed caster sockets. Furnished in oxidized copper finish. Packed one set per box.

Catalog Number	Type of Wheel	Wheel Diam.	Tread Width	Bore for Socket	Carton Packing		List Price Per Set of 4
					Boxed Sets	Gross Weight	
5259X42OC	'Atlasite"	1 1/4"	5/8"	3/8"	36	32 lbs.	1.85

DIAMOND-DART FULL FLOATING—BALL BEARING SWIVEL

These are high quality—yet popularly priced—plate casters with the famous Bassick two level ball race swivel construction. Very easy swiveling and small top plate which permits them to be used where casters with larger plates could not be applied. Furnished with attractive molded "Atlasite" phenolic composition wheels. Oxidized copper finish. These are good casters for every Hardware Dealers' stock. Packed one set per box.



For brass finish add letter "B" to caster number.

Catalog Number	Wheel Diam.	Tread Width	Overall Height	Plate Size	Carton Packing		List Price Per Set of 4
					Boxed Sets	Gross Weight	
5269	1 1/4"	5/8"	1 13/16"	1 1/2" x 1 1/2"	20	22 lbs.	1.85



STANDARD

PLAIN BEARING GRIP-NECK SOCKET CASTERS

A well made, inexpensive plain bearing caster for use on furniture which is infrequently moved, such as bureaus, chests of drawers, chiffirobes, etc. Casters with "Atlasite" solid tread composition wheels in oxidized copper finish.

Catalog Number	Type of Wheel	Wheel Diam.	Bore for Socket	Carton Packing		List Price Per Set of 4
				Boxed Sets	Gross Weight	
5479-B	"Atlasite"	1 1/4"	3/8"	78	40 lbs.	\$.70



ECONOMICAL STEEL

The strong, short center king pin construction of these "Swivlo" casters adds

greatly to the strength of this inexpensive ball bearing caster. The vital point, where the most common failure of plate casters occurs, is so designed and strengthened as to eliminate danger of breakage.


The hardened ball bearings operate in a large diameter curved race-way that is recessed in the top of the horn providing a maximum area of contact for long wear and a minimum of overall height.

These casters are constructed of sufficiently heavy gauge steel throughout to stand up under severe service. They are recommended for home and shop use on chests, boxes, creepers, cabinets, etc. They give excellent service at low cost.



CASTER SPECIFICATIONS

Catalog Number with powder iron wheels	Tread Width	Overall Height	Size of Top Plate	Bolt Hole Spacings	Size of Bolt Holes	Stand- ard Finish	Wheel Diam.	List Price
5621	5/8"	1 5/8"	1 3/16" x 1 3/4"	1 3/16" x 1 3/8"	.195"		1 1/4"	1.00
Carton Pkg.				Unit Pkg.		Plain Steel		
Boxed Gross		Sets		Wt. per				
Sets Wt.		per		box				
66 48 lbs.		box		3 3/4 lbs.				
		6						



SWIVLO

BALL BEARING PLATE CASTERS

The popular line of inexpensive, well made utility plate casters. Low in overall height and strong center pin construction. Packed six sets per box. Casters with "Atlasite" composition wheels supplied in brass finish. Others in bright steel finish.

Catalog Number	Type of Wheel	Wheel Diam.	Tread Width	Overall Height	Size of Plate	Carton Packing		List Price Per Set of 4
						Boxed Sets	Gross Weight	
5629-B	"Atlasite"	1 1/4"	5/8"	1 1/2"	1 3/16" x 1 3/4"	66	45 lbs.	.86
5625	Steel	1 1/4"	5/8"	1 1/2"	1 3/16" x 1 3/4"	66	48 lbs.	.78



UNIVERSAL — STANDARD BALL-BEARING GRIP-NECK SOCKET CASTERS

Inexpensive, popular type ball bearing casters for wood furniture. Furnished in plain steel finish with steel wheels, and in brass finish with "Atlasite" phenolic composition wheels, or with "Baco" soft rubber tread wheel. Packed six sets per box.

Catalog Number	Type of Wheel	Wheel Diam.	Tread Width	Bore for Socket	Carton Packing		List Price Per Set of 4
					Boxed Sets	Gross Weight	
5639-B	"Atlasite"	1 1/4"	5/8"	3/8"	66	40 lbs.	.86

PLAIN BEARING



The "Standard" plain bearing gripneck casters are inexpensive casters and are suggested for use on wood furniture such as dressers, bureaus, chifforobes, or other items of wood furniture not frequently moved. They will not allow too easy movement of furniture when drawers are opened as is the common case when ball bearing casters are used.

Plain steel finish is standard. Oxidized copper finish is available on casters with "Atlasite" wheels.

"Atlasite" hard phenolic composition wheels are non-marking.

CASTER SPECIFICATIONS

Cat. No.	Wheel Diam.	Tread Width	Carton Packing		List Price Per Set of 4
			Boxed Sets	Gross Wt.	
7479-OC	1 5/8"	3/8"	48	44 lbs.	.85




METAL BED

BALL BEARING SWIVEL

Standard popular sizes of ball bearing metal bed casters with "Atlasite" solid tread composition wheels. Brass finish. Packed one set per box:

Catalog Number	To Fit Steel Tubing Outside Diam. Size	Wheel Diam.	Tread Width	Carton Packing		List Price Per Set of 4
				Boxed Sets	Gross Weight	
7509-B-1.9"	1.9"	1 5/8"	3/4"	18	24 lbs.	1.44



The strong, short center king pin construction of these "Swivlo" casters adds

ECONOMICAL STEEL

greatly to the strength of this inexpensive ball bearing caster. The vital point, where the most common failure of plate casters occurs, is so designed and strengthened as to eliminate danger of breakage.

CASTER SPECIFICATIONS


Catalog Number	Type Wheel	Wheel Diam.	Tread Width	Overall Height	Size Plate	Carton Packing		List Price Set of 4
						Boxed Sets	Gross Weight	
7625	Steel	1 5/8"	3/4"	2 3/2"	1 1/2" x 2 1/8"	48	52 lbs.	.96
7621	Iron	1 5/8"	3/4"	2 3/2"	1 1/2" x 2 1/4"	48	56 lbs.	1.34
7629 7629-B	"Atlasite"	1 5/8"	3/4"	2 3/2"	1 1/2" x 2 1/8"	48	47 lbs.	1.00



Catalog Number	Type of Wheel	Wheel Diam.	Tread Width	Bore for Socket	Carton Packing		
					Boxed Sets	Gross Weight	List Price Per Set of 4
5635	Steel	1 1/4"	5/8"	3/8"	66	40 lbs.	.96
7639-B	"Atlasite"	1 5/8"	3/4"	3/8"	48	40 lbs.	1.00


These "Diamond-Arrow" gripneck casters with two level full floating swivel construction (hardened steel bearings operate on hardened steel bearing surfaces, on two levels, taking all thrust loads on bearings with increased efficiency) provide the most efficient caster ever available for use on office chairs and miscellaneous wood furniture.

Catalog Number	Type of Wheel	Wheel Diam.	Tread Width	Bore for Socket	Carton Packing		List Price Per Set of 4
					Boxed Sets	Gross Weight	
7696	"Baco"	1 5/8"	3/4"	3/8"	20	30 lbs.	\$3.00
7699	"Atlasite"	1 5/8"	3/4"	3/8"	20	30 lbs.	2.80



The most efficient ball bearing caster available for use on metal beds, see page 6 for "Diamond-Arrow" swivel construction features. It will give absolute maximum ease of movement and floor protection. Supplied with the X42 stem for use with the Detachable Metal Bed Sockets

Cat. No.	Tread Width	Overall Height	Socket Data			Standard Finish	Wheel Diam.
			Bore Diam.	Bore Depth	Standard Socket		
7699x420C	3/4"	2 1/8"	3/8"	1 3/4"	#3 with 1" Track Plate	Oxidized Copper	15 1/8"
		Unit Pkg.					
		Sets Per	Wt. per		List Price		
		Box	box				
		1	21 oz.		2.80 set		



THESE ARE THE HIGHEST QUALITY SMALL PLATE CASTERS. The full floating two level ball race construction is the same as illustrated on page 6 and makes available in plate construction the same fast, efficient, extremely easy swiveling action as in the series "69" stem casters.




Catalog Nos.		Wheel Diam.	Tread Width	Overall Height	Size of Top Plate	Bolt Hole Spacings	Size of Bolt Holes	Standard Finish	Unit Packing	
With Soft Tread "Baco" Wheels	With Hard Tread "Atlasite" Wheels								Sets in one Box	Wt. per set
7706	7709	15/8"	3/4"	2 1/4"	1 1/8" x 2"	13/16" x 1 1/16"	3/16"	Oxidized Copper	1	1 1/8 lb
3.00	2.80 set									



DIAMOND-ARROW DOUBLE WHEEL PLATE CASTER

The same-caster as listed above except with flat top plate for mounting where stem caster is not needed or desirable. Highest quality, easy swiveling caster to carry heavy weights with low overall height. Packed one set per box. Furnished with "Atlasite" solid tread composition wheels.

Catalog Number	Type of Wheel	Wheel Diam.	Overall Height	Size of Plate	Bore Hole Spacing	Carton Packing		List Price Per Set of 4
						Boxed Sets	Gross Weight	
9009	"Atlasite"	2"	2 13/16"	2 3/4" x 3 3/4"	1 3/4" x 3"	8	36 lbs.	6.70



DIAMOND-ARROW DOUBLE WHEEL STEM CASTERS

The ideal caster for school and institutional pianos and other very heavy furniture. Furnished standard with No. 66 socket for 9/16" bore in wood with bottom plate 2 1/8" diameter. Double wheels spread the weight, protect floors and two level ball race construction gives extreme ease of swiveling. Packed one set per box. Furnished with "Atlasite" solid tread composition wheels.

Catalog Number	Type of Wheel	Wheel Diam.	Overall Height	Bore for Socket	Carton Packing		List Price Per Set of 4
					Boxed Sets	Gross Weight	
9009X2-66	"Atlasite"	2"	2 5/8"	9/16"	8	36 lbs.	6.70




BALL BEARING

CRIB OR TEA WAGON CASTER

A very popular light duty caster for easy movement of cribs, bassinets, tea wagons and similar light pieces of wood furniture. Ball bearing, standard grip-neck socket construction, with attractive oxidized copper finish on metal. Molded soft rubber tread composition wheels. 2" size packed 3 sets per box. 3" size one set per box.

Catalog Number	Wheel Diam.	Tread Width	Bore for Socket	Carton Packing		List Price Per Set of 4
				Boxed Sets	Gross Weight	
9428S-OC	2"	1 1/2"	3/8"	36	31 lbs.	1.20



BALL BEARING PLATE CASTERS

Catalog Number	Type Wheel	Wheel Diam.	Tread Width	Overall Height	Size Plate	Carton Packing		List Price Per Set of Four
						Boxed Sets	Gross Weight	
9621-B	Iron	2"	1"	2 1/2"	1 7/8" x 2 5/8"	18	50 lbs.	2.16 -

CASTER SPECIFICATIONS

Cat. No.	Wheel Diam.	Wheel Width	Overall Height	Size of Top Plate	Bolt Hole Spacing	Size of Bolt Holes	Unit Pkg.		List Price
							Sets Per Box	Wt. per Box	
9629	2"	1"	2 1/2"	1 7/8" x 2 5/8"	3 1/32" x 2 1/8"	.275"	1	1 1/2 lbs	2.72 set



BALL BEARING

This light duty ball bearing gripneck caster (an excellent item for every retailer's stock) is designed for use on tea wagons, cribs, bassinets, strollers and light furniture, etc., where easy movement is desired.

The "Universal" soft protective tread black wheel and oxidized copper finish provide an extremely attractive appearance.

Catalog Number	To Fit Steel Tubing Outside Diam. Size	Wheel Diam.	Tread Width	Carton Packing Boxed Sets - Gross Wt.		List Price Per Set of 4
134285-OC	3"	1 $\frac{7}{32}$ "	$\frac{3}{8}$ "	18	30 lbs.	2.15

LIGHT DUTY WITH X5 STEM

These casters are ideal for light hospital beds and various types of light portable equipment

SIDE BRAKES AVAILABLE ON ALL SIZES. TO ORDER ADD PREFIX LETTERS SB TO CASTER NUMBER.

CASTER SPECIFICATIONS WITH X5 STEMS

Cat. No. "BACO"	Wheel Diam.	Tread Width	Overall Height	Stand- ard Finish	Weight Per Set	Stand- ard Packing	Stem Data		List Price set	Also Available: L 13696x5RP (Cadmium Plated) List Pr 6.52 set
							Diam.	Length		
13696x5	3"	1 $\frac{3}{16}$ "	3 $\frac{1}{2}$ "	Cad- mium	2 $\frac{1}{2}$ lbs.	Bulk	$\frac{7}{16}$ "	1 $\frac{29}{32}$ "	7.02	



Light Gray Non-Marking Rubber Bumper Wheel (5" diam.— $\frac{3}{16}$ " thick) No. RJA-6249-7 for use with heavy "Diamond-Arrow" casters with X5 stems. Rubber is vulcanized on steel. Wheel rotates freely on steel center bushing.

HEAVY WITH X5 STEM

These heavy duty "Diamond-Arrow" casters are particularly recommended for use on hospital beds of regular and multiple position types, X-ray machines and other special laboratory equipment, where effortless swiveling action and quietness is of utmost importance.

The large ball race and full floating construction afford the extreme ease of swiveling which is so essential on casters of this type.


SIDE BRAKES AVAILABLE ON ALL SIZES

ADD PREFIX LETTERS SB TO CASTER NUMBER.

THREAD GUARDS AVAILABLE TO ORDER ADD SUFFIX -1

CASTER SPECIFICATIONS WITH X5 STEMS

With Soft Tread "Baco" Wheels.. Catalog Nos.	Wheel Diam.	Tread Width	Overall Height	Stem Data		Stand- ard Finish	Weight Per Set	Stand- ard Pack- ing	List Price
				Diam.	Length				
14696x5 L14696x5RP	4"	3 $\frac{1}{32}$ "	4 $\frac{9}{16}$ "	$\frac{7}{16}$ "	1 $\frac{29}{32}$ "	Cad- mium	3 $\frac{1}{4}$ lbs. 4 $\frac{1}{2}$ lbs.	Bulk	8.60



FOR USE WITH X5 STEMS

These steel tubular sockets can be used in tubing, formed legs, equipment with cast-iron base construction. The No. 14 is for use in wood where 4" and 5" wheel casters are desired.


No. 14

For $\frac{3}{16}$ " bore in wood—
2 $\frac{1}{4}$ " deep. 1 $\frac{3}{16}$ " track
plate.

List Price .46 set



U-7 Series With Oilless Bearing Rubber Wheels Furniture Casters




Axle Bore 1/4"
Hub Length 7/8"

U-7-DN with "S" Stem. Code - EGAQI.


List Price 5.10 set

No. 3 socket standard. Nos. 1 and 4 optional. 1 set of 4 per carton. 60 sets per standard case of 98 lbs. List Price, Set of 4

The #1, #3 and #4 sockets require 3/8" bore. Stem size is 5/16" diameter.




U-7-DN
with S Stem



U-7-DN with "G" Stem. Code-EGAGI-KUNAX. U-7-H with "G" Stem. Code-EJFAK-KUNAX. No sockets furnished. "G" Stem fits Simmons Beds having pressed metal sockets. Packed 1 set to a carton. List Price, Set of 4

5.10

U9 Series




Axle Bore 5/16"
Hub Length 7/8"


US-9-DN with "S" Stem. Code-EJEVE.

List Price 5.80 set

No. 4 socket standard. Nos. 1 and 3 optional. 1 set of 4 per carton. 60 sets per standard case of 112 lbs.




US-9-DN
with S Stem



US-9-DN with "G" Stem. Code-EJEVE-KUNAX. US-9-H with "G" Stem. Code-EJFIT-KUNAX. No sockets furnished. "G" Stem fits Simmons Beds having pressed metal sockets. Packed 1 set to a carton. List Price, Set of 4

5.80

U-50 Series CASTERS for OFFICE FURNITURE With Oilless Bearing Rubber Wheels




Axle Bore 5/16"
Hub Length 7/8"


U-50-DN with "S" Stem. Code-ELCEN.

List Price 7.55 set

No. 4 socket standard. Nos. 1 and 3 optional. 1 set of 4 per carton. 38 sets per standard case of 100 lbs.




U-50-DN
with S Stem



U-50-DN with "G" Stem. Code-ELCEN-KUNAX. U-50-H with "G" Stem. Code-ELCIS-KUNAX. No sockets furnished. "G" Stem fits Simmons Beds having pressed metal sockets. Packed 1 set to a carton. List Price, Set of 4

7.55


40 Series




U-40-H

CASTERS for PIANOS With Rubber Wheels

Standard Finish—Black



The size of the "0" Stem that fits the Piano Caster Socket is 1/2" in diameter and 1-1/8" long.



TWIN WHEEL PIANO CASTER WITH SOCKET

Code
Inc. Caster

Model No.

U-40-H with Oilless Bearing Darnellite Wheel MACOE


Round or Square Base Socket Set of 4, List
Deduct Price of Socket When Not Furnished With Caster.

List Price 11.50 set

EXTRA WHEELS

Diam.	Tread Material	Load Limit (Pounds)	Approx. Tread Width	Approx. Hub Length	Type of Bearing	Ship. Wt. Per Wheel (Approx.)	Series No.	List Price
1 3/4"	Rubber	75	3/4"	3/8"	Oilless	1 1/4 oz.	U-7	.45 ea.
2"	Rubber	75	3/4"	3/8"	Oilless	1 1/4 oz.	50	.65 ea.

The DN Tread Wheels are DARNELLOPRENE, made from duPont Neoprene to Darnell's formula. They are resilient for protection of fine floors.




100 YEARS OF EXPERIENCE HAS PROVEN THAT CUSTOMERS NEVER CHANGE FROM BARRETT QUALITY AND SERVICE ONCE THEY KNOW IT.

TRUCK CASTERS **light duty steel casters**

applications Bassick series "61" steel casters have for many years been the largest selling truck casters. They are suitable for a wide range of general usage: platform trucks, canvas baskets, fibre box trucks, warehouse and furniture moving dollies, portable parts bins, and many other applications where the quicker, easier swiveling of more expensive double ball race casters is not required.

construction features

1. Hardened steel balls.
2. Embossed design.
3. Improved king pin construction.
4. Curved bearing surface.
5. Spanner bushing.




wheel diam. (in.)	type of wheel	catalog number		tread width (in.)	overall height (in.)	swivel radius (in.)	size of top plate (in.)	bolt hole spacings (in.)	size of bolt holes (in.)	approx. weight ea. (lbs.)	List Price
		load cap. each (lbs.)	plain bearing wheel								
2	semi-steel	125	*9611	1 1/6	2 1/2	1 25/32	1 7/8 x 2 5/8	3 1/2 x 2 1/8	1 7/64	3/4	.55 Ea
2 1/2	semi-steel	175	*2611	1 1/6	3 1/4	2 1/8	2 3/4 x 3 3/4	1 3/4 x 3	1 1/32	1 1/2	1.21
3	semi-steel	225	*3611	1 1/4	3 11/16	2 13/32	3 1/8 x 4 1/8	2 3/8 x 3 7/16	1 1/32	2 1/2	1.54
4	semi-steel	300	*4611	1 1/2	5	3 1/8	4 x 5	3 x 4	1 3/32	4 1/2	2.75
5	semi-steel	550	H5991	2	6 1/2	4 1/2	5 x 5 1/2	4 1/8 x 4 1/2	2 5/64	8	8.25

* These numbers have riveted axles.

RIGID STEEL WHEELS

unusual strength in structural design Heavy gauge steel formed in a scientifically engineered trussed shape gives these series "38" casters maximum rigidity and strength
finish—Casters are supplied standard with an attractive metallescent gray finish that will not chip off.



wheel diam. (in.)	type of wheel	catalog number		tread width (in.)	overall height (in.)	top plate size (in.)	bolt hole spacings (in.)	size of bolt holes (in.)	approx. weight ea. (lbs.)	List Price
		load cap. each (lbs.)	plain bearing wheel							
2 1/2	semi-steel	200	*2381	1 1/6 1 1/8	2 7/8	2 1/4 x 4 1/2	1 1/6 x 3 15/32	1 1/32	1 1/4	.93 ea
3	semi-steel	250	MH3381	1 1/4	3 11/16	2 1/2 x 5	1 3/16 x 4	1 1/32	1 3/4	1.21
4	semi-steel	375	MH4381	1 1/2	5	3 3/16 x 6 5/32	2 x 5	2 5/64	3 1/2	1.98
5	semi-steel	550	H5981	2	6 1/2	5 x 5 1/2	4 1/8 x 4 1/2	2 5/64	6 1/2	5.17

"silent steel" casters medium and light duty



construction features

A—FULLY HARDENED BEARING SURFACES for long wear. All bearing surfaces are curved and accurately shaped providing a line contact with the hardened grade A balls, insuring long life under severe service.

B—HEAVY KING PIN for extreme strength at this vital point.

C—PRECISION HARDENED STUD WASHER is accurately machined and locked tight around the king pin, giving added strength, and forming the component thrust bearing surface.

D—PROJECTION WELDING fuses large diameter heavy gauge ball cup and horn into an integral unit permitting use of unusually large main load ball bearing raceway.

"H99" TRUCK CASTERS


wheel diam. (in.)	type of wheel	catalog numbers		tread width (in.)	overall height (in.)	swivel radius (in.)	size of top plate (in.)	bolt hole spacings (in.)	size of bolt holes (in.)	approx. weight ea. (lbs.)	List Price
		load cap. each (lbs.)	self-lubr. bg. wheel								
3	"Baco"	125	H3996	1 5/8	5 1/4	3 3/8	3 3/4 x 4 5/8	2 5/8 x 3 5/8	25/64	3 1/4	4.40
	"Atlasite"	250	H3999	"	"	"	"	"	"	"	
4	"Baco"	200	H4996	1 5/8	4 3/8	3	3 3/4 x 4 5/8	2 5/8 x 3 5/8	25/64	3	5.50
	"Atlasite"	450	H4999	"	"	"	"	"	"	"	
5	"Baco"	275	H5996	2	6 1/2	4 1/2	5 x 5 1/2	4 1/8 x 4 1/2	25/64	7	9.02
	"Atlasite"	550	H5999	"	"	"	"	"	"	"	
6	"Baco"	650	H6996	2	7 3/8	5	5 x 5 1/2	4 1/8 x 4 1/2	25/64	8	10.45
	"Atlasite"	"	H6999	"	"	"	"	"	"	"	

"H98" RIGID CASTERS

projection welding—

hardened and curved bearing surfaces—

finish—Casters are supplied standard with an attractive metallescent gray finish that will not chip off.



wheel diam. (in.)	type of wheel	load cap. each (lbs.)	self-lubr. bg. wheel	catalog numbers		tread width (in.)	overall height (in.)	size of top plate (in.)	bolt hole spacings (in.)	size of bolt holes (in.)	approx. weight ea. (lbs.)
				List Price							
3	"Baco"	125	H3986	2.75		1 5/8	4 3/8	3 3/4 x 4 5/8	2 5/8 x 3 5/8	25/64	2
	"Atlasite"	250	H3989			"	"	"	"	"	
4	"Baco"	200	H4986	3.41		1 5/8	5 1/4	3 3/4 x 4 5/8	2 5/8 x 3 5/8	25/64	2 1/2
	"Atlasite"	450	H4989			"	"	"	"	"	
5	"Baco"	275	H5986	5.83		2	6 1/2	5 x 5 1/2	4 1/8 x 4 1/2	25/64	6 1/2
	"Atlasite"	550	H5989			"	"	"	"	"	
6	"Baco"	650	H6986	7.92		2	7 3/8	5 x 5 1/2	4 1/8 x 4 1/2	25/64	5 1/2
	"Atlasite"	"	H6989			"	"	"	"	"	


BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

49

70 Series Casters

MEDIUM DUTY INDUSTRIAL CASTERS With 3", 4", 5" and 6" Wheels



1-73-DN

Rustproofed
Laguna Blue Finish
String Guards--Standard
Pressure Lubrication



SWIVEL CASTER SPECIFICATIONS AND PRICES

Model Number	Wheel Bearing	Tread Material	Model of Wheel Used	List Price Caster Complete
1-74-DN	Hard. Steel	Darnelloprene		8.45 ea.
1-73-DN	Hard. Steel	Darnelloprene	HS-73-WDN	7.75

Fitted for Pressure Lubrication in wheel and swivel.

All wearing parts are carburized and hardened.

Rust-Proofed and finished in "Laguna Blue" lacquer.

DUTY INDUSTRIAL CASTERS SERIES DARNELL MEDIUM Stationary Models with 5" Wheels Swivel Models with 4" Wheels



14-74-SDN

STATIONARY CASTER SPECIFICATIONS AND PRICES

Model Number	Wheel Bearing	Tread Material	Model of Wheel Used	List Price Caster Complete
14-75-SCI	Hard. Steel	Darnelloy	SB-75-WCI	7.40 ea.
14-74-SDN	Hard. Steel	Darnelloprene	HS-74-WDN	6.70 ea.




Fitted for Pressure Lubrication in wheel.

Rust-Proofed and finished in "Laguna Blue" Lacquer.

All wearing parts are carburized and hardened.

02 SERIES DARNELL LIGHT DUTY INDUSTRIAL CASTERS

Swivel and Stationary Models With 2" Wheels
Standard Finish -- "Laguna Blue" Lacquer



DARNELLOPRENE: Resilient Tread, made from duPont Neoprene to Darnell formula.

DARNELLOCORD: A Semi-resilient Tread made from rubber and fibre.

DARNELLITE: A tough, hard Tread of synthetic material.

DARNELLOY: Semi-steel to Darnell specification.

PARTS FOR 70 SERIES CASTERS

- *18 Swivel yoke only for 1-73 caster
- *19 Swivel yoke only for 1-74 caster
- *20 Swivel yoke only for 1-75 caster

LIST PRICE
14.10 set



*Swivel yoke assembly is assembled yoke with everything to make a swivel caster including the axle, nut & lock washer.

SWIVEL MODELS


Model Number	Wheel Bearing	Tread Material	Model of Wheel Used	Caster Code	List Price Caster Complete
10-02-USDN	Oilless Brg.	Darnelloprene	U-02-WDN	GUDAR	2.45 ea.
12-02-UDN	Oilless Brg.	Darnelloprene	U-02-WDN	GUBPE	3.10 ea.

02 SERIES DARNELL LIGHT DUTY INDUSTRIAL CASTERS

Swivel and Stationary Models With 2 1/2" Wheels
Standard Finish--"Laguna Blue" Lacquer



DARNELLOPRENE: Resilient Tread, made from duPont Neoprene to Darnell formula.



SWIVEL for 1" Pipe
#AL-PU-12DN
List Price 14.10 set

SWIVEL for 3/4" Pipe
AL-PU-12DN
List Price 14.10 set

PIPE STEM, CAP or FERRULE CASTER WITH 3" WHEEL

Model Number	Wheel Bearing	Tread Material	Model of Wheel used
U-12-DN	Oilless Brg	Darnelloprene	UB-12-WDN

SWIVEL MODELS

Model Number	Wheel Bearing	Tread Material	Model Wheel used	Caster Code	List Price Caster Complete
12-02-1/2-UDN	Oilless Brg	Darnelloprene	UB-02-1/2-WDN	GUCKA	3.80 ea.
10-02-1/2-USDN	Oilless Brg	Darnelloprene	UB-02-1/2-WDN	GUDJA	3.10 ea.

ELBOW CATCH

WROUGHT STEEL


No. X1815

1" x 3/4" base, 1" high, per single gross.

1/4 gross in a box, weigh 1 1/2 lbs.


Packed with 1/2" x No. 3 Screws

List Price 19.23 gross



Full Size

FLUSH SPRING CATCH




Full Size—No. 313 CAST BRASS

No. 313 1 1/2" x 1 1/8", per single dozen.

1 dozen in a box, weigh 1 lb.

Pierced for 5/8" x No. 4 Screws

List Price 15.84 dozen



Full Size—Made of .040 Metal
WROUGHT BRASS

No. 862 2 3/8" x 1 5/8", per single dozen.

1 dozen in a box, weigh 1/2 lb.


Pierced for 1/2" x NO. 3 Screws

PB-862 4.85 dozen

NP-862 5.22 dozen

BOX CATCHES

WROUGHT BRASS



Full Size—Made of .024 Metal

No. 865 3/4" x 1 3/8", per single gross.

1/4 gross in a box, weigh 1 1/4 lb.

Pierced for 1/2" x No. 16 Escutcheon Pins

List Price 13.07 gross



Full Size—Made of .024 Metal

No. 866 7/8" x 1 3/4", per single gross.

1/4 gross in a box, weigh 9 oz.

Pierced for 1/2" x No. 16 Escutcheon Pins

List Price 18.66 gross

roller catches
door silencers

23 steel — planished and plated

uses for interior and wardrobe doors in residences
operates silently with a push-pull action • tension is adjustable to a maximum of 3/8"


construction 2 3/4 face plate, strike and yoke made of wrought brass
cases are wrought steel, zinc plated • furnished with rubber rollers

face plate (inches)	strike (inches)	size and depth of bore (inches)	size of wood screws	average net weight per dozen (lbs)
2 1/4 x 1	2 1/4 x 1 1/4	7/8 x 2 3/8	7/8 x 8	2 1/2

one dozen in a box with screws

List Price 16.70 dozen

roller catches



BARRETT HARDWARE COMPANY


Over 100 Years Service to the Trade

52

cabinet catches for lipped or flush doors



37



39

steel — bright zinc plated

37

catch is made of tempered spring steel, insuring positive engagement and smooth operation

37 has marking ring on screw holes for easy mounting

39 self-centering strike automatically aligns as door is closed • elongated screw holes on the catch and self-marking strike permit quick, accurate installation

catch (inches)		strike (inches)		size of RH wood screws	average net weight per dozen (lbs.)	dozen in a case		average case weight (lbs.)	
37	39	37	39			37	39	37	39
1 3/8 x 1/2	1 1/4 x 7/16	1 5/16 x 3/8	1 1/2 x 9/16	1/2 x 5	1/2	48	24	26	13

one in an envelope with screws
two dozen in a box

List Price 1.80 dozen

steel — bright zinc plated

33

elongated screw holes permit easy adjustment

applications



angle strike



universal strike



lipped or flush door

single lipped door

under shelf

case (inches)	size of RH wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
1 1/4 x 3/4	1/2 x 5	3/4	48	19

one in an envelope with screws and nail
two dozen in a box

List Price 3.00 dozen

30

brass — bright

FRICITION CATCH NUMBER 30


bullet catch

brass case with steel strike and plunger
tapered case permits easy application

outside diameter of shell (inches)	depth of bore (inches)	diameter of strike (inches)	average net weight per gross (lbs.)	gross in a case	average case weight (lbs.)
3/4	1/2	3/8	1 1/4	25	44

one gross in a box with nails

List Price 8.64 gross




Full Size

NON-ADJUSTABLE
FRICITION CATCHES
WROUGHT BRASS

No. X698 3/8" Brass Shell.


1/4 gross in box with pins, weigh 7 oz.

List Price .42 dozen




TUTCH LATCH
NO. N61-380

Opens door automatically
at gentle touch.
Rust resistant finish
Complete with screws
List Price 7.20 dozen.



Leco-Latch with permanent magnet,
a small plate made of special
steel, and necessary screws.
Harmonizing polished metal
finish.

List Price 10.08 dozen.



SCREEN & STORM DOOR
CATCH NUMBER 12

New type bearings (Pat. appl. for)
assure long life and smooth operation.

Packed 1 Doz. in display box
or

1 Set on Card

Shipping Weight
29 lbs. per gross

12 Doz. per shipping carton

Finish - Zinc
Material - Steel

List Price 3.42 dozen

"snappy catch"



screen door catches

steel — japanned or bright zinc plated

210

uses for holding screen and storm doors shut; also for a broom or paper holder

construction made of wrought steel

the door in closing strikes the inside rubber roller, which acts as a trigger, releasing the phosphor bronze spring; the outer rubber roller catches the door, closes it and holds it shut

all working parts are enclosed and there are no rough edges to catch the clothing • steel bushings permit the rubber rollers to revolve freely • the catch has a smooth finished appearance



size of RH wood screws	average net weight per gross (lbs.)	gross in a case	average case weight (lbs.)
3/4 x 7	29	1	31

one in a lithographed box with screws;
one dozen in a display carton

furnished in japanned (J) or bright zinc plated (K)
finish

List Price 3.33 dozen

TRANSOM CATCH

Size without Strike, 1 1/2 x 2 Inches

With Flat Strike


Lip to Center, 9-16 Inch

Wrought Steel.

2444 1/2 SUITABLE FINISHES- OB

Wrought Bronze and Brass.

PACKING AND WEIGHTS



2444 1/2

Numbers	2444 1/2
In Box (doz.)	1
Wt. Per Box (lbs.)	2 3/4
In Case (doz.)	12
Wt. Per Case (lbs.)	35

List Price 4.40 dozen

RECEIVED 1958 JUL 14

U.S. DEPARTMENT OF AGRICULTURE

1958 JUL 14

1958 JUL 14


SASH CENTERS - 1 3/4"

NUMBER 73

Extra Large & Heavy

List Price 3.40 set

Top part is for Sash
Bottom part is for Casing



Transom Chains



No. 6-SUITABLE FINISHES-OB
Bronze and Brass

Sizes	12	Inches
Size of Plates	1 1/4 x 1 1/4	Inches
	Steel	

PACKING AND WEIGHTS

Nos.	6-12"
In Box (doz.)	1
Wt. Per Box (lbs.)	2 1/8
In Case (doz.)	12
Wt. Per Case (lbs.)	26 1/2
List Price	4.30 doz.

BALL DOOR CHECK


NO. 35C



Eliminates shock of door closing. Durable construction. Rubber ball of semi-soft rubber and steel zinc plated. Available on individual cards. Packed 1 gross to shipping carton. List Price 2.60 per dozen.

Line Cleats

Malleable Iron, Cadmium Plated




PACKING AND WEIGHTS

Number	W114	W115
In Box (doz.)	2	2
Wt. Per Box (lbs.)	1 1/2	2 3/4
In Case (doz.)	24	24
Wt. Per Case (lbs.)	20	33

W-114 - list - 1.55 doz.
W-115 - list - 2.40 doz.

COAL CHUTES



FOUNDATION CHUTE NO. 550
Solid Door - Coal Window
List Price 7.95 each

DIMENSIONS IN INCHES

No.	A	B	C	D	E	F	G
550	24 1/4	8	15 1/2	21 1/4	8	19 1/4	15 1/2

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

56



DOOR CLOSERS B, C, D, E, F

NUMBER	LIST PRICE
B	21.20 each
C	25.80 "
D	30.90 "
E	41.20 "
F	51.45 ""

LIQUID FOR CLOSERS
Sold by the gallon
List Price Ea.
Gallon 7.00 "

DOOR CLOSERS

*with hold open arm
C, D, E


NUMBER	LIST PRICE
C	29.60 "
D	34.25 "
E	45.10 "

Liquid Door Closers

40V SERIES

Packed with Six Flat
Head Wood Screws and
Six Flat Head Machine
Screws; also a Tem-
plate for Applying.

NUMBER	LIST PRICE
42V	21.24 ea.
43V	25.84
44V	30.94
45V	41.26



Sizes 43V, 44V, 45V
are approved by the
National Board of
Fire Underwriters

Use One Size Larger
Closer Where Exposed
to a Strong Draft

Cast Iron No.	Type of Door	Size of Door Not Over	Wt. Ea. Lbs.	In a Box	In a Case	Case Weight Lbs.
42V	Heavy Screen Doors.....	1 1/8" x 3' 0" x 7' 0"	14	1	4	58 1/2
	Light Interior Doors.....	1 3/8" x 2' 8" x 7' 0"				
	Closet Doors.....	1 3/4" x 2' 8" x 7' 0"				
43V	Light Exterior Doors.....	1 3/4" x 2' 6" x 7' 0"	15 3/4	1	4	63 1/2
	Corridor or Office Doors, Either Wood or Metal	1 3/4" x 3' 4" x 7' 0"				
44V	Ordinary Exterior Doors.....	2 1/4" x 3' 0" x 7' 6"	18	1	4	75
	Heavy Interior Doors, Either Wood or Metal	2 1/4" x 4' 0" x 7' 6"				
*45V	Heavy Exterior Doors.....	3" x 3' 6" x 7' 6"	27	1	2	57
	Heavy Interior Doors Subject to Strong Drafts				
46V	Extra Heavy Entrance Doors of unusual height or width and Refrigerator Doors etc.		27 1/2	1		

"IMPORTANT"

*When these Closers are used on Entrance Doors opening out and exposed to a draft which forces the door closed, they will be shipped with a Light Spring Assembly when so ordered at no extra expense. THIS PERMITS DOOR TO OPEN MORE EASILY.

No. 42V to 46V - Bronze Enamel

Finishes furnished to order

Flat Black Japanned (J) Prime Coat (PC) Aluminum Enamel (EN) Gold Bronze Enamel (GB)

No other finishes will be furnished

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


57

LIQUID DOOR CLOSERS 40V SERIES

WITH HOLD OPEN ARM ATTACHMENT

The SARGENT Rigid Hold Open Arm Attachment can be furnished with all sizes of Closers Nos. 42V to 45V inclusive. The Friction Head is located at the outer end of the arm where the GREATEST LEVERAGE is exerted for holding the door open. Will hold the door open from 50 to 135 degrees and is easily adjusted to operate at any point within this range.

It is built on the Jack Screw principle and holds with much power; is extremely SIMPLE, STRONG, EFFICIENT, and cannot get out of order. The working parts (only five in all) are made of malleable iron, especially hard steel and a hard bronze disc.



Rigid Type Friction Head

NUMBER	LIST PRICE
43VH	29.66
44VH	34.90
45VH	45.16

WITH HOLD OPEN ARM



Where Exposed to a Strong Draft Use One Size Larger Closer

Cast Iron No.	Type of Door	Size of Door Not Over	Iron Closers, Weight Each Lbs.	In a Box	In Case	Case Weight Lbs.
42VH	Heavy Screen Doors.....	1 1/8" x 3' 0" x 7' 0"	15	1	4	62 1/2
	Light Interior Doors.....	1 3/8" x 2' 8" x 7' 0"				
	Closet Doors.....	1 3/4" x 2' 8" x 7' 0"				
43VH	Light Exterior Doors.....	1 3/4" x 2' 6" x 7' 0"	16 1/2	1	4	67 1/2
	Corridor or Office Doors, Either Wood or Metal	1 3/4" x 3' 4" x 7' 0"				
44VH	Ordinary Exterior Doors.....	2 1/4" x 3' 0" x 7' 6"	19	1	4	79
	Heavy Interior Doors, Either Wood or Metal	2 1/4" x 4' 0" x 7' 6"				
45VH	Heavy Exterior Doors.....	3" x 3' 6" x 7' 6"	28	1	2	59
	Heavy Interior Doors Subject to Strong Drafts					

No. 4649 AUTOMATIC CLOSER, made of cold-rolled steel, cadmium plated, is an inexpensive device to use in conjunction with a No. 4715 casement operator. The closer pulls the casement in snugly at the top . . . helps to prevent or overcome warping. Easy to install with template printed on the box. May also be used on cabinet, closet or screen doors. Size 3 3/8" x 1".

NO. 4649

List Price ... 1.04 ea.




No. 165 PULL-TITE CLOSERS

For Casement Windows And Closet Doors

Automatically pulls top of sash closed. Overcomes warping of the sash and the resistance of tightly fitting weatherstrip.

Made of steel, cadmium plated. 3-3/16" long x 1" wide x 13/16" high. Pull adjustable from 4 lbs. to 8 lbs. Reversible.

List Price 9.00 dozen



No. 155 PULL-TITE CLOSERS

For Light Cabinet Doors

A gentle push on the door closes it firmly without rebound. May be mounted on top, bottom or side of door.

Made of steel, cadmium plated. 2-5/16" long x 3/4" wide x 9/16" high. Pull is 4 lbs. not adjustable. Reversible.

List Price 6.40 dozen

THE UNIVERSITY OF CHICAGO

[Faint, illegible text covering the majority of the page, likely bleed-through from the reverse side.]

DOOR CHECK NO. 105



This high grade door closer is built exceptionally heavy at all points. It is guaranteed to give smooth, satisfactory service. No other check has the patented **SPRING CUSHION**.

Silver spray finish.


Packed one in a carton with full directions and screws.

Overall length — 16½ in. 1¼ in. tube.

Weight per dozen — 22 lbs.

List Price 22.20 doz.

DOOR CHECK NO. 666



The heavy spring of Shelby's No. 666 Air-Check and Closer, plus compressed air checking, closes your storm doors smoothly and surely. List Price 5.62 ea.

Screen Door Closer

PNEUMATIC CLOSER

Number
of Part

Parts for NO. 2000

- 12 Plunger Steel Cup & Washer
- 13 Spring
- 14 Bracket
- 15 Spring Cover
- 16 Spring End
- 17 { Spring Adjusting Spindle
Spring Adjusting Top Screw
Spring Adjusting Bottom Screw
Spring Adjusting Top Washer
Spring Adjusting Bottom Washer
- 18 Spring Tension Pin
- 19 Spring Winding Pin

Number
of Part


Parts for NO. 2000

- 1 Cylinder
- 2 Rod Cap
- 3 Hinge Foot, Cap and Rivet
- 4 Valve Screw
- 5 Shock Absorber Spring
- 6 "Hold Open" Washer
- 7 Plunger Hexagon Nut
- 7A Shake Proof Washer
- 8 Plunger Spreader
- 9 Plunger Spreader Spring
- 10 Plunger Cup Leather Packing
- 11 Plunger Rod - Spring Housing

SCREEN DOOR CLOSER

NO. 2000


List Price 45.90 doz.



NO. 2000

Screen Door Checks


AIR CONTROL



21

Hand Reversible for right or left hand doors opening in or out.
Space Requires $2\frac{1}{4}$ in. space when mounted between doors.
Spring Encased spring of coiled torsion type. Adjustable tension.
Adjustment Speed of closing adjustable. Packed with screws.


No.	Length Overall Inches	Finish	Jamb Bracket Inches	Tube Seamless Brass Diameter Inches	Barrel Length Inches	Packed		Weight Each
						in a Box	in a Carton	
21	16 $\frac{1}{4}$	Statuary Brown	3 $\frac{3}{4}$ x 1 $\frac{3}{4}$	1 $\frac{1}{4}$	10 $\frac{1}{2}$	1	12	3 Lbs.



Applied to outside of door opening out or inside of door opening in

Can be easily reversed for right or left hand doors and for the different applications by following the directions packed with each check

List Price 45.50 doz.



Applied between doors on inside of door opening out or outside of door opening in

Phone 4341
Joliet, Illinois




MAKE BARRETT HARDWARE YOUR
HEADQUARTERS FOR ALL YOUR
HOUSEWARE NEEDS — IT'S THE
WISE, EXPEDIENT AND ECONOM-
ICAL WAY TO BUY.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

61



Full Size—Made of .025 Metal


No. 479 $\frac{5}{8}$ " x $1\frac{1}{4}$ ", 3 dozen in a box.

	per single dozen.	
BP	Finish	1.29
NP	"	1.42

STEEL

No. 0479	Per single dozen.	
BP	Finish	.74
NP	"	.81

Pierced for $\frac{1}{2}$ " x No. 3 Screws



Full Size—Made of .025 Metal

No. 480 $\frac{3}{16}$ " x $1\frac{1}{4}$ ", 3 dozen in a box, weigh 7 oz.

	per single dozen.	
BP	Finish	1.01
NP	"	1.11


STEEL

No. 0480	Per single dozen.	
BP	Finish	.63
NP	"	.69

Pierced for $\frac{3}{8}$ " x No. 16 Escutcheon Pins

CORNERS

WROUGHT BRASS



Full Size—Made of .040 Metal


No. 474 $\frac{7}{8}$ " x $\frac{7}{8}$ ", 3 dozen in a box, weigh 10 oz. per single dozen.

BP	Finish	1.77
NP	"	1.95

STEEL

No. 0474	Per single dozen.	
BP	Finish	.92
NP	"	1.01

Pierced for $\frac{1}{2}$ " x No. 3 Screws



Full Size—Made of .040 Metal


No. 476 1" x 1", 3 dozen in a box, weigh 14 oz. per single dozen.

BP	Finish	2.28
NP	"	2.51

STEEL

No. 0476	Per single dozen.	
BP	Finish	1.16
NP	"	1.28

Pierced for $\frac{1}{2}$ " x No. 3 Screws



CORNERS

BRASS

Full Size—Made of .040 Metal

No. 488 $1\frac{1}{2}$ " x $1\frac{1}{2}$ ", 1 dozen in a box.

	per single dozen.	
BP	Finish	2.96
NP	"	3.26

STEEL

No. 0488	Per single dozen.	
BP	Finish	1.50
NP	"	1.65

Pierced for $\frac{1}{2}$ " x No. 4 Screws


NO. 482



BP Finish
Per Single Doz. 2.50

NO. 0499

BP Finish
Per Single Doz. 1.29



BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

62



NO. 6
OUTSIDE



NO. 6
INSIDE



NOS. 4 & 5
OUTSIDE



NOS. 4 & 5
INSIDE



NOS. 8 & 10
OUTSIDE



NOS. 8 & 10
INSIDE



NO. 14
OUTSIDE

METAL BUILDING CORNERS For Wood Siding

WEATHER-PROOF
and WATER-TIGHT.

LIST PRICES AND WEIGHTS — STEEL

Corner No.	Siding Size	Base	List Price Per 100 Corners	CARTON CONTENTS OUTSIDE AND INSIDE	
				Pcs.	Wgts.
4	4"	1/2"	5.60	250	22 lbs.
6	6"	1/2"	6.80	250	23 lbs.
8 1/2	8"	1/2"	7.60	250	34 lbs.
8 3/4	8"	3/4"	7.60	250	36 lbs.
10 1/2	10"	1/2"	9.00	250	42 lbs.
10 3/4	10"	3/4"	9.00	250	45 lbs.
14	Drop—6"	1/2"	7.20	250	24 lbs.

For Sealing Inside and Outside Corners of
Weather-boarding and Drop Siding

SCREEN CORNERS

(4 to set - w/screws)

(4 to Set - w/screws)

doz. sets

List Price CD-29-J 6.00

List Price CD-29-K 6.00



Get acquainted with your BARRETT salesman. Learn the products he stocks that you can use. Tell him the items you buy and your supply problems. He can save you headaches, money and deliver the goods.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

63



15


SCREEN COUPLINGS
Corner
NOS. 15-J and 16-J



16

NUMBER	LIST PRICE
15-J	19.80 gross
16-J	18.00 gross

Mortise Cylinder




Nos.	Length Under Cylinder Head	
	Without Bit	Including Bit
40	7/8 Inch	1 Inch
41	1 Inch	1 1/8 Inch
42	1 1/8 Inch	1 1/4 Inch
43	1 1/4 Inch	1 3/8 Inch
44	1 3/8 Inch	1 1/2 Inch

NUMBER	LIST PRICE
OB40	3.10 each
OB41	3.10 each
OB42	3.10 each
OB43	3.10 each
B43	3.10 each
OB44	3.10 each
CM43	3.35 each

Rim Cylinders

Furnished regularly for doors 1" to 2 1/4"
Can be furnished for doors from 2 5/16" to 4"

REGULAR FINISHES-
Group 1, 3, CM, DCM



32

Cylinders 24, 32 will be packed regularly with Cylinder Ring 99, break off machine screws and back plates.

No. 24-6 Pins-As No. 32 except with Square Tail piece for old type Rim Night Latches and Dead Locks.
No. 32-5 Pin-Solid Brass and Bronze with Flat Tail Piece for use with all new type Rim Night Latches and Dead Locks.

NUMBER	LIST PRICE
OB24	2.00 each
B32	2.00 each



CYLINDERS FOR LOCKS
For No. 175
NO. 1709 - 5 PIN-TUMBLERS
List Price 1.80 each



CYLINDERS FOR LOCKS
NO. 1747
FOR NO. 36 and NO. 80
Cylinder - 5 PIN-TUMBLERS
List Price 1.40 each



No. 1747 1109

CYLINDERS FOR LOCKS
For No. 040 and No. 042
NO. 1109 - 5 PIN-TUMBLERS
List Price 1.80 each

CLEANOUT AND ASHPIT DOORS



Majestic Cleanout and Ashpit Doors are offered in types to suit every preference of construction and have been designed for maximum economy, durability and easy installation.


FORMED STEEL—Nos. 80 and 128 are made with frames and doors of heavy formed steel. Continuous type hinge. Door tight fitting and strengthened by formed shape. Positive mortar locks for anchorage. Rust-resisting asphaltum finish.

CAST IRON—Door and frame of cast-iron. Nos. 88 and 812 are cast with an attractive wrinkle pattern and with integral hinge lugs. Finished with asphaltum paint. Wide range of sizes.

COMBINATION CAST AND FORMED STEEL—A durable type offered in the larger sizes at an economical price. Frames of cast-iron with integral mortar locks for anchorage. Doors of heavy steel and fitted with rugged hinge and lock fittings. Rust-resisting asphaltum finish.

FORMED STEEL					NUMBER	LIST PRICE
No.	Wide	High	Ship. Wt. Dozen	Code		
80	8"	8"	45	Neat	80	1.35 each
128	12"	8"	65	Neck	128	1.70 each
CAST-IRON						
88	8"	8"	80	Gad	88	2.30 each
					810	3.20 each

ASH DUMPS



The Majestic No. 49 Ash Dump is of the most durable, practical and economical design ever developed for the purpose. Incorporating the war-proved advantages of heavy

formed steel, it will resist wear and breakage. The lid is permanently hinged to the frame to prevent it dropping out.

All units coated with asphaltum paint.

FIREPLACE ASH DUMPS						LIST PRICE
No.	Description	Floor Opening	Inside	Wt. Doz.	Code	
49	Steel—Single Lid	4½x9	3¼x8¾	20	Gay	9.10 dozen

No. 49 Ash Dump packed 24 in carton

RELY ON BARRETT FOR ALL YOUR
HOUSEWARE NEEDS. ONE ORDER,
ONE INVOICE, ONE PAYMENT —
MAKES BUYING FROM BARRETT
EASY AND ECONOMICAL.

WE SHIP 85% OF ALL MERCHANDISE
WITH OUR OWN TRUCKS — SPEEDS
DELIVERY.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

65

KEY ESCUTCHEON BRASS

NUMBER	SIZE	LIST PRICE
PB-552	3/4 x 3/4	9.28 gross
Pb-551	1 1/16 x 1 1/16	10.82 gross



710

Key Escutcheons

WROUGHT BRONZE AND BRASS

Numbers	Size Inches	Weight per box
710	1 11/16 x 1 1/8	12 oz.

Packed Twenty-five in a box.

No. 710
Weight per box
5/8 lbs.


NUMBER	LIST PRICE
B-710-S	30.00 c
B-710	41.40
OP-710	41.40
CM-710	72.50
DCM-710	72.50
LN-710	50.00

PADLOCK EYES

1245 steel — japanned or bright zinc plated

uses applied in pairs, being attached to the edge of the door and jamb when doors are closed the screws are concealed and the padlock shackle can be slipped through both eyes

construction made of wrought steel




size	overall size (inches)	dimensions (inches)			gauge of metal	quantity and size of wood screws	average net weight per dozen pairs (lbs.)
		a	b	c			
no. 1	1 3/8 x 1 5/16	9/16	7/16	1/2	.095	3 — 3/4 x 7	1
no. 2	2 1/8 x 1 3/8	1 3/16	5/8	3/4	.109	3 — 7/8 x 10	2 1/4

NUMBER	LIST PRICE
1245J-1	2.40 doz. pr.
1245J-2	2.80 doz. pr.

one dozen pairs in a box with screws

furnished in japanned (J) or bright zinc (K) finishes



Actual Size

SCREW EYES Bright Finish Steel Large Eyes

NUMBER	PACK GROSS	LBS. GROSS	LIST GROSS
000	1 1/4	27.3	15.75
0	1 1/4	14.4	6.30
2	1 1/4	9.2	4.40
4	1 1/4	5.8	2.80
6	1	3.5	1.75
8	1	2.1	1.35
10	1	1.3	1.00
12	1	.7	.80
14	1	.4	.70
16	1		.70

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


66



110



112




114

SCREW EYES Bright Finish Steel Medium Eyes

NUMBER	PACK GROSS	LBS. GROSS	LIST GROSS
104	1	5.2	2.80
106	1	3.2	1.75
107	1		
108	1	2.0	1.35
110	1	1.2	1.00
112	1	.6	.80
114	1	.3	.70
116	1		.70

SCREW EYES Bright Finish Steel Small Eyes



204

204

206

1206

208

1208

210

1210

212

1212

212 1/2

214, 1214

214 1/2, 1214 1/2

216, 1216

216 1/2, 1216 1/2

217 1/2, 1217 1/2

NUMBER	PACK GROSS	LBS. GROSS	LIST GROSS
204	1	4.0	2.80
206	1	2.7	1.75
208	1	1.6	1.35
210	1	.9	1.00
212	1	.5	.80
214	1	.2	.70
216	1	.1	.70
212 1/2	1	.4	.80
214 1/2	1	.2	.70
216 1/2	1	.1	.70
217 1/2	1	.1	.70

SCREW EYES Solid Brass Small Eyes

NUMBER	PACK GROSS	LBS. GROSS	LIST GROSS
1204	1	4.0	13.25
1206	1	2.7	9.25
1208	1	1.6	5.00
1210	1	.9	3.50
1212	1	.5	2.50
1214	1	.2	2.25

SCREW EYES Solid Brass Medium Eyes

NUMBER	LIST PRICE
1104	13.25 gross
1106	9.25 "
1108	5.00 "
1110	3.50 "
1112	2.50 "
1114	2.25 "

(Illustrations shown
actual size)

Casement Fasteners




Mortise Strike



Rim Strike



Surface Strike



143 to 150

PACKING AND WEIGHTS

Nos.	143	148
In Box (doz.)	1	1
Wt. Per Box (lbs.)	3 5/8	3 7/8
In Case (doz.)	12	6
Wt. Per Case (lbs.)	44	26

Size without Strikes 2 x 1 1/4 Inches
Projection over all 1 1/4 Inches

Cast Iron Base
Wrought Steel Strike

Cast Iron Lever
With Rim Strike and Mortise Strike

No. 143 - SUITABLE FINISHES- OB, OP, N

Wrought Bronze and Brass Base and Strike
Cast Bronze and Brass Lever


No. 148 - SUITABLE FINISHES-B CM

NUMBER	LIST PRICE
OB-143	6.60 doz.
OP-143	6.60 "
N-143	7.30 "
PK-143	6.60 "
B-148	18.96 "
CM-148	25.20 "

Sash Fasteners

Cast Iron

No. 154 - SUITABLE FINISHES- N, OP,



154

Size of Case 15-16 x 2 1/2 Inches
Size of Strike 5-8 x 2 1/4 Inches

One twelfth gross in a box -
Weight 2 1/4 lbs.

In case, two gross -
Weight 56 lbs.

NUMBER	LIST PRICE
B-154	2.96 doz.
OP-154	2.96 "
N-154	3.26 "

CM-257	13.80 "
OP-257	9.40 "
B-257	9.40 "



257


Cast Bronze and Brass
Machine Finish

No. 257 - SUITABLE FINISHES- B, OP, CM

Size of Case 15-16 x 2 1/2 inches

Size of Strike 5-8 x 2 1/4 Inches

One dozen in a box - Weight 2 3/4 lbs.
In case, six dozen - Weight 18 lbs.



Full Size Cut

Base	Strike	Wgt. per doz.
1 5/8 x 2 5/8 inches	(straight back) 5/8 x 2 5/8 inches	Brass 2 lbs. 9 oz. Alum. 1 lb. 4 oz.

Packed with screws, one dozen in box,
Brass, 1 gross in carton.

Aluminum, 2 1/2 gross in carton.

Furnished with Mortise Strike when so ordered.

FASTENERS


NUMBER	TYPE	LIST PRICE
07A3	Polished Brass	2.96 "
07A10	Dull Bronze	2.96 "
07A14	Polished Nickel	3.26 "
07MB3	Solid Brass-Pol.	9.40 "

	Cast Aluminum BURNISHED	Cast Brass or Bronze MACH. POLISHED
Bright Brass	07A3	07MB3
Dull Bronze	07A10	
Bright Nickel	07A14	07A10

"Shelby" Ventilating Sash Lock 40 00 2 SERIES

This Ventilating Sash Lock provides a positive guard against intrusion through open windows. Window sash may be left open at the top or bottom or both top and bottom and thus secure proper ventilation yet entirely protected at all times as the window can be opened only a total of 6 inches. Easily applied with screwdriver on either side of upper sash and quickly changed from locked to unlocked position by sliding lock knob in slot towards window pane.

Finish	Wrought Steel No.
Dull Brass	40 26 2
LIST PRICE 3.00 dozen	




Side Sash Fasteners Malleable Iron

Finish
Dull Brass Plated

No.
18 C

Packed 1 dozen in a box with screws—weight 1 lb.
24 dozen in a case—weight 33 lbs.

LIST PRICE 4.14 dozen




No. 18


storm sash adjusters

steel — bright zinc plated

1727



applied sash open



applied sash closed

a set consists of one pair of adjusters and one pull • an adjuster is applied to each side of the sash and permits opening to any position
the adjustable friction unit, of special construction and material, provides positive holding with no danger of deterioration from the weather • in taking off storm sash, the arm can be quickly disengaged by sliding back the stainless steel clip

length (inches)		size of wood screws		average net weight per dozen sets (lbs.)	dozen sets in a case	average case weight (lbs.)
adjuster	pull	adjuster	pull			
9	4 1/4 x 3/8	1 x 7	3/4 x 7	6 1/2	6	41

one set in a box (one-half right hand) with screws

NUMBER
1727K

LIST PRICE
14.00 doz.



NO. 40S



STORM WINDOW ADJUSTER


No. 40S

WITH "SNAP-ON" FEATURE
DETACHES AT WINDOW FRAME

The Set Consists Of:

A pair of adjusters, handle and screws.
Shipping Weight - 6 lbs. 10 oz. per Doz.
1 Dozen to Shipping Carton
Bright Zinc Finish
List Price 8.20 doz.

No. 26V



Includes Above Parts


Screws $\frac{7}{8}$ " x 7 R.H.

Packed one set per package,
One dozen packages per box
6 doz. shipping carton weight
35 lbs.

Working Models Furnished


26V SA

Screen Attachments Set



SCREWS INCLUDED

Packed one set per package
Two dozen packages per box
12 doz. shipping carton 17 lbs.




SASH FASTENERS NO. 100-MD

MADE OF STEEL - ZINC PLATED
NOISELESS - ADJUSTABLE
OPEN WINDOWS 1" TO 18"
LOCKS TIGHT WHEN CLOSED
PACKED 1 DOZ. TO BOX WITH SCREWS
WITH EXTRA HANDLES & BRACKETS
6 DOZ. TO SHIPPING CARTON
LIST PRICE 9.00 DOZEN

FASTENERS

FOR SCREEN AND STORM WINDOWS



a set consists of one pair of adjusters and one pull


adjusters are permanently attached to each side of the window frame • in taking off storm sash, slide the clip back from the base • for use on screens in conjunction with storm sash; one pair of sash brackets and one pull are available under number XB1728

length (inches)		size of wood screws		average net weight per dozen sets (lbs.)	dozen sets in a case	average case weight (lbs.)
adjuster	pull	adjuster	pull			
9	$4\frac{3}{4}$ x $\frac{3}{8}$	1 x 7	$\frac{3}{4}$ x 7	6	6	38

one set in a box (one-half right hand) with screws

XB1728 one set in an envelope with screws, one dozen sets in a box

NUMBER	LIST PRICE
1728K	9.90 doz.
XB1728K	2.10 doz.



LUDWIG SNAP

Packed 1 gross Fasteners with screws in this attractive display box, with one fastener mounted on a demonstrator block.

Size of box, 7 in. x 7 in. x $2\frac{1}{2}$

Shipping weight 5 pounds


12 Display boxes in one carton

Shipping weight 60 pounds

List Price - 75¢ dozen
12 DOZEN TO BOX

REFRIGERATOR FASTENER

CAST BRASS



Full Size—Reversible—Right or Left Hand

No. 634 5" x 2" overall; length of lever 3½".

½ dozen in a box, weigh 2½ lbs.

Pierced for 1" x No. 8 Screws


STOCK FINISH: Nickel Plate.

STOCK OFFSETS: No. 634, ⅜". No. 634A, ⅝".

This style fastener is used extensively on household iceless units.

Do not overlook the fact that no rights or lefts are required.

CAST BRASS



Full Size—Reversible—Right or Left Hand

No. 630 2⅝" x 2½". Length of lever 2⅞", per single dozen.

½ dozen in a box, weigh 3 lbs.

Pierced for 1" x No. 8 Screws

STOCK FINISH: Nickel Plate.


STOCK OFFSET: ⅜". Flush on Special Order.

Reversible, Right or Left Hand.

REVERSIBLE FASTENERS

Reduce Stock Requirements One-half, and Eliminates Mistakes.

NUMBER	LIST PRICE
634	37.47 doz.
630	28.21 "




No. 1 Clothing Carrier—Ball bearing, nickel plated. Sizes: 10", 12", 16", 20", 24", 30", 36", 42", and 48". One in a box with screws. Weight: 10", 1¾ lbs. each; 16", 2½ lbs. each; 24", 6 lbs. each; 36", 9 lbs. each.

12" .List Price .2.75 ea.

16" .List Price .3.25 ea.

20" .List Price .3.25 ea.



No. 2 Extension Closet Rod—Steel, nickel plated. Sizes 18" adjustable to 30", 30" adjustable to 48"

Six in a carton. Weight: 18" size, 18 lbs. per dozen; 30", 24 lbs. per dozen; 48", 36 lbs. per dozen; 72", 64 lbs. per dozen.

18" .List Price .1.50 ea.

30" .List Price .1.85 ea.



No. 3 Garment Bracket—Cast brass base. ½" steel rod, chrome plated. 10" long. 12 in a carton. Weight, 12 lbs. per dozen.

List Price ... 1.00 ea.



No. 4 Adjustable Shoe Rack with Toe Guard—Steel, chrome plated finish. Adjustable 18" to 30". 12 in a carton. Weight, 23 lbs. per dozen.

List Price ... 1.75 ea.



No. 5 Trouser Hanger—Steel, chrome plated. Holds four pairs of trousers. 12 in a carton. Weight: 10 lbs. per dozen.

List Price79 ea.



No. 550 Swinging Trouser and Skirt Hanger—Steel, chrome plated. 12 in carton. Weight: 16 lbs. per dozen.

List Price ... 2.75 ea.



No. 772 Tie Rack—Steel, chrome plated. Length 20". 12 in a carton. Weight, 10 lbs. per dozen.

List Price ... 1.00 ea.



No. 773 Tie Rack—Four swinging arms, 28 separate tie compartments. Steel, chrome plated. 12 in a carton. Weight per dozen, 16 lbs.

List Price ... 2.50 ea.




NO. 780 TIE RACKS

List Price ... 3.00




NO. 779 BELT RACK

List Price ... 1.60 ea.



No. 785 Three-Tier Shoe Rack—Steel, chrome plated. 20¾" wide, 22¾" high. One in a carton. Weight, 6 lbs. each.

List Price ... 3.75 ea.



NO. 788 SHOE RACKS


List Price ... 4.00 ea.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade



NO. 786 HAT RACK
List Price ... 2.75 ea.



NO. 1125 HAT RACK
List Price79 ea.



NO. 1179 HAT RACK
List Price75 ea.



No. 1186 Garment Bracket—Steel, zinc plated. 8" long. 12 in a carton. Weight: 3 lbs. per dozen.
List Price ... 4.68 doz.




NO. 2038 HOOK - Cast white metal, chrome-plated. Height 5½", projection 3".
List Price ... 7.20 doz.




No. 790 Disappearing Pan Rack—Fastens under shelf. Length, 20"; width, 5¼". One in a carton. Weight: 3½ lbs.
List Price ... 4.50 ea.



NO. 791 CUP RACKS
List Price ... 1.00 ea.



No. 793 Sliding Towel Rack—Fastens to wall of kitchen cabinet. Length 20" width 5¾". Rod chrome plated. One in a carton. Weight, 3½ lbs. each.
List Price ... 3.50 ea.



No. 798 Sliding Towel Rack—Chrome plated, fastens under shelf. Length 20", width 5¼". One in a carton. Weight, 3¾ lbs. each.
List Price ... 4.50 ea.



No. 1199 Over Door Hanger—Steel, Bright Nickel finish. 8½" long for 1¾" door. Packed 12 to a carton; 12 cartons in a shipping carton. Weight: 60 lbs. per gross.

List Price 6.00 doz.



1 1/8 in. 15c. set



7/8 in. 10c. set



3/4 in. 10c. set



5/8 in. 10c. set



1/2 in. 10c. set



3/8 in. 10c. set

- Illustrations
Exact Size of
Glides.

DOMES of SILENCE

FURNITURE SLIDES

Nationally Advertised

Bulk Packing

Sizes: 3/8, 1/2

Regular

Sizes: 5/8, 3/4, 7/8

Also

Available: 1", 1 1/8"

Insulated: 5/8", 3/4", 7/8"



ONE SET PACKING
6" x 3 1/4" x 2 1/4"
4 pieces to set

Materials:

- Finest Steel
- Extra Case Hardened
- Mirror Finish
- Heavy Nickel Plate

100 SET PACKING

Table of Packings	3/8"	1/2"	5/8"	3/4"	7/8"	1 1/8"
1000 SET PACKING	1000 Sets	1000 Sets	1000 Sets	1000 Sets	1000 Sets	500 Sets
100 SET PACKING	100 Sets	100 Sets	100 Sets	100 Sets	100 Sets	50 Sets
ONE SET PACKING	One set per package—one dozen sets in display container.					
D-19 DISPLAY	Contains: 12 Sets 1/2" — 12 Sets 5/8" 12 Sets 3/4" — 12 Sets 7/8"					


Insulated

SIZE	LIST PRICE	SIZE	LIST PRICE
3/8	.05 set	3/8	.05 set
1/2	.05 set	1/2	.05 set
5/8	.05 set	5/8	.05 set
3/4	.05 set	3/4	.05 set
7/8	.05 set	7/8	.05 set
		1"	.10 set
		1 1/8"	.10 set

SCREEN DOOR GUARDS

NUMBER 1736K

List Price 6.80 dozen

"STEEL BEAUTY" CHAIN GUARD

WITH

DISAPPEARING

No. 103

CHAIN

Built very strong. Chain is electrically welded and case hardened. Cannot be cut or filed like ordinary chain.

Dimensions—Door plate $4 \times 1\frac{3}{8}$ in. Case $2\frac{1}{4} \times 2\frac{1}{4}$ in.


Standard finish—Dull Brass.

Packed—Individual boxes.

NO. 103 - LIST PRICE 18.60 doz.

Weight—8 lb. per dozen.

No. 106
CHAIN GUARD

**CASE HARDENED CHAIN****Easy to sell — Because Extremely Good Looking**

NO. 106 - LIST PRICE 8.40

The chain is case hardened and all links are electrically welded. Built throughout for exceptional strength.

Dimensions—Large plate, $4" \times 1\frac{3}{8}"$. Small plate, $1\frac{3}{8}" \times 1\frac{3}{8}"$.

Standard Finish—Dull Brass.

Packed one-half dozen per box.

Weight—4 lbs. per dozen.

CHEST HANDLES

WROUGHT BRASS

Full Size—Made of .045 Metal— $\frac{1}{4}$ " Rod

No. 234 $1\frac{3}{8}$ " x $2\frac{3}{4}$ ", per single dozen.

2 single dozen in a box, weigh $3\frac{3}{4}$ lbs.

Pierced for $\frac{5}{8}$ " x No. 5 Screws

No. 234 and No. 0234 have Stops for end use.

STEEL


No. 0234 Per single dozen.

2 single dozen in a box.

Pierced for $\frac{5}{8}$ " x No. 5 Screws


NOS. (B.P.) 0234 List Price 2.38 doz.

(P.B.) 234 List Price 7.13 doz.



NOS. 1294, 1298, 1299

LEATHER HANDLES



No. 1294

LIST PRICE 10.48 doz.
OUR FASTEST SELLING LEATHER HANDLE



EXTRA FINE LEATHER

Full Length 6 Inches—Black or Brown Leather

No. 1298 Per single dozen.

1 dozen in a box, weigh $1\frac{3}{4}$ lbs.

List Price 10.48 doz.



VERY FINE LEATHER WITH METAL CORE


Full Length 7 Inches—Black or Brown Leather

No. 1299 Per single dozen. With No. 0211 Metal Loops

1 dozen in a box, weigh $2\frac{1}{4}$ lbs.

LIST PRICE 13.26 doz.

DRAWER HANDLES



WEIGHTS AND PACK

Packed 1 dozen to individual box.

20 dozen to carton

Weight per box 2 lbs. 10 oz.

Weight per carton, 58 lbs.

CHEST HANDLES



NUMBER	LIST PRICE
1205J - 2"	5.35 dozen
" - $2\frac{3}{4}$ "	5.50 "
" - $3\frac{1}{4}$ "	8.25 "
" - $3\frac{1}{2}$ "	8.45 "

GLASS NO. 36-H

List Price 2.04 doz.

Copyright 1954 by [illegible]
[illegible]



SCREEN HANGERS

NO. 1724



applied

screen hangers
for full length screens

steel — japanned or bright zinc plated 1724

eyes only are obtainable, allowing screen and storm sash to be hung on the same hooks
1734 set consists of one pair of 1724 hangers and one 1½" hook and eye

eye (inches)	hook (inches)	size of wood screws	average net weight (lbs.)		gross pairs or sets in a case	average case weight (lbs.)	
			per gross pairs 1724	per gross sets 1734		1724	1734
2 x 1½	1½ x ¾	¾ x 6	24	27	2½	61	70

one pair or set in an envelope with screws
one dozen pairs or sets in a box

1724½ furnished in bright brass; other numbers
japanned (J) or bright zinc plated (K) finishes

NUMBER LIST PRICE

1724-J 21.00 gross - pair

1724-K " "

EXTRA EYES FOR #1724

NUMBER LIST PRICE

1724-J 10.50 gross - pair

1724-K " "



Phone 4341
Joliet, Illinois

RELY ON BARRETT FOR ALL YOUR
HOUSEWARE NEEDS. ONE ORDER,
ONE INVOICE, ONE PAYMENT —
MAKES BUYING FROM BARRETT
EASY AND ECONOMICAL.

WE SHIP 85% OF ALL MERCHANDISE
WITH OUR OWN TRUCKS — SPEEDS
DELIVERY.

SELF- OILING CANNON BALL HANGERS

For 933 and 681 Tracks

No. 1068-D HANGER

Vertical and horizontal adjustments.
Fits doors from 1½ to 2½-in. thick.
Each pair boxed with bolts and
No. 677 end caps—Black enamel
finish.

No. 1068-D Pk. ½ doz. pr.
Wt. 48 lbs.
list 4.70 pair

- Factory filled felt wick oils each wheel.
- Extra long 1⅝-in. bearings for long life.
- Underslung trucks . . Universal pendant joints for smooth performance.



Flat Track Barn Door Hangers

- **Use**
No. 47, for doors 1-3/4" thick.
- **Finish**
Gray enamel.
- **Construction**
Wheels, steel, 3" diameter. Roller bearings.
Hoofs: , steel. All lateral adjustment;
No. 47, 5" x 2-1/2" x 1/8". swing-out feature.
- **Packed**
One pair hangers with bolts.
- **Weight**
Per pair; 6 lbs. list 3.90 pair



No. 47

Trolley Track Door Hangers No. 020-2


For doors weighing up to 300 lbs.

- **Head Clearance**
Distance top of door to bottom of track: minimum, 1-3/16";
maximum, 2-5/16".
Bottom of track to center of hole in bracket, 3-1/2".
- **Use**
For doors 1-3/4" to 2-1/4" thick weighing up to 300 lbs.
Aprons must be let into doors of maximum thickness.
- **Construction**
Steel wheels, 2-1/8" diameter. Oilite self-lubricating bearings.
Lateral and vertical adjustment. Apron, 6" long, 3-1/2" wide,
1/8" thick.
- **Finish**
Carriage and pendant, blue enamel.
Apron, gray enamel.
- **Packed**
One pair hangers with carriage and stove bolts in a box.
- **Weight**
Per pair, 5-1/2 lbs. list 6.20 pair



"Economy" Industrial Door Hangers

For doors weighing up to 600 lbs.

● **Made in Two Sizes**

No. 1, for doors 1-3/4" to 2" thick.

No. 2, for doors 2-1/4" to 2-3/4" thick.

● **Head Clearance**

Distance top of door to bottom of track: minimum, 1-1/8"; maximum, 2-1/2".

Bottom of track to center of hole in bracket, 4-11/16".

● **Use**

For doors 1-3/4" to 2-3/4" thick (see above), weighing up to 600 lbs.

Aprons must be let into doors of maximum thickness.

● **Construction**

Wheels, steel, 3" diameter. Roller bearings.

Lateral and vertical adjustment. Apron, 7-1/2" long, 4" wide, 9/64" thick.

● **Finish**


Trucks, aluminum; aprons, gray enamel. Galvanized finish on special order.

● **Packed**

One pair hangers with carriage and stove bolts in a box.

● **Weight**

Per pair, 11 lbs. list 13.70 pair

SEALTITE CANNON BALL TRACK

No. 933


Easiest to put up—no brackets required—cover supports track—storm apron protects door top—for doors up to 400 lbs. Track is made of 14-ga. high carbon steel—comes in 6 and 8 ft. lengths—black enamel finish.

Pk. 4 one length. Wt. per ft. 3 1/4 lbs.

list .82 ft.

Lock-Joint Track

No.
31



•Track (No. 31 Lock-Joint Trolley Track)

•Construction

No. 16 gauge steel.

•Dimensions

1-3/4" x 2-1/4" inside dimensions.

•Stock Lengths

4', 6', 8', 10', and 12' lengths.

•Finish


Gray enamel or galvanized.

•Weight

1-2/3 lbs. per foot.

list .50 ft.

No.
232



•Track (No. 232 Lock-Joint Trolley Track)

•Construction

No. 14 gauge steel.

•Dimensions

2-7/32" x 3-1/4" inside dimensions.

•Stock Lengths

4', 6', 8', 10', and 12' lengths.

•Finish

Gray enamel or galvanized.

•Weight

Per foot, 2-3/4 lbs.

list 1.05 ft.

Flat Track

•Track (No. 50 Flat Track)

•Dimensions

1-1/4" x 3/16" steel bar with brackets attached.

•Stock Lengths

4', 6', 8', and 10' lengths.


•Finish

Gray enamel.

•Weight

Per 100', 110 lbs.

list .31 ft.



No. 50 Track

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

82

**safety hasp
fixed staple**



Sc911	steel — plain, with screws
Sc911 J	steel — japanned, with screws
Sc911 K	steel — bright zinc plated, with screws

made of wrought steel
when fastened, all screws are concealed and cannot be removed

size, length of slotted part (inches)	length of pad (inches)	width (inches)	staple plate (inches)	gauge of metal		quantity and size of wood screws	average net weight per 100 pieces (lbs.)	hasps in a case	average case weight (lbs.)
				hasp	staple				
2½	1½	1	1½ x 1	.072	.072	7 — ¾ x 5	13	120	17
3½	1 5/16	1½	1½ x 1 1/8	.077	.089	7 — ¾ x 7	26	100	28
4½	2¼	1½	2 x 1¼	.089	.104	4 — ¾ x 9, 3 — ¾ x 7	41	100	43
6	2¾	1½	2 1/16 x 1½	.107	.123	9 — 1 x 9	72	50	38

2½" one in an envelope, twelve in a box; larger sizes one in a box; with screws

NUMBER	SIZE	LIST PRICE
SC911	2½"	27.30 c
SC911	3½"	33.00

hinge hasps



steel — plain, with screws Sc912

made of wrought steel
sizes 3" and 4½" made with the end turned up

"Sc" packing — one in a box with screws

size, length of strap (inches)	length of slotted part (inches)	length of joint (inches)	staple plate (inches)	gauge of metal		quantity and size of wood screws	average net weight per 100 pieces (lbs.)	hasps in a case	average case weight (lbs.)
				hasp	staple				
3	3	1½	1½ x 1½	.065	.089	7 — ¾ x 6	21	100	22
4½	3½	1½	1½ x 1½	.077	.089	8 — ¾ x 6	27	100	28
6	4	1 9/16	2 x 1¼	.089	.104	8 — 1 x 9	51	50	28
8	4½	1½	2 1/16 x 1½	.101	.123	8 — 1 x 10	78

NUMBER	SIZE	LIST PRICE
SC912	3"	29.50
SC912	4½"	35.30
SC912	6"	54.30
SC912	8"	92.20

hasps and staples

steel — plain, without screws



made of wrought steel **HASPS - Staple Plate for 915**

size	plate (inches)	projection of staple (inches)	gauge of metal	size of wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
no. 3	1½ x 1½	¾	.089	¾ x 6	¾	50	36
no. 6	2 x 1¼	¾	.104	1 x 9	1¼	50	62
no. 8	2 1/16 x 1½	¾	.123	1 x 10	1½
no. 10	2¾ x 2 1/16	1 5/16	.150	1¼ x 10	3½

two dozen in a box

NUMBER	SIZE	LIST PRICE
913	3½"	1.05 dozen

made of wrought steel or brass one in a box with screws
when fastened, all screws are concealed and cannot be removed

the adjustable staple compensates for shrinking or sagging of the door • the staple is in a vertical position, permitting the padlock to lie flat

Sc1860 made only in sizes 3½", 4½" and 6"

size, length of slotted part (inches)	length of pad (inches)	width (inches)	staple plate (inches)	gauge of metal		quantity and size of wood screws	average net weight per 100 pieces (lbs.)	hasps in a case	average case weight (lbs.)
				hasp	staple				
3½	1 5/16	1½	1 13/16 x 1½	.077	.065	7 — ¾ x 7	30	100	31
4½	2¼	1½	1 13/16 x 1½	.089	.065	7 — ¾ x 7	40	100	41
6	2¾	1½	2 3/16 x 1½	.107	.071	9 — 1 x 9	79	50	41


NUMBER	SIZE	LIST PRICE
SC915	3½"	34.10 dozen
SC915	4½"	41.00 "
SC915	6"	60.00 "
SC915	7"	184.40 "

"Sc" packing — one in a box with screws

**safety hasp
adjustable staple**


steel — plain, with screws

Sc915



SAFETY HASP CLICK-LOCK STAPLE

steel — plain, with screws	Sc917
steel — bright zinc plated, with screws	Sc917 K
steel — bright zinc plated with brass pin, with screws	Sc917 KBP



"Sc" packing — one in a box with screws

made of wrought steel

the design and construction of the hasp gives a neat appearance and added strength staple locks into position with each quarter turn • when fastened, all screws are concealed and cannot be removed

the staple is in a vertical position permitting the padlock to lie flat

size, length of slotted part (inches)	length of pad (inches)	width (inches)	staple plate (inches)	quantity and size of wood screws	average net weight per 100 pieces (lbs.)	hasps in a case	average case weight (lbs.)
3½	1 5/16	1½	1 7/8 x 1½	7 — ¾ x 7	30	100	32
4½	2 1/8	1½	1 7/8 x 1½	7 — ¾ x 7	39	100	41
6	2¾	1 7/8	1 7/8 x 1½	9 — 7/8 x 8	65	50	34

one in a box with screws

NUMBER	SIZE	LIST PRICE
SC917	3½"	54.00 dozen
SC917	4½"	61.40 "
SC917	6"	77.00 "

EXTRA-HEAVY HINGE HASP

941

steel — plain, without screws



made of wrought steel

a heavy duty hasp for general utility service

the square hole permits the use of a carriage bolt for security against removal

made with the end turned up

7½" one-half dozen; larger sizes one-quarter dozen; in a box


size, length overall (inches)	length of slotted part (inches)	length of pad (inches)	length of joint (inches)	staple plate (inches)	gauge of metal	quantity and size of wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
7½	3½	4 1/16	1¾	2½ x 1¾	.168	8 — 1½ x 12	12	5	63
9	4	5	2 1/8	2¾ x 2 1/8	.180	8 — 1½ x 12	18	2½	47
10	4	6	2 1/8	2¾ x 2 1/8	.180	8 — 1½ x 12	19½

NUMBER	SIZE	LIST PRICE
941	7½"	16.80 dozen
941	9"	24.20 "
941	10"	29.20 "


BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

84



980



982


HASPS with Staples

HASPS with Latch & Staple

made of wrought steel

class number	size, length of strap (inches)	gauge of metal (strap)	length of staple (inches)	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
980	6	.107	2	2½	50	129
	8	.107	2½	3½	25	98
982	6	.107	2	3	25	73
	8	.107	2½	4

NUMBER	SIZE	LIST PRICE	NUMBER	SIZE	LIST PRICE
980	6"	2.40 dozen	982	6"	3.60 dozen
980	8"	3.30 dozen	982	8"	4.50 dozen



100 YEARS OF EXPERIENCE HAS PROVEN THAT CUSTOMERS NEVER CHANGE FROM BARRETT QUALITY AND SERVICE ONCE THEY KNOW IT.

Get acquainted with your BARRETT salesman. Learn the products he stocks that you can use. Tell him the items you buy and your supply problems. He can save you headaches, money and deliver the goods.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

85



Made of .060 Metal


No. 844 Per single dozen. 6.34 list doz.

STEEL

No. 0844 Per single dozen. 2.81 list doz.

Packed with $\frac{5}{8}$ " x No. 5 Screws

HASPS WROUGHT BRASS



Full Size—Made of .250 Metal

No. 802 $\frac{5}{8}$ " x $1\frac{1}{8}$ ", per single dozen.

3 dozen in a box, weigh 7 oz.

Finish BP List Price 1.72 doz.



Full Size—Made of .050 Metal

No. 803 $\frac{1}{2}$ " x 3", per single dozen.

3 dozen in a box, weigh $1\frac{1}{4}$ lbs.

Finish NP List Price 2.07 doz.

" BP " " 2.07 "



Full Size—No. 804—Made of .050 Metal

No. 804 $\frac{3}{4}$ " x $2\frac{3}{4}$ ", per single dozen.

3 dozen in a box, weigh $1\frac{3}{4}$ lbs.

Finish PB List Price 2.35 doz.

" NP " " 2.59 "

HASPS

WROUGHT BRASS




HASPS NO. 841

B-841 - LIST PRICE 4.65 doz.

HASPS

BRASS




Full Size

CAST BRASS

No. 891 1" x 3", per single dozen.

1 dozen in a box, weigh 1 lb. 14 oz.

Finish PB List Price 18.54 doz.



No. 893

FINISH - BP

NO. 893 $\frac{3}{4}$ " x $2\frac{3}{8}$ "

per single dozen

1 dozen in a box, weigh 10 oz.

Pierced for $\frac{5}{8}$ " x No. 4 Screws

LIST PRICE 4.42 doz.

HASPS

WROUGHT STEEL



Full Size—No. 883

STEEL

Made of .050 Metal

No. 883 $1\frac{1}{4}$ " x 3", per single dozen.

1 dozen in a box, weigh 1 lb. 7 oz.

Finish BP List Price 3.39 doz.



Made of .050 Metal

No. 840 $\frac{3}{4}$ " x 3", per single dozen.

1 dozen in a box, weigh 9 oz.


Pierced for $\frac{5}{8}$ " x No. 5 Screws

Finish PB List Price 5.43 doz.

[The following text is extremely faint and illegible due to the quality of the scan. It appears to be a multi-paragraph document with several lines of text per paragraph.]

BOX HINGES

WROUGHT BRASS




Full Size—Made of .025 Metal

- No. 1** $1\frac{1}{8}" \times 1\frac{1}{4}"$, per dozen pairs. 1.88
3 dozen pairs in a box, weigh 12 oz.
Pierced for $\frac{1}{2}"$ x No. 3 Screws
PB - Finish



Full Size—Made of .025 Metal

- No. 6** $\frac{1}{2}" \times 1\frac{5}{8}"$, per dozen pairs. 1.77
3 dozen pairs in a box, weigh 6 oz
Pierced for $\frac{1}{2}"$ x No. 16 Escutcheon Pins
PB - Finish



Full Size—Made of .025 Metal


- No. 7** $\frac{5}{8}" \times 2\frac{3}{4}"$, per dozen pairs. 1.85
3 dozen pairs in a box, weigh $12\frac{1}{2}$ oz.
PB - Finish



Full Size—Made of .020 Metal


- No. 10** $\frac{3}{4}" \times \frac{9}{16}"$, per dozen pairs. 1.59
3 dozen pairs in a box, weigh 6 oz.
PB - Finish Solid Brass

NC. 010 - STEEL
B.P. Finish
List - .74 doz. pr.



Full Size—Made of .025 Metal

- No. 16** $1" \times 1\frac{1}{4}"$, per dozen pairs.
3 dozen pairs in a box, weigh 9 oz.
Pierced for $\frac{1}{2}"$ x No. 16 Escutcheon Pins
PB - Finish
1.88



Full Size—Made of .025 Metal

- No. 18** $\frac{5}{8}" \times 1"$, per dozen pairs. 1.72
PB - Finish 3 dozen pairs in a box, weigh $7\frac{1}{2}$ oz.

STEEL

- No. 018** Per dozen pairs. 1.25
BP - Finish 3 dozen pairs in a box.
Pierced for $\frac{1}{2}"$ x No. 16 Escutcheon Pins

No. 22



Full Size—Made of .025 Metal

- $\frac{5}{8}" \times 1\frac{7}{8}"$, per dozen pairs. 2.01
3 dozen pairs in a box, weigh 10 oz.
PB - Finish

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

88


HINGES—SIDE STOPS



No. 035 Made of .050 Steel Metal

$\frac{3}{4}$ " x 7", per dozen pairs. 4.47
1 dozen pairs in a box, weigh 2 $\frac{1}{4}$ lbs.
Pierced for $\frac{5}{8}$ " x No. 5 Screws
BP - Finish

FLAP HINGES WROUGHT BRASS



Full Size—Made of .040 Metal


No. 76 $1\frac{1}{8}$ " x $2\frac{1}{4}$ ", per dozen pairs. 2.41
PB - Finish 3 dozen pairs in a box, weigh 1 lb. 13 oz.

Pierced for $\frac{5}{8}$ " x No. 4 Screws
STEEL

No. 076 BP - Finish 1.59 dozen pairs.
NP - Finish 1.75
Pierced for $\frac{5}{8}$ " x No. 4 Screws

SIDE STOPS

WROUGHT BRASS




Full Size—Made of .030 Metal

No. 36 $\frac{5}{16}$ " x $1\frac{1}{8}$ ", per dozen pairs. 1.88
PB - Finish 3 dozen pairs in a box, weigh 5 $\frac{1}{4}$ oz.
Pierced for $\frac{1}{2}$ " x No. 2 Screws

HINGES

WROUGHT BRASS




Full Size—Made of .045 Metal

No. 75 $1\frac{1}{8}$ " x 3", 3 dozen pairs in a box, weigh 3 lbs. 14 oz.
BP - Finish 3.59 per dozen pairs.
NP - Finish 3.95
Pierced for $\frac{5}{8}$ " x No. 5 Screws
STEEL

No. 075 Per dozen pairs. 1.81
BP - Finish 3 dozen pairs in a box.
Pierced for $\frac{5}{8}$ " x No. 5 Screws

FLAP HINGES

WROUGHT BRASS



Full Size—Made of .060 Metal
STEEL

No. 077 Per dozen pairs. 4.32
BP - Finish 1 dozen pairs in a box.
Pierced for $\frac{5}{8}$ " x No. 5 Screws

BOX HINGES

WROUGHT BRASS



Full Size—Made of .050 Metal

No. 93 $\frac{3}{4}$ " x $1\frac{1}{8}$ ", per dozen pairs. 3.56
PB - Finish 3 dozen pairs in a box,
weigh 1 lb. 11 oz.

WROUGHT BRASS



Full Size—No. 99—Made of .050 Metal

No. 99 $\frac{3}{4}$ " x $3\frac{1}{2}$ ", per dozen pairs. 6.01
PB - Finish 1 dozen pairs in a box, weigh 17 oz.


WROUGHT BRASS Made of .050 Metal



No. 100 $\frac{3}{4}$ " x $4\frac{5}{8}$ ", per dozen pairs. 8.07
PB - Finish 1 dozen pairs in a box, weigh 19 oz.

HINGES - Back Flap

814 steel — plain, swaged




made of wrought steel

fast spun pin

size length of joint (inches)	width open (inches)	gauge of metal	quantity and size of wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
$1\frac{1}{4}$	$3\frac{1}{4}$.075	6 — $\frac{3}{4}$ x 7	$2\frac{1}{4}$	50	117
$1\frac{1}{2}$	$3\frac{7}{16}$.075	6 — $\frac{3}{4}$ x 8	$2\frac{1}{4}$	50	143
$1\frac{1}{2}$	3.70	doz. pr.				
$1\frac{1}{2}$	4.75	" "				

one dozen pairs in a box without screws




LH bottom or RH
top hinge


blind hinges
for $1\frac{1}{8}$ " blinds
hung flush with casing

for frame construction
without screws

hinges for frame construction furnished on
order with a $\frac{1}{2}$ " offset, giving a throw or
clearance of 1"



frame construction



brick construction

plate pinhole (inches)	offset (inches)		throw (inches)		gauge of metal	size of wood screws	bulk packing		Sc packing	
	frame	brick	frame	brick			25 pairs in a case weight (lbs.)		50 pairs in a case weight (lbs.)	
$3\frac{1}{8}$ x $1\frac{1}{8}$	$1\frac{1}{16}$	$2\frac{1}{8}$	2	$4\frac{1}{8}$.075	1 x 8	25		55	

hinges without screws packed bulk; with screws two pairs in a box

hinges measure $4\frac{3}{16}$ " on the vertical, 5" on the horizontal,
width 1"

steel — galvanized

1364

1.59


doz. pr.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

90

CONTINUOUS HINGES 4 ft. lengths



uses for furniture, chests, cabinets, marine work, etc




construction made of wrought brass or steel

screw holes spaced 2" apart, other spacings or without holes on order

TYPE	NUMBER	SIZE	LIST PRICE
Steel-Pol. Brass	NO. 311-C	1 1/16	.33 Ft.
		1 1/4	.35 Ft.
Steel-Chrome	NO. 311-CM	1 1/16	.53 Ft.
		1 1/4	.57 Ft.
Plain Chrome	NO. 311-PS	1 1/2	.28 Ft.

STRAP HINGES

WROUGHT BRASS



Full Size—Made of .050 Metal

No. 102 1/2" x 2 3/4", per dozen pairs.


3 dozen pairs in a box, weigh 1 3/4 lbs.

Pierced for 1/2" x No. 3 Screws

102-PB List Price 3.11 doz. pr.

CHEST HINGES

STEEL



—Made of .060 Metal

No. 0151 Per dozen pairs.

1 dozen pairs in a box.

Pierced for 3/4" x No. 6 Screws

0151-BP List Price 5.41 doz. pr.



SHOWCASE HINGES

WROUGHT BRASS


No. 160 1" x 1 3/8", per dozen pairs.

3 dozen pairs in a box,

weigh 2 lbs. 10 oz.

Pierced for 1/2" x No. 4 Screws

160-BP List Price 2.06 doz. pr.



SHOWCASE HINGES

STEEL

No. 161 2" x 1 3/4", per dozen pairs.

1 dozen pairs in a box, weigh 2 lbs.


Pierced for 5/8" x No. 5 Screws

161-BP List Price

2.86 doz. pr.

REFRIGERATOR HINGES

WROUGHT BRASS



No. 190— $\frac{3}{8}$ " Offset

No. 0190 Steel—Same size as above.

STOCK FINISHES:

No. 0190—Brass Plate; Burnished Nickel.

1 dozen pairs in a box.


Pierced for $\frac{3}{4}$ " x No. 6 Screws

0190-NP

List Price 4.55 doz. pr.

REFRIGERATOR HINGES

CAST BRASS



Full Size—No. 191A

A New Modern and Popular Style in Two Sizes as Below

STOCK FINISH: Nickel Plated.

The No. 192 goes well with No. 634 Fastener.

The No. 191A goes well with No. 634A Fastener.

No. 192 $2\frac{1}{2}$ " x $5\frac{3}{8}$ "— $\frac{3}{8}$ " Offset.

$\frac{1}{2}$ dozen pairs in a box, weigh 4 lbs.

No. 191A $2\frac{7}{8}$ " x $6\frac{1}{2}$ "— $\frac{5}{8}$ " Offset.

$\frac{1}{2}$ dozen pairs in a box, weigh $6\frac{1}{2}$ lbs.

NO. 191-A-CM List Price 75.34 doz. pr.

NO. 192-NP List Price 35.28 doz. pr.

SIDE STOP HINGES



Full Size—No. 1033

Made of .050 Brass Metal

No. 1033 $\frac{1}{2}$ " x $3\frac{3}{4}$ ", per dozen pairs.

3 dozen pairs in a box, weigh 1 lb. 5 oz.

NO. 1033-DB List Price 3.43 doz. pr.

No. 1037 $\frac{1}{2}$ " x 6", full length, per dozen pairs.

1 dozen pairs in a box, weigh 1 lb. 6 oz.

Pierced for $\frac{5}{8}$ " x No. 4 Screws

NO. 1037-BP List Price 3.59 doz. pr.

No. 1038 $\frac{1}{2}$ " x 8", per dozen pairs

1 dozen pairs in a box, weigh $1\frac{1}{2}$ lbs.

Pierced for $\frac{5}{8}$ " x No. 4 Screws

NO. 1038-BP List Price 3.93 doz. pr.


No. 1039 $\frac{1}{2}$ " x 10", per dozen pairs.

1 dozen pairs in a box, weigh 2 lbs.

Pierced for $\frac{5}{8}$ " x No. 4 Screws

NO. 1039-BP

List Price 4.22 doz. pr.



Full Size—No. 1037

With Foot Bracket
STEEL

Made of .060 Metal

No. 1040 $\frac{1}{2}$ " x 12", per dozen pairs.

1 dozen pairs in a box, weigh 2 lbs. 10 oz.

Pierced for $\frac{5}{8}$ " x No. 4 Screws

NO. 1040-BP

List Price 4.72 doz. pr.

SUPPORT HINGES

Without Foot Bracket



No. 1041 $\frac{1}{2}$ " x 6", full length, per dozen pairs.

1 dozen pairs in a box, weigh 1 lb.

Pierced for $\frac{5}{8}$ " x No. 4 Screws

NO. 1041-BP List Price 3.13 doz. pr.

FRICTION HINGES

WROUGHT STEEL

Full Size—Made of .045 Metal



No. 1124 $1\frac{1}{2}$ " x $1\frac{1}{2}$ ", per dozen pairs.


3 dozen pairs in a box, weigh $4\frac{1}{2}$ lbs.

Pierced for $\frac{5}{8}$ " x No. 7 Screws

NO. 1124-BP List Price 3.74 doz. pr.

BOX HINGES

WROUGHT BRASS



No. 1170 $1\frac{3}{4}$ " x 1", per dozen pairs.

1 dozen pairs in a box, weigh 12 oz.


Pierced for $\frac{5}{8}$ " x No. 4 Screws

NO. 1170-PB List Price 5.33 doz. pr.

Full Size—Made of .040 Metal

Chicago "Durex" Spring Pivot-Hinges

Ball-Bearing
Reversible Side Plates




Standard Top Pivot
and Socket



Jamb Attaching Plate
(Supplied Separately)



Double Acting
Type 17001—Steel



Hold Open Feature

When the door is opened to 90 degrees, this hinge holds it in that position. At an open position of approximately 95 degrees the hold-open feature is most rigid.

Ball-bearings, which are located at the top of the hinge away from moisture and dust, carry the weight of the door and also protect the bearings in the frame from the thrust of the spring.

The compression spring is made of high grade tempered steel wire.

An alignment feature is provided by means of slotted screw holes in the floor plate, so that the position of the door may be adjusted to align with the door frame.

Top pivot and socket supplied with this hinge are made of wrought metal and the attaching part is thin enough so that it is not necessary to mortise the top pivot into the casing or the attaching part of the socket into the door. If desired, however, a mortise cut may be quickly made with a bit.

Reversible, beveled side plates are supplied and may be applied to either side of the door. This is convenient when different finishes are required to match other hardware in the rooms on either side of the door. In many instances this feature permits using stock goods where a combination finish is required.

For a hinge with adjustable tension and roller-bearings, we recommend the "Premier" or "Ajax" Spring Pivot-Hinge.

STEEL, PLANISHED (Finish Description Page 8)	Finish Symbol	STEEL, PLANISHED	Finish Symbol
Brass, Dull.....	"	Chromium, Bright.....	"
*Brass, Oxidized, Dull.....	"	Chromium, Dull.....	"
	F4		F26
	F5		F26D

SIZE AND SPECIFICATIONS

Thickness of Door, Inches	1 1/8 to 1 3/4	Supplied with reversible side plates.
Approximate Weight Per Set, Pounds	2 1/2	This weight includes the wrapping and box but not the packing and shipping container. For approximate gross weight, add 10%.

NOTE:—Specify by the type, finish symbol and size. Example:—Type 17001—F4—1 1/8 to 1 3/4 in.

The finishes listed are standard. Other finishes supplied for special orders. List of finishes page 8.


Packed one set in a box, with screws of same finish and instructions for applying.

Standard packing is 25 sets in a case.

FLOOR HINGES
Durex

NEW NUMBER	LIST PRICE
17001-F5	2.55 ea.
17001-F4	2.55 ea.

Chicago "Ajax" Spring Pivot-Hinges



Standard Top Pivot
and Socket


Ball-Bearing Reversible Side Plates



Jamb Attaching Plate
Part of J3001 Hinge
(Not supplied separately)



Plunger Top Pivot and Socket
(See Note Below)



Double Acting
Type 3001—Steel
Type 3051—Brass or Bronze Metal



Hold Open Feature

When the door is opened to 90 degrees, this hinge holds it in that position. The weight of the door is carried on ball-bearings which are located at the top of the hinge, away from moisture and dust. The eccentric has roller-bearings.

The alignment device is simple, positive and readily accessible. It is operated by turning a single screw which eliminates any possibility of difficulty.

The spring tension is adjustable.

The "Plunger Top Pivot" is supplied for special orders. It simplifies application and permits closer fitting at the top of door.

STEEL, PLANISHED (Finish Description Page 8)		Finish Symbol
Brass, Bright.....	Plated	F3
Brass, Dull.....	"	F4

SIZE AND SPECIFICATIONS

Thickness of Door, Inches	1½ to 1¾	Supplied with reversible side plates.
Approximate Weight Per Set, Pounds	3½	This weight includes the wrapping and box but not the packing and shipping container. For approximate gross weight, add 10%.

NOTE:—Specify by the type, finish symbol and size. Example:—Type 3001—F4—1½ to 1¾ in.

Plunger top pivot and socket is supplied for special orders. See price book for cost.

The finishes listed are standard. Other finishes supplied for special orders. List of finishes page 8.

Packed one set in a box, with screws of same finish, tension adjuster and instructions for applying.

Standard packing is 25 sets in a case.

OLD NUMBER	NEW NUMBER	LIST PRICE
3281	3001-F4	4.80 ea.
3111	3001-F3	4.80 ea.

"Sagless" Gate Spring Pivot-Hinges

Double Acting—Ball-Bearing



Adjustable Tension.
Clearance under Gate
not less than 5 in.
Thickness of Gate or
Handrail $1\frac{1}{8}$ to $2\frac{1}{2}$ in.
Width of Attachment
 $1\frac{1}{2}$ in.

Type 4007—Steel
Type 4057
Brass or Bronze Metal



Clearance under Gate
not less than $4\frac{1}{2}$ in.
Thickness of Gate or
Handrail $\frac{7}{8}$ to $2\frac{1}{2}$ in.
Width of Attachment
 $1\frac{1}{2}$ in.

Type 6007—Steel
Type 6057
Brass or Bronze Metal

Specify Type 4007M-RB if mortise hinge with attachments similar to Type 6007M-RB is desired. Clearance under gate not less than $2\frac{3}{8}$ in.

Special Features

Type 4007 Spring Pivot-Hinge has an exterior tension adjustment which can be adjusted after the hinge is applied. It has a ball bearing to carry the weight of the gate and a ball-bearing in the top socket which reduces friction and wear. The pintle has an adjustment in the bottom attachment with locking device, which permits aligning the gate or, if desired, setting the gate or dwarf door to come to rest at any desired position.

The spring is made of best tempered steel flat wire and is large enough for heavy duty conditions, but the adjustable tension makes it equally suited to light gates.

The application is extremely simple as it is applied to the surface of the gate post and if desired the top socket may be applied to the surface of the gate.

The Type 6007 hinge is also of the Sagless Type but has not the exclusive features of the Type 4007. It will be found highly satisfactory where, for economy, these features must be omitted.

Approximate weight per set, includes wrapping and box only. For shipping weight, add 10%.


Type 4007— $3\frac{1}{2}$ lbs. Type 6007—3 lbs.

IRON, POLISHED (Finish Description Page 8)	Finish Symbol	BRASS OR BRONZE METAL POLISHED	Finish Symbol
Dead Black:.....Japanned	F1D	Brass Metal, Bright.....	F3
*Brass, Oxidized, Dull....."	F5	Bronze " • Dull.....	F10

FLOOR HINGES Gate Double Acting

OLD NUMBER	NEW NUMBER	LIST PRICE
4007	4007-F1D	9.30 ea.
4287	4007-F4	13.85 ea.
6007	6007-F1D	8.05 ea.

For Thin Plywood Doors
Double Acting
Half Surface Application
Adjustable Tension



Type HS9001—Steel
Type HS9051—Brass or Bronze Metal
Door Flange Length 3 in.

Spring Hinges

Description

Type HS9001 Spring Hinges are specially suitable for plywood doors or gates that are thin and fastening screws will not hold securely in the edge of the door. One flange is applied to the surface of the door and the other to the surface of the jamb without a hanging strip. Suitable for $\frac{3}{4}$ in. plywood, but may be applied to $\frac{7}{8}$ in. with chamfering. If the door is wide, use three hinges and place two near top of the door.

STEEL, PLANISHED		Finish Symbol
Dead Black.....	Japanned	F1D
Brass, Bright.....	Plated	F3
Brass, Dull.....	"	F4

Approximate weight per pair, includes wrapping and box only.

For shipping weight add 10%. Type HS9001—2 $\frac{5}{8}$ lbs.

NO. HS9001D List Price: 6.50 each


Chicago "Simplex" Spring Butt-Hinges

Button Tip Ornamentation

No Hanging Strip Required

Concealed Hardened Steel Bearings

Double Acting



STEEL, PLANISHED		Finish Symbol
Dead Black.....	Japanned	F1D
Brass, Bright.....	Plated	F3
Brass, Dull.....	"	F4

NOTE:—Specify by the type, finish symbol and size. Example:—Type 9001-F4-4 in.

The finishes listed are standard. Other finishes supplied for special orders.

Packed one pair in a box, with screws of same finish, tension adjuster and instructions for applying.

SIZE OF HINGE

Length of Flange, Inches	3	4
Thickness of Door	$\frac{3}{4}$	$\frac{7}{8}$
Maximum indicated requires chamfering.	to	to
For metal doors see page 51.	1	1 $\frac{1}{4}$
Approximate weight per pair. Pounds.....	2 $\frac{5}{8}$	3 $\frac{1}{2}$

Type 9001—Steel

The above weights include the wrapping and box but not the packing and shipping container.

For approximate gross weight, add 10%.

Limited to ornamental designs with high and low surface. Use finish F4 for plain surface hardware.

This matches high surface of ornamental designs.

JAM HINGES
Bright Brass
NO. 9001-F3
List Price:
8.55 each

JAM HINGES Double Acting
Simplex
NO. 9001-F4
List Price:
8.55 each

JAM HINGES
— Jap'd
NO. 9001-F1D
List Price:
6.50 each

BARRETT HARDWARE COMPANY


Over 100 Years Service to the Trade

97



ornamental cabinet hinges

NUMBER	SIZE	LIST PRICE
1474-F	1½"	4.30 doz. pr.
1474-F	2"	6.15 "
1474-N	1½"	5.00 "
1474-N	2"	7.00 "
1474-P	1½"	4.30 "
1474-P	2"	6.15 "
1475-F	1½"	4.30 "
1475-F	2"	6.15 "
1475-N	1½"	5.00 "
1475-N	2"	7.00 "
1475-P	1½"	4.30 "
1475-P	2"	6.15 "
1476-F	1½"	4.30 "
1478-F	2"	4.30 "
1478-N		5.00 "
Cabinet 1496-CM		6.20 "



NO. 1475




NO. 1478



NO. 1496

DOUBLE ACTING HINGES for Folding Screens

NUMBER	SIZE	LIST PRICE
875-C	¾"	9.30 doz. pr.
875-F	1"	11.10 "
875-F	1¼"	13.40 "



NO. 875

100 YEARS OF EXPERIENCE HAS
PROVEN THAT THE CUSTOMERS
NEVER CHANGE FROM BARRETT
HARDWARE QUALITY AND SERVICE
ONCE THEY KNOW IT.



Phone 4341
Joliet, Illinois

Journal of the American Medical Association

[The following text is extremely faint and largely illegible. It appears to be a multi-column document, possibly a journal or a report, with several paragraphs of text. The text is too light to transcribe accurately.]

Chicago Screen Door Spring Hinges

Superior Quality—Wrought Metal
Adjustable Tension


Special Features

Type 3005 Spring Hinge is made of heavy metal and the spring of high grade tempered steel wire which is entirely enclosed.

All of these Screen Door Hinges have an excellent finish and the workmanship is high quality.

Approximate weight per pair, includes wrapping and box only.

For shipping weight, add 10%. Type 3005—1¼ lbs.



Type 3005—Steel
Type 3055
Brass or Bronze Metal
Full Surface
Size 3x3 Inches

STEEL, PLANISHED	Finish Symbol
Dead Black.....Japanned	F1D
Primed.....For Painting	FP
Brass, Dull.....Plated	F4

NOTE:—Specify by the type and finish symbol. Example:—Type 3005-F4.

If ball tips are required, prefix "BA" to Type Symbol.


If required to hold the door open, specify "reverse acting."

The finishes listed are standard. Other finishes supplied for special orders.

Packed one pair in a box, with screws of same finish and a tension adjuster.

Standard packing is 36 pairs in a carton.


NO.	LIST
3005-F1D	2.15 pr.
3005-FD	2.15 pr.
3005-F4	2.35 pr.



Type 8005—Steel
Full Surface
Size 2¼x2¼ Inches

Loose Pin Detachable Type Adjustable Tension

These hinges do not have ball tips. The pin is loose and after releasing the spring tension it may be removed, thereby permitting the door to be taken down without removing any screws.



Type 18005—Steel
Half Surface
Flange 2¼ Inches

STEEL (Finish Description Page 8)	Finish Symbol	STEEL (Finish Description Page 8)	Finish Symbol
Dead Black.....Japanned	F1D	Brass, Dull.....Plated	F4
Primed.....For Painting	FP	Zinc, Dull....."	F2

Approximate weight per pair, includes wrapping and box only. For shipping weight, add 10%.

Type 8005—7/8 lb. Type 18005—7/8 lb.

NOTE:—Specify by the type and finish symbol. Example:—Type 8005-F4.

Packed one pair in a box, with screws of same finish and tension adjuster.

Standard packing is 36 pairs in a carton.


NO.	LIST
8005-F1D	1.10 pr.
8005-F4	1.19 pr.
8005-F2	1.19 pr.
18005-F4	1.19 pr.

Chicago Screen Door and Gate Spring Hinges

Double Acting

Wrought Steel—For Doors or Gates 1 to 1½ in. thick

Non-Adjustable Tension



Type 7005—Steel
Flange 2¾ in.

Features

These hinges are suitable, if economy is necessary, to hang light weight double acting gates or screen doors. One flange is applied to the surface of the casing or post and the other flange to the surface of the door, thereby avoiding a mortise.

This hinge is made of wrought steel which is preferable to cast iron for strength and finish. The spring is made of good quality tempered steel wire and is covered.

Packed half dozen pairs in box, with screws of same finish.

NO.	LIST
7005-F2	1.95
7005-F4	1.95

Weight per dozen pairs
17¼ lbs.
Shipping weight add 10%

STEEL	Finish Symbol
Dead Black.....	Japanned
Brass, Dull.....	Plated
Zinc, Dull.....	"
	F1D
	F4
	F2

NOTE:—Specify by the type and finish symbol. Example:—Type 7005-F4.



1751

HINGES



158




SCREW AND STRAP HINGES



HOOK FOR HINGE 951PS
HOOK 1665

NUMBER	SIZE	LIST PRICE	NUMBER	SIZE	LIST PRICE	NUMBER	SIZE
1751J	2½"	5.30 doz. pr.	951 PS	6"	1.36 pair	1665	½x4
1751J	3"	6.20 "	"	8"	1.46 "	"	5/8x5
1751F	2½"	6.60 "	"	10"	1.90 "	"	3/4x6
1751F	3"	7.60 "	"	12"	2.05 "	"	7/8x7
Spring 158-J		5.00 "	"	14"	2.88 "	LIST PRICE	
158-F		8.20 "	"	16"	3.20 "	4.78 doz.	
			"	18"	3.72 "	6.25 "	
			"	20"	4.20 "	9.30 "	
						11.90 "	



Made of Bright Cold-Rolled Steel,
14 Gauge Button Tip . . . Loose Pin

No. 323 - 3" x 2¾"

Can Be Used As Full Surface or Half Surface
(Reverse One Leaf)

SURFACE HINGES

No.	Finish	SIZE	LIST PRICE
323CD	Dull Cad.	2x2 3/4	6.18 doz. pr.



BOLT & STRAP

NUMBER	SIZE	LIST PRICE
952PS	10"	3.56 pair
952PS	14"	5.10

steel—galvanized, without screws 951 R

CABINET HINGES


SOSS INVISIBLE CABINET HINGES are especially adapted to furniture, such as radio cabinets, cellarettes, desks, secretaries, kitchen equipment, cabinets of all types, sewing machine cabinets, tables, buffets, dressers, china-closets, etc.

Body is slightly tapered to fit snugly into mortise; relieves strain on screws and also eliminates bulging of veneered surfaces.

No. 101 CABINET HINGE

SPECIFICATIONS

Length of plate— $1\frac{11}{16}$ "
 Width of plate— $\frac{3}{8}$ "
 Depth of mortise— $\frac{1}{2}$ "
 Clearance when open— $\frac{9}{32}$ "
 Recommended for wood of $\frac{1}{2}$ "— $\frac{5}{8}$ " thickness
 Interchangeability—are interchangeable with each other.
 Are reversible—can be used right or left hand.
 Size of wood screws No. 4 x $\frac{3}{4}$ "
 Standard finish Dull Brass
 For other finishes see price list.
 Packaging and Weight
 Packed 12 pairs with screws in a box.
 Weight per box (12 pairs)—2 lbs.



No. 101
Actual Size

No. 100 CABINET HINGE

A small rugged hinge for light cabinet work, sewing tables, pianos, etc., made of special alloy castings having great tensile strength with hardened steel links and pins.

Recommended for wood of $\frac{1}{2}$ "— $\frac{5}{8}$ " thickness Size of Screws No. 4 x $\frac{3}{4}$ "

SPECIFICATIONS

Length of plate—1"
 Width of plate— $\frac{3}{8}$ "
 Depth of mortise— $\frac{15}{32}$ "
 Clearance when open— $\frac{9}{32}$ "

Interchangeability—are interchangeable with each other.
 Are reversible—can be used right or left hand.


Standard finish Dull Brass.

For other finishes see price list.

Packaging and Weight

Packed 24 pairs with screws in a box.

Weight per box (24 pairs)—2 lbs. 5 oz.



No. 100
Actual Size

Nos. 203 and 103 CABINET HINGES

The No. 203 is of the new improved type construction.

The No. 103 is used where a slightly shorter hinge plate and shallower mortise are desired.

Both recommended for wood of $\frac{3}{4}$ " thickness.

SPECIFICATIONS

	No. 203	No. 103
Length of plate	$1\frac{3}{4}$ "	$1\frac{1}{2}$ "
Width of plate	$\frac{1}{2}$ "	$\frac{1}{2}$ "
Depth of mortise	$\frac{23}{32}$ "	$\frac{19}{32}$ "
Clearance when open	$\frac{23}{64}$ "	$\frac{3}{8}$ "

Size of wood screws No. 6 x 1"

Standard finish Dull Brass.


For other finishes see Price List.

Packaging and Weight


Packed 12 pairs with screws in a box.

Weight per box No. 203—3 lbs. 2 oz.

No. 103—2 lbs. 7 oz.



Pat. No. 1984092
No. 203
Actual Size



No. 103
Actual Size

INVISIBLE HINGES


Cabinet
 Dull Brass

NUMBER	LIST PRICE
100	1.47 pair
101	1.78 "
103	1.61 "
203	1.49 "

HINGES

No. 204

For $\frac{3}{4}$ " Wood or Metal Doors



No. 204 Actual Size
No. 208

A strong, compact hinge, designed for use on heavier type cabinet work, table tops, closet and cupboard doors and panels of the lighter type.

The smooth free movement of this hinge makes it well suited for panels equipped with secret latches.

SPECIFICATIONS

Dimensions—Length of plates— $2\frac{3}{8}$ "

Width of plates— $\frac{1}{2}$ "

Depth of Mortise— $2\frac{3}{32}$ "

Interchangeability—are interchangeable with each other. Are reversible—can be used right or left hand.

Size of wood Screws—No. 7 x $1\frac{1}{4}$ "

Standard Finish Dull Brass

For other finishes see price list

Smooth action—strong—allows no sagging.

Packaging and Weight

Packaging six pairs with screws in a box.

Weight per box (6 pairs)—2 lbs. 13 oz.

No. 208

Wood or Metal Doors

For $\frac{7}{8}$ " to 1"

Particularly adapted for use on light doors and panels as well as for cabinet work of the heavier type.

SPECIFICATIONS

Dimensions—Length of plates— $2\frac{3}{4}$ "

Width of plates— $\frac{5}{8}$ "

Depth of Mortise— $2\frac{9}{32}$ "

Interchangeability—are interchangeable with each other.

Are reversible—can be used right or left hand.

Size of wood Screws—No. 8 x $1\frac{1}{4}$ "

Standard Finish Dull Brass.

This rugged, smooth-acting hinge will give long, trouble-free service.

The hard steel pins and links increase strength; the fact that they are well supported and guided by precision grooves in the body assures adequate strength—with no sag.

Packaging and Weight

Packed 2 pairs with screws in a box.

Weight per box (2 pairs)—1 lb. 8 oz.

NUMBER	LIST PRICE
204	2.10 "
208	2.92 "

No. 216

Wood or Metal Door

For $13\frac{7}{8}"$ to $11\frac{1}{2}"$

This is an ideal hinge for folding partitions, medium weight doors, panels, shutters, etc.

SPECIFICATIONS

Dimensions—Length of plates— $4\frac{5}{8}"$

Width of plates— $1"$

Depth of Mortise— $1\frac{7}{16}"$

Interchangeability—are interchangeable with each other.

Are reversible—can be used right or left hand.

Size of wood Screws—No. 14 x $1\frac{1}{2}"$

Standard finish Dull Brass.

For other finishes see price list.

Reinforced castings and heavy links and pins

give ample strength for even severe conditions.

Equipped with hardened steel roller bearings

for easy operation and long life.


Links and pins moving in precision grooves in

the castings prevent sagging.

Packaging and Weight

Packed 1 pair with screws in a box.

Weight per box (1 pair)—3 lbs. 8 oz.



No. 216 $\frac{3}{4}$ Actual Size

No. 212

Large Size

Number	List
212	5.73 pair
216	8.04 "

NO. 212

Equipped with hardened steel roller bearings and designed for use on concealed panels, average weight doors and partitions.

SPECIFICATIONS

Dimensions—Length of plates— $3\frac{3}{4}"$

Width of plates— $\frac{3}{4}"$

Depth of Mortise— $1\frac{5}{64}"$

Interchangeability—are interchangeable with each other.

Are reversible—can be used right or left hand.

Size of wood screws No. 10 x $1\frac{1}{4}"$

Standard Finish Dull Brass.

Wide spacing of screws gives firm anchorage of hinge body. New patented construction assures free movement without twisting or sagging.

Packaging and Weight

Packed 1 pair with screws in a box.

Weight per box (1 pair)—1 lb. 10 oz.

900

steel — plain, without screws



made of wrought steel

size, length of each leaf (inches)	length of joint (inches)	quantity and size of wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
2	1	6— $\frac{3}{8}$ x 5	1½	25	34
3	1 $\frac{3}{32}$	6— $\frac{3}{8}$ x 6	2½	25	62
4	1 $\frac{3}{16}$	6— $\frac{3}{8}$ x 7	4	15	60
5	1 $\frac{1}{32}$	8— $\frac{7}{8}$ x 8	6	10	63
6	1 $\frac{9}{16}$	8—1 x 9	9	6	55
8	1 $\frac{7}{8}$	8—1 x 10	15½	3	48
10	2 $\frac{3}{32}$	8—1¼ x 10	23	3	71

4" and smaller one dozen pairs; 5", 6" and 8" one-half dozen pairs; 10" one-quarter dozen pairs; in a box

STRAP HINGES - Light Plain Steel

GALVANIZED BRASS PIN
STRAP HINGE NO. 900 RBP
Available Special Order

NUMBER	SIZE	LIST PRICE
900	3	3.30 doz. pr.
"	4	4.50 "
"	5	6.15 "
"	6	7.15 "
"	8	12.65 "
"	10	23.40 "



made of wrought steel

steel — plain, without screws

902

size, length of each leaf (inches)	length of joint (inches)	quantity and size of wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
4	1 $\frac{9}{16}$	6—1 x 9	6	10	61
5	1 $\frac{3}{4}$	8—1 x 10	9½	5	51
6	2 $\frac{7}{16}$	8—1¼ x 10	19	3	59
8	3 $\frac{3}{16}$	8—1¼ x 12	33	2	70
10	3 $\frac{21}{32}$	8—1½ x 14	52	½	27
12	4 $\frac{9}{16}$	10—1½ x 16	81½	½	42

4" and 5" one-half dozen pairs; 6" and 8" one-quarter dozen pairs; in a box • 10" and 12" one-half dozen pair; in a carton • 14" one-twelfth dozen pairs, wired

STRAP HINGES - Heavy

NUMBER	SIZE	LIST PRICE
902	4	6.20 doz. pr.
"	5	8.40 "
"	6	9.24 "
"	8	15.85 "
"	10	26.80 "
"	12	47.70 "

GALVANIZED BRASS PIN
STRAP HINGE NO. 902 RBP
Available Special Order

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

106

908

steel — plain, without screws

made of wrought steel

size, length of strap (inches)	length of pad (inches)	width of pad (inches)	width of strap at joint (inches)	quantity and size of wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
4	3½	1¼	1½	6—1 x 9	7½	10	79
5	3¾	1⅝	2½	8—1 x 10	13½	5	70
6	4½	1¾	2¾	8—1¼ x 10	21	3	66
8	5½	2½	2¾	9—1½ x 12	37	2	76
10	7	2½	3½	9—1½ x 14	58	½	30
12	7¾	2¾	4⅝	10—1½ x 16	77	½	40
16	7¾	2¾	4⅝	11—1½ x 16	88

4" and 5" one-half dozen pairs; 6" and 8" one-quarter dozen pairs; in a box • 10" and 12" one-half dozen pairs in a carton • 16" one-twelfth dozen pairs, wired

TEE HINGE - Extra Heavy

GALVANIZED
BRASS PIN
NO. 908-RBP

NUMBER	SIZE	LIST PRICE	
908	4	7.90	doz. pr.
"	5	10.00	"
"	6	10.70	"
"	8	17.80	"
"	10	29.25	"
"	12	57.10	"
"	14	70.35	"

904

steel — plain, without screws

904 RBP

steel — galvanized with brass pin, without screws

made of wrought steel


size, length of strap (inches)	length of pad (inches)	width of pad (inches)	width of strap at joint (inches)	quantity and size of wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
2	2	½	¾	6—¾ x 5	1½	25	39
3	2¼	¾	1⅜	6—¾ x 6	3	25	69
4	2¾	¾	1⅝	6—¾ x 7	3½	15	54
5	3	¾	1⅞	7—¾ x 8	5	10	51
6	3¼	¾	1¾	7—¾ x 8	6½	10	65
8	4	1	1½	7—1 x 9	10	5	50
12	4¾	1½	2	8—1¼ x 10	22	2	45

4" and smaller one dozen pairs; 5", 6" and 8" one-half dozen pairs; 10" and 12" one-quarter dozen pairs; in a box

TEE HINGES - Light

GALVANIZED BRASS PIN
TEE HINGE NO. 904 RBP

NUMBER	SIZE	LIST PRICE	
904	3	3.60	doz. pr.
"	4	4.50	"
"	5	6.15	"
"	6	7.60	"
"	8	13.20	"
"			



BAR HOLDERS NO. 1230-PS

1230	steel — plain or japanned			
size, width (inches)	for bars (inches)	length of sides (inches)	gauge of metal	average net weight per dozen (lbs.)
1 1/4	2	2 1/2	.250	8
1 1/2	2	2 1/2	.250	9
2	2	2 1/2	.250	12


one dozen in a box without screws
furnished in plain steel (PS) or japanned (J) finishes

bar holder



SIZE	LIST PRICE
1 1/4"	4.80 doz.
1 1/2"	5.95 "
2"	8.45 "

TITE LINE HOLDERS NUMBER 5310



LIST PRICE 1.80 dozen

SURE GRIP
CLOTHESLINE HOLDERS
NO. CD205CM
List Price 6.00 dozen



CD205 CM

steel — bright chromium finish, on display card
with screws

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


CARD HOLDERS

WROUGHT BRASS



Full Size—Made of .016 Metal
Card Size $2\frac{1}{4}" \times \frac{1}{2}"$

No. 736 $\frac{5}{8}" \times 2\frac{1}{2}"$, per single gross.
 $\frac{1}{2}$ gross in a box, weigh 8 oz.
LIST PRICE 6.01 gross



Full Size—Made of .020 Metal
Card Size $2\frac{1}{2}" \times 1\frac{3}{16}"$

No. 737 $\frac{7}{8}" \times 2\frac{3}{4}"$, per single gross.
 $\frac{1}{2}$ gross in a box, weigh 15 oz.
LIST PRICE 9.07 gross




NO. 744 CARD HOLDER

Made of .030 metal
Card size $3" \times 1\frac{1}{2}"$.

$1\frac{3}{4}" \times 3\frac{1}{2}"$ - per single gross.
 $\frac{1}{2}$ gross in box, wt. 1 lb. 3 oz.
Wrought Brass


List Price 15.96 gross



Full Size—Made of .030 Metal
Card Size $2" \times 1"$


No. 741 $1\frac{3}{8}" \times 2\frac{5}{8}"$, per single gross.
 $\frac{1}{2}$ gross in a box, weigh 1 lb.

List Price 10.90 gross



Full Size—Made of .030 Metal
Card Size $2\frac{1}{2}" \times 1\frac{1}{8}"$

No. 748 $1\frac{1}{2}" \times 3\frac{1}{8}"$, per single gross.
 $\frac{1}{2}$ gross in a box.
List Price 16.26 gross



Full Size—Made of .020 Metal
Card Size $2\frac{1}{8}" \times 1\frac{1}{4}"$

No. 747 $1\frac{1}{2}" \times 3\frac{1}{2}"$, per single gross.
 $\frac{1}{4}$ gross in a box, weigh $1\frac{1}{4}$ lbs.
List Price 21.70 gross

CARD HOLDERS

WROUGHT BRASS



Full Size—Made of .016 Metal
Card Size $1\frac{1}{4}" \times \frac{5}{16}"$


No. 730 $\frac{3}{8}" \times 2"$, per single gross.
 $\frac{1}{2}$ gross in a box
List Price 4.77 gross



Full Size—Made of .020 Metal
Card Size $2" \times \frac{3}{4}"$


No. 739 $\frac{3}{4}" \times 2\frac{1}{2}"$, per single gross.
 $\frac{1}{2}$ gross in a box, weigh 12 oz.
List Price 8.35 gross

Door Holders



5234

DOOR HOLDERS
NO. OB-5234 & NO. OP-5234
LIST PRICE LIST PRICE
36.60 doz. 36.60 doz.



plunger
type
steel — planished and
plated 456

DOOR HOLDERS NO. 456-F
 Wrought Brass, Bronze or Steel
 Slight pressure of foot on the
 serrated base of plunger sets
 the rubber. Spring in plunger
 base makes possible securing
 of added pressure against the
 floor.

List Price 44.50 doz.

•No. 119 Door Holder

For wall attachment. Holder of steel, clip of special spring
 metal. Finished in gray enamel or plated unpolished finishes
 Packed one dozen in box complete with screws.

Weight, per dozen, 2-1/2 lbs.

LIST PRICE .67 each



REPLACEABLE RUBBER SHOES

Steel reinforced. 3-hole adjustment
 feature permits easy alteration in lever
 length—1/4 inch up or down. Never a
 stumbling block — extend only 1 1/4"
 from door.

SHOE REPLACEMENTS

**208-G Replacement for all Grand Door
 Holders with 3 holes in shoe-
 end of lever. Packed 50/Std.
 Pkg. at \$15.00/Std. Pkg. Ship-
 ping weight 5 lbs./Std. Pkg.**

LIST PRICES

604 10.20 dozen
605 10.80 "
610 13.20 "

LIST PRICES

404 15.00 dozen
405 15.60 "
410 19.20 "

DOOR HOLDERS

With Steel Reinforced Rubber Shoes

GRAND STANDARD


For interior doors that are 1/2" to 10" above floor levels.
 Levers adjust 1/4" up or down. Clinch type hold-up.

No.	For Doors from Floor	Lever Length	Lbs. per Dozen	Price per Dozen
404	1/2" to 2"	4"	5	
405	1/2" to 3"	5"	5 1/2	
410	1/2" to 8"	10"	8 1/4	

Made of solid brass. Finish: Burnished bright brass.
 Packed: 1 dozen in dealer container.

No.	For Doors from Floor	Lever Length	Lbs. per Dozen	Price per Dozen
604	1/2" to 2"	4"	5	\$12.00
605	1/2" to 3"	5"	5 1/2	\$13.00
610	1/2" to 8"	10"	8 1/4	\$18.00

Made of steel. Finish: Specify bright cadmium or brass
 plated. Packed: 1 dozen in dealer shipping container.




adjustable
LEVER-TYPE

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

110




NO. 119-B

Garage Door Holders

Each pair is reversible and packed in individual boxes - six boxes in counter display carton. Black enamel finish. Weight per carton - 6 pairs - 8 pounds

List Price 75¢ a pair



SASH HOLDERS TWO SIZES

No. VSH-20 $\frac{3}{4}$ " dia. for Plain Rail Sash

No. VSH-57 $\frac{7}{8}$ " dia. for Check Rail Sash

NO. BSH-57 ... List .45 ea.


Packed 12 in attractive carton. Shipping weight approximately one pound per doz.



Phone 4341
Joliet, Illinois

SIMPLIFY YOUR HOUSEWARES BUYING. RELY ON BARRETT FOR ALL YOUR HOUSEWARES NEEDS.

MAKE BARRETT HARDWARE YOUR HEADQUARTERS FOR ALL YOUR HOUSEWARE NEEDS — IT'S THE WISE, EXPEDIENT AND ECONOMICAL WAY TO BUY.



Full Size

HOOK AND STAPLE

WROUGHT BRASS

No. 375 1 7/8" x 3/4", per single dozen.

1 dozen in a box.

List Price 1.80 dozen




1 1/4 in.

1 1/2 in.

HOOKS

WROUGHT BRASS



3/4 in.

1 in.

No. 394 3/4", per single gross.

1 gross in a box, weigh 6 oz.

Pierced for 1/2" x No. 2 Screws

List Price 4.31 dozen

No. 395 1", per single gross.

1 gross in a box, weigh 12 oz.

Pierced for 1/2" x No. 2 Screws

List Price 5.50 dozen

No. 396 1 1/4", per single gross.

1 gross in a box, weigh 1 lb.

Pierced for 5/8" x No. 3 Screws

List Price 7.22 dozen

No. 397 1 1/2", per single gross.

1 gross in a box, weigh 1 1/4 lbs.

Pierced for 5/8" x No. 4 Screws

List Price 8.61 dozen

Clothes Line Hooks



W3


Cast Iron
2 Inch Projection
Plate, 2 5/8 x 1 Inch
No. W3 — Cadmium Plated

Two dozen in a box - Weight 4 1/8 lbs.

12 dozen in a case - Weight 26 lbs.

without screws

List Price 1.80 dozen



CLOTHES LINE HOOKS

NUMBER TYPE
522 Plate

LIST PRICE
1.20 doz.



NUMBER TYPE LIST PRICE
422 Screw .72 doz.



CLOTHES LINE HOOK BOLT

NO. 622 - LIST 1.44 dozen

Packed 1 Doz. each in strong attractive box.
One, Two or Three Gross per shipping carton.

ASSEMBLED WITH TWO SQUARE NUTS

Cat. No.	Thread Size	Thread Length	Shank Length	Overall Length	Weight (lbs.) Doz. Gross
622	3/8"	3 7/8"	5"	6 3/4"	3.3 39.6

Bright Zinc Plated



"Shelby" Wire Coat and Hat Hooks

Steel Wire
Finish
GROUP 1
Shel-B-Brite 62 00 5 SERIES
3 In.
No.
62 66 5
NO. 62-66-3....List Price 5.11 gross



"Shelby" Wire Ceiling Hooks

62 00 3 SERIES
NUMBER LIST PRICE
NO. 62-66-5 5.43 gross



Coat and Hat HOOKS

NO. 1073X - Steel
Plastic coated hooks,
3 on card. White or
Yellow. Pack - 1 doz.
Cards (3 lbs.)
List Price 3.00 doz.
cards



COAT & HAT HOOKS

WARDROBE HOOKS

NUMBER	TYPE	LIST PRICE
571A3	Pol. Brass	1.54 doz.
571A10	Dull Bronze	1.54 "
571A14	Pol. Nickel	1.70 "

Packed with screws, 1 doz. in box.



406

Coat and Hat Hooks

3 Inch Projection


Cast Iron

No. 406 - SUITABLE FINISHES-B,OB,OP,N
No.406 Can be furnished on contract orders in LN Finish.
No. 806½ - Conform to Fed. Spec. FFH-111A, Type 1172
Cast Bronze and Brass, Machine Finish

PACKING AND WEIGHTS

Nos.	406
In Box (gro.)	1/4
Wt. Per Box (lbs.)	5 1/2
In Case (gro.)	2
Wt. Per Case (lbs.)	45

NUMBER	LIST PRICE
B-406	1.47 doz.
OP-406	1.47 doz.



SHIPPING WEIGHTS
40 lbs. per gross

The NU-WAY 6 CLOTHES HOLDER CONSTRUCTION

- Overall Length 8½ Inches
- Screws packed in each holder
- Convenient Slope Feature
- Cadmium Plated
- 6 Position Notches

PACKING

2 Dozen in Counter Display
12 Dozen in Shipping Case
List Price 3.60 dozen



COSTUMER HOOK

Bright Brass

Weight per 1 doz. 11½ lbs.

8 doz. in carton

Weight per carton

13 lbs.

2/3 Size Cut

Packed with screws 1 doz. in box


Size 7" long Projection 3¾"

List Price 3.50 dozen

Cast
Aluminum
BURNISHED
575A3



Display Hooks



Cast Iron Japanned

BJ409

No. BJ409

Projection
9 Inches

Without Screws

One dozen in a box - Weight 8 1/8 lbs.


In case, six dozen - Weight 51 lbs.

List Price 7.25 dozen

UTILITY HOOKS

No. BJ12 - 8 Inch Projection
One dozen in a box - Weight 11 lbs.
In case, four dozen - Weight 35 lbs.

List Price 5.50 dozen



Cast Iron Japanned

Without Screws
BJ12

BARRETT HARDWARE COMPANY


Over 100 Years Service to the Trade

114

CURTAIN ROD HOOKS


Bright — Zinc Plated — Brass Plated

Extension Rod Bracket



No.	Overall Length Inches	Projection Length Inches	List Price
510	3 1/4"	2 1/2"	12¢ dozen
509	4 1/4"	3 1/2"	16¢ dozen

Safety Gate Hooks



Malleable Iron Hook
Wrought Steel Spring Clip
Steel Staples

No. W100 — Cadmium Plated

Inch 5 6

PACKING AND WEIGHTS

Inch	5	6
In Box (gro.)	1/12	1/12
Wt. Per Box (lbs.)	2 1/8	2 3/8
In Case (gro.)	1	1
Wt. Per Case (lbs.)	27	31

NUMBER	LIST PRICE
BJ-100-5"	3.84 gross
W-100-6"	4.20 "


Pole Hooks

SASH NO. 198




No. 198

Length...2 3/4 inches
List Price 21.50 doz.



HAMMOCK HOOK NO. 37
Plate Style
2" SQUARE PLATE
ZINC FINISH

SIZE OVERALL	PACK GROSS
5/16" x 4"	1/12
LBS. GROSS	LIST PRICE
39	1.80 doz.



HAMMOCK HOOK NO. 27
Screw Style
LAG SCREW THREAD
ZINC FINISH

SIZE OVERALL	PACK GROSS
5/16" x 6"	1/12
LBS. GROSS	LIST PRICE
36	1.44 doz.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

115

S HOOKS

**BRIGHT,
ZINC PLATED**

Illustrations shown actual size.

41

46

Stock No.	Diameter Wire	Gauge Wire	Overall Length Inches	Eye Opening Inches	Inside Eye Diam. Inches	Weight per Dozen Pounds	Weight per Gross Pounds	Weight per 100 Pounds	List Price
41	.141	9	1½	¼	½	.2	2.5	1.7	4.32 gr
42	.162	8	1⅞	¼	⅝	.3	3.6	2.5	4.80
43	.185	6	2⅛	¼	¾	.4	5.2	3.6	6.00
44	.212	5	2 7/16	5/16	13/16	.6	7.2	5.0	6.72
45	.270	2	2¾	⅝	7/8	1.2	13.8	9.6	8.40
46	.331	00	3⅜	½	1	2.1	24.8	17.2	10.32

8 HOOKS

12
812
1812

11
811
1811

10
810
1810

09
809
1809

ZINC PLATED		BRIGHT		Wire Size	Diam. Wire	L	W	Pack	Weight per Gross (lbs.)
No.	List per Gro.	No.	List per Gro.						
09	2.64	809	1.80	9	.148"	2½"	1"	1 Gro.	3.8
10	2.16	810	1.56	10	.135"	1⅝"	¾"	1 Gro.	2.6
11	1.80	811	1.32	11	.120"	1¼"	⅝"	1 Gro.	1.6
12	1.32	812	.96	12	.105"	1 3/32"	½"	1 Gro.	1.0

BRASS		Size Wire	Diam. Wire	L	W	Pack	Weight per Gross (lbs.)
No.	List per Gro.						
1809	6.72	9	.114"	2½"	1"	1 Gro.	2.4
1810	6.12	10	.101"	1⅝"	¾"	1 Gro.	1.6
1811	4.56	11	.091"	1¼"	⅝"	1 Gro.	1.0
1812	4.20	12	.081"	1 3/32"	½"	1 Gro.	6

**BRIGHT, ZINC
PLATED AND
BRASS**

ASSORTMENT 800 "S" and "8" HOOKS

Heavy Fibre Display Box
Size 12" x 8 3/4" x 2½"

10 POPULAR SIZES

PACKED IN INDIVIDUAL
SHIPPING CONTAINERS
WEIGHT 11 LBS.

List Price 11.20

Catalog No.	41	42	43	44	45	46	09	1809	10	1810	11	1811	12	1812
No. of Items	24	24	24	12	12	12	24	24	36	36	36	36	72	72
Material	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Brass	Steel	Brass	Steel	Brass	Steel	Brass
Gauge Wire	9	8	6	5	2	00	9	9	10	10	11	11	12	12
Diameter Wire	.141"	.162"	.185"	.212"	.270"	.331"	.148"	.114"	.135"	.101"	.120"	.091"	.105"	.081"
Length	1½	1 7/8	2 1/8	2 7/16	2 3/4	3 3/8	2 1/8	2 1/8	1 5/8	1 5/8	1½	1½	1 3/32	1 3/32




BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

117


HEAVY SCREW HOOK NO. 322 STYLE Lag Screw Thread. Zinc Finish

SIZE - OVERALL	Pack Gross	Lbs. Gross	List Price
$\frac{1}{2}$ " x $4\frac{1}{2}$ "	1/12	12	.98 doz
$\frac{5}{16}$ " x $4\frac{1}{2}$ "	1/12	19	1.19
$\frac{3}{8}$ " x $4\frac{7}{8}$ "	1/12	30	1.56




SCREW HOOKS - Round End BRIGHT FINISH ZINC FINISH STEEL STEEL

NO.	List per Gross	NO.	List per Gross	Pack Gross	Size Wire	Diam. Wire	Inside Diam. Hook	Length Overall	Wt. per Gross
0	9.00	50	9.00	$\frac{1}{4}$	0	.306"	1 $\frac{1}{8}$ "	4 $\frac{15}{16}$ "	19.2 lbs
2	6.75	52	6.75	$\frac{3}{8}$	2	.262"	1 $\frac{1}{32}$ "	4 $\frac{7}{16}$ "	12.7
3	5.50			$\frac{1}{2}$	3	.244"	$\frac{31}{32}$ "	4 $\frac{1}{8}$ "	10.6
4	4.50			$\frac{5}{8}$	4	.225"	$\frac{29}{32}$ "	3 $\frac{1}{8}$ "	8.2
6	3.00			1	6	.192"	$\frac{13}{16}$ "	3 $\frac{3}{8}$ "	5.6
8	2.00			1	8	.162"	$\frac{9}{16}$ "	2 $\frac{9}{16}$ "	2.9
10	1.50			1	10	.135"	$\frac{13}{32}$ "	2 $\frac{1}{16}$ "	1.6
12	1.25			1	12	.105"	$\frac{11}{32}$ "	1 $\frac{11}{16}$ "	.8
14	.90			1	14	.080"	$\frac{9}{32}$ "	1 $\frac{5}{16}$ "	.3



SCREW HOOKS - Square End Bright Finish STEEL

SQUARE END SCREW HOOK



NO.	List per Gross	Pack Gross	Size Wire	Diam. Wire	End of Hook	Length Overall	Wt. per Gross (lbs)
104	4.50	1	4	.225	1"	3 $\frac{1}{16}$ "	5.7
106	3.00	1	6	.192	$\frac{7}{8}$ "	2 $\frac{5}{8}$ "	3.5
108	2.00	1	8	.162	$\frac{3}{4}$ "	2 $\frac{1}{4}$ "	2.2
110	1.50	1	10	.135	$\frac{5}{8}$ "	1 $\frac{13}{16}$ "	1.2
112	1.25	1	12	.105	$\frac{1}{2}$ "	1 $\frac{3}{8}$ "	.6
114	.90	1	14	.080	$\frac{3}{8}$ "	1"	.2

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

118

BRASS CUP HOOKS NO. 181
Solid Brass, lacquered. Brass
base firmly attached.




NO. & SIZE No. & Size	PACK GROSS Pack Gross	LBS. GROSS Lbs. Gross	LIST GROSS List Gross
181 - 1/2"	1	.3	1.70
181 - 5/8"	1	.4	1.74
181 - 3/4"	1	.6	1.80
181 - 7/8"	1	.8	2.04
181 - 1"	1	1.3	2.36
181 - 1 1/4"	1/2	2.2	4.06
181 - 1 1/2"	1/2	3.3	4.96

BRASS SHOULDER HOOKS
NO. 1412
Solid brass, lacquered.
Brass base firmly attached.



No. & Size	Pack Gross	Lbs. Gross	List Gross
1412-1/2"	1	.4lbs.	2.04
1412-3/4"	1	.9lbs.	2.16
1412-1"	1	1.3lbs.	2.84
1412-1 1/2"	1	2.5lbs.	6.08


HOUSEHOLD HOOKS
NO. 134 Style
Colored Plastic Base
Red or Ivory
Bright Zinc Finish on Steel




No. & Size	Pack Gross	Lbs. Gross	List Gross
134 - 3/4"	1	1	2.64
134 - 7/8"	1	1	3.00
134 - 1"	1	1 1/2	3.60



HOUSEHOLD HOOKS (10¢ Line)
DISPLAY ASSORTMENT NO. 1340
Counter display box with 540 hooks
of No. 134 style. Mixed sizes and colors

		REFILL LIST PRICE PACKAGES 1.20 doz. 500 series		
NO.	ITEM	Pack ea.	Lbs. Ea.	Net Ea.
1340	Asst.	1	3	11.60

HOOKS - Porch Swing NO. 820 Style
Zinc Plated Lag screw thread.



Size Overall	Pack Gross	Lbs. Gross	List Price
5/16" x 3 5/8"	1/12	15	.71 doz.
3/8" x 4 1/4"	1/12	24	1.00

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

119


GATE HOOKS AND EYES				
Zinc Finish No. 540 STEEL				
Number	Length	Pack Gross	Lbs. Gross	List Gross
540	1½"	1	3.0	4.18
540	2"	1	4.3	4.68
540	2½"	½	5.8	5.62
540	3"	½	8.9	6.56



GATE HOOKS AND EYES				
Bright Finish No. 40 STEEL				
Number	Length	Pack Gross	Lbs. Gross	List Gross
40	1"	1	1.5	3.00
40	1½"	1	3.0	3.35
40	2"	½	4.3	3.75
40	2½"	½	5.8	4.50
40	3"	½	8.9	5.25
40	4"	½	12.1	7.25
40	6"	1/6	21.2	13.50
40	8"	1/6	25.0	16.00
40	12"	1/6	30.9	25.00


GATE HOOKS AND EYES				
Solid Brass No. 1040				
Number	Length	Pack Gross	Lbs. Gross	List Gross
1040	1"	1	1.5	10.50
1040	1½"	1	3.0	11.50
1040	2"	½	4.3	13.25
1040	2½"	½	5.8	17.50
1040	3"	½	8.9	22.00
1040	4"	½	12.1	30.75
1040	6"	1/6	21.2	48.25

HOOKS AND EYES Square Twisted



NO. 972PS

HOOKS and EYES Round Wire



NO. 974 PS

made of wrought steel

size, length of hook (inches)	length of staple (inches)		hook wire (inches)		average net weight per gross (lbs.)		gross in a case		average case weight (lbs.)	
	972	974	972	974	972	974	972	974	972	974
4	2	2	7/32	¼	16	17	2½	2½	41	44
5	2	2½	¼	5/16	22½	28	2½	3	58	91
6	2½	2½	¼	5/16	29½	31½	2	3	60	103

one-quarter gross in a box

NUMBER	LIST PRICE
972PS-4"	17.00 gross
972PS-5"	22.30 gross
972PS-6"	26.80 gross

NUMBER	LIST PRICE
974PS-4"	17.00 gross
974PS-5"	27.00 gross
974PS-6"	31.00 gross

***DUO-FAST* AUTOMATIC TACKERS**


GUN TACKER MODEL CT-850

Gun Tacker drives staples fast as you squeeze handle. Excellent for working in awkward places and where accurate tacking is required.

MODEL CT-850 - Standard Model
Drives 1/4", 5/16", 3/8" staples

DESCRIPTION

All Steel Construction
Bright Chrome Finish
Compression Type
Black Plastic Hand Grip.



STAPLES


DUO-FAST No. 508 - 1/4" leg,

No. 5010 - 5/16" leg,

No. 5012 - 3/8" leg.

Wire Size - Heavy (.050").

Divergent or Chisel Point.



MODEL HT-755

HT-755

HAMMER TACKER

MODEL HT-755 - Heavy Duty Model

Drives extra heavy 3/8", 1/2", and 9/16" staples.

Hammer Tacker - operated like a regular hammer. Feeds and drives staples automatically. Fastest manual tacking method - drives 2 to 4 staples per second. Holds 168 heavy staples.

STAPLES

DUO-FAST No. 7512 - 3/8" leg,

No. 7516 - 1/2" leg,

No. 7518 - 9/16" leg.

Wire Size - Extra Heavy

DESCRIPTION

Automatic Hammer Tacker

All Steel Construction

Nickel Plated Finish

Mahogany Color Plastic Handle.

Weight - 2½ pounds.


Length 11 inches.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

122

HAMMER TACKER MODEL HT-550



Hammer Tacker
HT-550

DESCRIPTION

Automatic Hammer
All Steel Construction
Nickel Plated
Mahogany Color
Plastic Handle
Weight: 2 lbs. 2 ozs.
Length 11 inches


STAPLES

DUO-FAST No. 508 - 1/4" leg,
No. 5010 - 5/16" leg Staples.
Wire Size - Heavy (.050").
Divergent or Chisel Point.

STAPLES


Duo-Fast Staples are precision
made for exclusive use in
Duo-Fast Machines. 5000 per box.

No.	Machines They Fit
508-1/4"	HT-550 - CT-850
5010-5/16"	HT-550 - CT-850
5012-3/8"	CT-850
7516-1/2"	HT-755 only
3012-D - 3/8"	
NUMBER	SIZE
508-D	1/4"
5010-D	5/16"
5012-D	3/8"
3012-D	3/8"
7516-C	1/2"



CORNER BRACES

chair braces



CORNER IRONS Inside without Screws

NUMBER	SIZE	LIST PRICE
996- $\frac{1}{2}$ -D	1x1	8.90 gross
"	2x2	15.00
996- $\frac{1}{2}$ -K	1x1	14.30
"	2x2	20.30

996 $\frac{1}{2}$ steel — dull copper finish

for bracing tables, chairs and church pews

size (inches)	width (inches)	gauge of metal	quantity and size of wood screws	average net weight per gross (lbs.)	gross in a case	average case weight (lbs.)
1 x 1	$\frac{3}{4}$.037	2—1 x 8	4 $\frac{1}{2}$	5	23
2 x 2	$\frac{3}{4}$.050	2—1 x 9	8 $\frac{3}{4}$	5	45

one-sixth gross in a box without screws

NO. 997 STEEL CORNER BRACES Bright Zinc Plated

corner braces



screw holes are staggered in 5" and larger • for wide corner braces see 1986 on page K-9

size, length of sides (inches)	width (inches)	gauge of metal	quantity and size of wood screws	average net weight per gross (lbs.)	gross in a case	average case weight (lbs.)
1	$\frac{1}{2}$.072	2— $\frac{3}{4}$ x 6	3 $\frac{1}{2}$	10	33
1 $\frac{1}{2}$	$\frac{1}{2}$.095	4— $\frac{3}{4}$ x 6	5 $\frac{3}{4}$	10	56
2	$\frac{3}{8}$.109	4— $\frac{3}{4}$ x 8	10 $\frac{3}{4}$	5	54
2 $\frac{1}{2}$	$\frac{3}{8}$.120	4— $\frac{3}{4}$ x 8	14 $\frac{1}{4}$	4	59
3	$\frac{3}{8}$.134	4— $\frac{3}{4}$ x 9	23 $\frac{1}{2}$	2	49
3 $\frac{1}{2}$	$\frac{3}{8}$.148	4— $\frac{3}{4}$ x 9	30 $\frac{1}{2}$	1 $\frac{1}{2}$	48
4	$\frac{3}{8}$.165	4— $\frac{3}{4}$ x 10	42 $\frac{3}{4}$	1 $\frac{1}{2}$	66
5	1	.180	6—1 $\frac{1}{4}$ x 10	73 $\frac{3}{4}$	1	75
6	1 $\frac{1}{4}$.180	6—1 $\frac{1}{4}$ x 12	103 $\frac{3}{4}$	$\frac{1}{2}$	53
8	1 $\frac{1}{4}$.220	6—1 $\frac{1}{4}$ x 12	167 $\frac{1}{2}$	$\frac{1}{2}$	85


3 $\frac{1}{2}$ " and smaller one-sixth gross; 4" to 6" one-twelfth gross
8" one-twenty-fourth gross; in a box without screws

furnished in plain steel (PS) or bright zinc plated (K) finishes

NUMBER	SIZE	LIST PRICE
997-K	$\frac{1}{2}$ x1	5.70 gross
"	$\frac{1}{2}$ x1 $\frac{1}{2}$	7.45 "
"	5/8x2	8.50 "
"	5/8x2 $\frac{1}{2}$	12.30 "
"	3/4x3	15.50 "
"	3/4x3 $\frac{1}{2}$	20.60 "
"	7/8x4	27.80 "
"	1x5	40.00 "
"	1 1/8x6	55.80 "
"	1 1/8x8	80.10 "

Perma-Jack Special for Structural Support Jobs From 21" to 36"

Perma-Jack Special is the same product as Perma-Jack, designed for the same uses with the same lifting power. The only difference is in the height. Perma-Jack Special goes to work with continuous adjustments from 21" to 36". Of the same construction as the senior jack, you find it indispensable in properties where Perma-Jack is impractical by virtue of its height. Weighs only 18 pounds, comes to you in an easy-to-handle 22 pound carton.



JUNIOR NO. PJR5100
List Price 7.15 each

✓
8 Pitch Acme
Square Screw
Threads For Easier
Jack Turning

✓
2 High Carbon
Steel Support
Pins For Positive
Support

✓
5/16" Heavy Steel
Top and Bottom
Plates For Heavy
Duty

✓
Baked Enamel,
Anti-Rust Finish
For Permanence

✓
Timken Thrust
Roller
Bearing For Easier
Turning Operation
Under Load

Powerful Steel Jack-and-Post

The Quality Floor-Leveling and Support Device for Home, Farm and Commercial Buildings

Engineered to modern design, the tubular steel post with integral steel jack promptly cures the sagging and weakness, once and for all. Height adjustment span is 4 feet, from 4' 10" to 8' 10". Can be used vertically, horizontally, or upside-down.

Weighing only 38 pounds, its rated load capacity is 16000 pounds and it has been load-tested up to 24000 pounds. Once installed, Perma-Jack remains as a neat and enduring post, protecting a home's value and assuring its safety.



REGULAR NO. PJ5000
List Price 9.95 each


BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


126

Cadmium Plated

CORNER FLAT IRONS



NUMBER	SIZE	LIST PRICE
999-K	3/8x1½	5.60 gross
"	3/8x2	5.90 gross
"	3/8x2½	6.65 "
"	½x2½	8.10 "
"	½x3	9.70 "
"	½x3½	10.45 "
"	5/8x3	11.00 "
"	5/8x3½	12.35 "
"	5/8x4	12.85 "
"	3/4x4	15.40 "
"	7/8x5	22.85 "
"	1x5	23.10 "
"	1x6	28.60 "



**BORING JIGS
with Knob Aligner**

Boring Jig


FOR EASY APPLICATION

The Sargent Boring Jig No. W4100 is a handy and useful Jig for exact boring of all holes for the Sargent line of Bored-in Locks.

No. W4100

Cast Iron Frame and Side Plates
Cadmium Plated

NUMBER	LIST PRICE
W4100	6.00 each
2D4100	6.20 each



SKELETON KEYS
CUT
NUMBER 7792½ CD




SKELETON KEYS
PLAIN
NUMBER 7792½ D

LIST PRICE 5.05 GROSS

Door Knobs — Mortise

STRAIGHT AND SWIVEL SPINDLE, KNOB EACH END

Particularly suitable for Hospital work and service portions of fine residences, as there are no angles to collect dirt.



1772

Numbers	Size Inches	Projection Inches	Roses No. Size, Inches	Spindles	Pair in Box	Weight Per Box (lbs.)
REGULAR FINISHES - B, OB, OP, N; LN, CM						
Wrought Bronze and Brass Knobs. (One Piece.) Wrought Bronze and Brass Roses						
SPECIAL FINISH - DCM						
1772	2	2 1/16	554	1 7/8	5/16 Inch Straight	6 3 1/2

Crystal Glass DOOR KNOBS

Furnished With or Without Roses

5-16 INCH STRAIGHT THREADED SPINDLE, KNOB EACH END PRESSED GLASS

SPECIAL FINISH - DCM
REGULAR FINISHES - B, OB, OP, LN, CM



Fluted

3243, 2 Inch

Numbers	Size Inches	Roses		Pair Per Box	Weight Per Box (lbs.)
		Number	Size, Inches		
3243	2	554	1 7/8	6	5
2214	2	No Rose		6	4 1/2



Round

2214, 2 Inch

STEEL - NO. B-1772 LIST 2.50 pair
BRASS - NO. CM-1772 LIST 3.30 pair
GLASS - NO. B-2214 LIST 16.40 doz. pair
NO. B-3343 LIST 18.20 doz. pair

No. 361 CRYSTAL GLASS DOOR KNOBS. 2" DIA.

Wrought brass or bronze shanks. Supplied with spindles and brass set screws. Available with or without wrought brass or bronze roses or key escutcheons. Available in brass, bronze, nickel and chromium finishes, polished or satin.


LESS ROSES

NUMBER	LIST PRICE
361-US3	9.84 dozen
361-US4	9.84 "
361-US14	10.98 "

WEIGHTS AND PACK

Packed 1/2 dozen pairs to the individual box; 5 dozen pairs to the carton, complete with spindles and brass set screws.

	PER BOX	PER CARTON
Weight without roses.....	4 lbs. 10 oz.	48 lbs.
Weight with roses.....	4 lbs. 14 oz.	51 lbs.
Weight with roses and key escutcheons.....	5 lbs.	53 lbs.



Hexagon Glass Knobs


DRAWER KNOBS



7/8" Size



1 1/8" Size



1 3/8" Size

No. 19.....Crystal Glass Knob

No. 20.....Crystal Glass Knob

No. 21.....Crystal Glass Knob

WEIGHT AND PACK

Packed 4 dozen to individual box,
100 dozen to carton
Weight per box, 2 lbs. 8 oz.
Weight per carton, 65 lbs.


WEIGHT AND PACK

Packed 4 dozen to individual box,
64 dozen to carton
Weight per box, 4 lbs.
Weight per carton, 66 lbs.


WEIGHT AND PACK

Packed 2 dozen to individual box,
40 dozen to carton
Weight per box, 3 lbs. 4 oz.
Weight per carton, 66 lbs.

NUMBER	SIZE	LIST PRICE
19	7/8"	.72 doz.
20	1 1/8"	.84 "
21	1 3/8"	.96 "



120-1 Inch
Projection, 1 1/8 Inches



120-1 1/4 Inches
Projection, 1 1/8 Inches

Drawer Knobs

Complete with Washer Head Steel Machine Screws to fasten from back

Suitable for Wood 3-8 to 1 1-8 Inches Thick

Wrought Bronze and Brass Round Knob

Solid Turned Bronze and Brass Base

Sizes: 1 and 1 1/4 Inches

No. 120-SUITABLE FINISHES-B,OB,P,OP, LN,BN,CM,DCM

No. 120 can be furnished on contract orders in the following finishes:- NLB,NLP,03P

PACKING AND WEIGHTS			
Nos.	120 - 1"	120 - 1 1/4"	
In Box (doz.)	5/8	1	
Wt. Per Box (lbs.)	1	1 1/8	
In Case (doz.)	12	12	
Wt. Per Case (lbs.)	8	15	

NUMBER	SIZE	LIST PRICE
B-120	1"	4.60 doz.
B-120	1 1/4"	6.00 "
CP-120	1"	4.60 "
CP-120	1 1/4"	6.00 "



KNOBS

WROUGHT BRASS Full Size

No. 903 1/2", per single gross.

1/4 gross in a box, weigh 6 oz.

NUMBER	LIST PRICE
903 - P.B. 1/2"	.10 each
903 - N.P. 1/2"	.11 each

No. 904 5/8", per single gross.

1/4 gross in a box, weigh 8 oz.

No. 905 3/4" per single gross.

1/4 gross in a box, weigh 12 oz. Full Size—No. 905

904 - P.B. 5/8"	- LIST - .11 each
905 - P.B. 3/4"	- LIST - .12 each



Turn Knobs

BRONZE AND BRASS

NUMBER	LIST PRICE
B-125	1.20 each
OP-125	1.20 "
CM-125	1.60 "
DCM-125	1.60 "



125

Wrought Plate, Cast Knob
REGULAR FINISHES-Group 1, 3, CM, DCM, PI

Size, Inches	Knob	Spindle Size
Plate	Inches	Inches
2	x 1 1/8	1 3/8 3-16

Twelve in a box - Weight 2 1/2 lbs.
Furnished to order with 5/16" spindle.



100 YEARS OF EXPERIENCE HAS PROVEN THAT CUSTOMERS NEVER CHANGE FROM BARRETT QUALITY AND SERVICE ONCE THEY KNOW IT.

Get acquainted with your BARRETT salesman. Learn the products he stocks that you can use. Tell him the items you buy and your supply problems. He can save you headaches, money and deliver the goods.

THE UNIVERSITY OF CHICAGO

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

131

WOOD KNOBS SQUARE--NO. 578

Best quality hardwood.
Smoothly sanded.
Suitable for natural or
painted finish.




Package Quantity Size

2 dozen	1"
"	1 1/4"
"	1 1/2"
"	1 3/4"
"	2"
1 dozen	2 1/4"
"	2 1/2"
"	3"
"	3 1/2"
"	4"

List Price	.84 dozen
"	.90 "
"	1.04 "
"	1.20 "
"	1.38 "
"	1.80 "
"	2.12 "
"	2.72 "
"	3.32 "
"	4.02 "

WOOD KNOBS PLAIN ROUND STOCK NO. 921




Best quality hard wood.
Smoothly sanded.
Suitable for natural
or painted finish.



Package Quantity Size

2 dozen	3/4"
"	1"
"	1 1/4"
"	1 1/2"
"	1 3/4"
"	2"
1 dozen	2 1/4"
"	2 1/2"
"	3"
"	3 1/2"
"	4"

List Price	.60 dozen
"	.60 "
"	.68 "
"	.72 "
"	.82 "
"	.94 "
"	1.22 "
"	1.56 "
"	2.02 "
"	2.72 "
"	3.32 "



No. 11401 Furnished in these sizes: No. 11402 Furnished in these sizes: No. 11403 Furnished in these sizes: No. 11404 Furnished in these sizes:
1 1/2", 2", 2 1/2", 3", 3 1/2", 4". 1 1/2", 2", 2 1/2", 3", 3 1/2", 4". 1 1/2", 2", 2 1/2", 3", 3 1/2", 4". 1 1/2", 2", 2 1/2", 3", 3 1/2", 4".

WOOD KNOBS MAPLE--No. 11401, 11402, 11403, 11404

Best quality hard maple.
Smoothly sanded.
Suitable for natural or
painted finish.

PACKAGE	QUANTITY	SIZE	List Price	
#11401	2 dozen	1 1/2"	1.56	dozen
#11402	"	2"	2.06	"
#11403	"	2 1/2"	2.62	"
#11404	1 dozen	3"	3.12	"
#11404	"	3 1/2"	3.62	"
#11404	"	4"	4.12	"

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

132



WOOD KNOBS
MAPLE--NO. 11405

Best quality hard maple.
Smoothly sanded. Suitable
for natural or painted finish.

No. 11405 Furnished in these sizes:
1 1/4", 1 1/2", 1 3/4", 2", 2 1/4".

PACKAGE QUANTITY SIZE


PACKAGE QUANTITY	SIZE	List Price	
2 dozen	1 1/4"	1.46	dozen
"	1 1/2"	1.76	"
"	1 3/4"	2.26	"
1 dozen	2"	2.72	"
"	2 1/4"	3.12	"



100 YEARS OF EXPER-
IENCE HAS PROVEN
THAT CUSTOMERS
NEVER CHANGE FROM
BARRETT QUALITY AND SERVICE ONCE
THEY KNOW IT.

Get acquainted with your BARRETT sales-
man. Learn the products he stocks that you
can use. Tell him the items you buy and
your supply problems. He can save you
headaches, money and deliver the goods.

No. 25 Swinging Door Latch



Made entirely of steel.


The large bolt is cadmium-plated and has a rounding face

Adjustable for doors $\frac{3}{4}$ inch to $2\frac{1}{4}$ inches thick.

Packed one in a box, with screws and catch to hold door open. Five dozen in a case.

Weight, per dozen, 24 pounds.

NO. 25 - LIST PRICE 17.80 dozen



SWINGING DOOR LATCH


All steel construction, cadmium plated. Outside handle and latch bar $\frac{7}{8}$ " wide, $\frac{3}{16}$ " thick and $10\frac{1}{2}$ " long. Inside handle $\frac{7}{16}$ " round steel. Catch to hold door open included with latch. Latch fits any size door up to $2\frac{1}{2}$ " thick. Wt. per doz. 22 lbs. One in a box with screws. List Price 12.00 doz.

Door Latches

•No. 128 Dandy Door Bolt and Gravity Latch


For swinging and sliding doors.

Two sizes: No. 2 for medium size doors; Can use padlock by driving large staple into door to engage opening in handle of bolt in latched position. Reversible for right or left hand doors.



No. 128-2

List Price 1.75 each




No. 157 SLIDING DOOR LATCH

Flush handle is counter-sunk to permit door to slide past the door casing. Finished in black enamel.

One in carton. Half dozen in a heavy carton. Wt., $\frac{1}{2}$ doz., 15 lbs.

List Price 1.90 each




No. 21 Springlatch Disc-Tumbler

Case: $2\frac{1}{4} \times 3\frac{1}{4} \times 1\frac{1}{8}$ in. Iron, brass finish. Nose, die-cast, five disc-tumblers. Two No. 421 keys, 500 changes. Iron bolt. Backset, $2\frac{1}{4}$ in. For doors up to $1\frac{3}{4}$ in. thick. Operation by key outside, and knob inside. Bolt held back by turning knob to left.


Packed: Each in a box, complete with screws, rim and flat strikes.

Weight: Each, $1\frac{1}{8}$ lbs.

LIST PRICE 29.88 doz.



NUMBER 36 RIM DOOR LATCHES List Price: 35.40 dozen



No. 44 Deadlatch Automatic Double-Throw Pin-Tumbler

Case: $2\frac{1}{2} \times 3\frac{3}{4} \times 1\frac{1}{4}$ in. Die-cast, brass finish. Cylinder, five pin-tumblers. Two No. 8 keys. Changes practically unlimited. Can be master-keyed. Backset $2\frac{3}{8}$ in. For doors 1 to $2\frac{1}{2}$ in. thick. Operation by key outside, and knob inside. Bolt held back by stop. Latch bolt projects $\frac{3}{4}$ in. when door is closed. A small latch deadlocks the latch bolt.

Packed: Each in a box, complete with screws, rim and flat strikes.

Weight: Each, $1\frac{1}{2}$ lbs.

LIST PRICE 80.28 dozen




No. 80 Springlatch Pin-Tumbler

Case: $2\frac{1}{2} \times 3\frac{3}{8} \times 1\frac{1}{8}$ in. Iron, brass finish. Cylinder, five pin-tumblers. Two No. 8 keys. 7000 changes. Iron bolt. Backset $2\frac{3}{8}$ in. For doors 1 to $2\frac{1}{2}$ in. thick. Operation by key outside, and knob inside. Bolt held back by stop.

Packed: Each in a box, complete with screws, rim and flat strikes.

Weight: Each $1\frac{1}{2}$ lbs.

LIST PRICE 35.76 dozen




No. 040 "One Arm" Springlatch Pin-Tumbler

Case: $2\frac{1}{2} \times 3\frac{3}{4} \times 1\frac{1}{4}$ in. Die-cast, brass finish. Cylinder, five pin-tumblers. Two No. 8 keys. Changes practically unlimited. Can be master-keyed. Backset $2\frac{3}{8}$ in. For doors 1 to $2\frac{1}{2}$ in. thick. Operation, a turn of key or knob holds the latch bolt retracted until the door is opened. Bolt held back by stop. Locks automatically when closed.

Packed: Each in a box, complete with screws, rim and flat strikes.

Weight: Each, $1\frac{1}{2}$ lbs.

NO. 040 - LIST PRICE 53.76
NO. 040 $\frac{1}{2}$ - LIST PRICE 51.00



No. 042 Deadlatch Pin-Tumbler

Case: $2\frac{1}{2} \times 3\frac{3}{4} \times 1\frac{1}{4}$ in. Die-cast, brass finish. Cylinder, five pin-tumblers. Two No. 8 keys. Changes practically unlimited. Can be master-keyed. Backset $2\frac{3}{8}$ in. For doors 1 to $2\frac{1}{2}$ in. thick. Operation by key outside, and knob inside. Bolt held back by stop and also deadlocked by key or knob. When deadlocked, bolt has an additional throw of $\frac{1}{8}$ inch.

Packed: Each in a box, complete with screws, rim and flat strikes.

Weight: Each, $1\frac{1}{2}$ lbs.

LIST PRICE 51.00 dozen




**No. 047 Deadlatch
Automatic Extra Throw
Pin-Tumbler**

Case: $2\frac{1}{2} \times 3\frac{3}{4} \times 1\frac{1}{4}$ in. Die-cast, brass finish. Cylinder, five pin-tumblers. Two No. 8 keys. Changes practically unlimited. Can be master-keyed. Backset $2\frac{3}{8}$ in. For doors 1 to $2\frac{1}{2}$ in. thick. Operation by key outside, and knob inside. Bolt held back by stop. When door is closed the bolt is automatically thrown forward an additional $\frac{1}{8}$ in. into a deadlocked position.

Packed: Each in a box, complete with screws, rim and flat strikes.

Weight: Each, $1\frac{1}{2}$ lbs.

LIST PRICE 53.88 dozen



**No. 66 Springlatch
Pin-Tumbler**


Case: $3\frac{1}{4} \times 3\frac{1}{2} \times 1\frac{3}{8}$ in. Japanned iron. Bronze front, bolt and cylinder. Armored front, 5×1 in. Reversible. Backset, $2\frac{3}{4}$ in. Five pin-tumblers. Three No. 8 keys. Changes practically unlimited. Can be master-keyed. Operation, by key from outside, by knob from inside.

Packed: Each in a box, with screws, knob and plate.

Weight: Each, 2 lbs.

MORTISE NO. 66 -

LIST PRICE 72.00 dozen



**No. 175 Tubular Deadlatch
Automatic Deadlocking Bolt
Pin-Tumbler**

Die-cast case, brass front, $2\frac{3}{4} \times 1$ in. Brass bolt, $\frac{1}{8}$ in. throw. Cylinder, five pin-tumblers. Two No. 8 keys. Changes, practically unlimited. Can be master-keyed. Backset, $2\frac{3}{8}$ in. Three rings with each latch for doors $1\frac{1}{8}$ to $2\frac{1}{4}$ in. thick. Not reversible, specify hand. Operation by key outside, and knob inside. Bolt held back by stop. When door is closed a small bolt deadlocks the bolt.

Packed: Each in a box, complete with screws.

Weight: Each $1\frac{1}{4}$ lbs.

MORTISE TUBULAR DOOR LATCH

**NO. 175 - LIST PRICE 76.80
dozen**


SECRET GATE LATCHES For Office Gates To Swing One Way

**BOLT 9-16" Throw
REVERSE ... Right or Left Hand**

**BRONZE KNOB Polished
Cast Bronze and Brass**

**NO. 4052 - Regular Finishes
Six in a Box. Weight per Box, 4 lbs.
List Price 4.20 each**

SARGENT



4052

Reverse Bevel Strikes
instead of Rim Strikes
furnished if so ordered.

Works by pressure of
finger to under side of
Latch. Knob has no
effect upon Latch Bolt

cylinder rim NIGHT LATCH**SPECIFICATIONS . . .****No. 255C**


Case — 2-5/8" x 3-5/8" x 1"

Bolt — 1" x 9/16"

Throw — 1/2"

Backset — 2-3/8"


- ★ Cast iron case and strike.
- ★ All brass 5 - pin tumbler cylinder.
- ★ Latch stop will hold latch retracted and dead lock, latch against key operation.
- ★ Constructed entirely of brass, steel and cast iron.
- ★ Fits doors 1" to 2 1/2" thick.
- ★ Attractively finished in Gold or Black Wrinkle Lacquer.

**No. 255C**

NOTE: "G" is for Gold.
"B" is for Black.

Can be master keyed and Grand Master Keyed.

NO. 255-C LIST PRICE 2.29 each

Cylinder Rim Night Latches

Reverse Bevel Strike,
Furnished to Order.

FOR DOORS . . . 1 to 2 1/4 inches thick
 REVERSE . . . Right or Left Hand
 CYLINDER . . . B32 x 2 Keys 267
 TUMBLERS . . . Five Pin Tumblers
 CHANGES . . . Practically unlimited

Iron Case; Brass Turn Knob, Slide Stop, Bolt and Cylinder No. 32

OPERATION

Latch Bolt can be operated from outside by Key and from inside by Turn Knob. Latch Bolt can be held back by Slide Stop.

No. 4284 — Black Wrinkle Finish

1/12 dozen in a box - Weight 1 1/2 lbs.
 In case 2 dozen - Weight 37 lbs.


All Sargent Five Pin Cylinder Locks, Latches and Padlocks using Key 267 can be furnished to order Master Keyed in sets of practically any required number, with Master Key (272) to pass each set and Grand Master Key (272) to pass all.

NO. 4284 List Price 52.00 dozen

thumb latches

steel — japanned, bright zinc plated,
or galvanized

1250



uses for doors of residences, garages, barns, etc • see table for door thickness

construction made of wrought steel • the latch bar is furnished with a special flanged bushing which prevents the bar from binding, regardless of how tightly the screw is driven

1250 no. 1 furnished with locking stud

1250 1/2 made only in size no. 3 and is furnished with a reverse bevel box strike which permits application of the handle on the outside or room side of the door

size	length of handle (inches)	for door thickness (inches)	length of grip (inches)	length of latch bar (inches)		average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
				1250	1250 1/2			
no. 1	5 1/2	3/8 to 1 1/4	3 1/4	4	5	10	50
no. 2	6 3/4	3/8 to 1 3/4	4	4 1/4	5	10	52
no. 3	7 1/2	3/4 to 1 1/2	4	5 1/2	3 15/16	8 1/2	5	45
no. 4	8 3/8	1 1/4 to 2 3/8	5	5 1/2	14	3	43

one set in a box with screws

1250 furnished in japanned (J) bright zinc (K) or galvanized (R) finishes • 1250 1/2 furnished in japanned (J) or dead black (J1) or (KJ1) finishes

NO. 1250J-1 - List 8.30 doz.

NO. 1250J-2 - List 10.30 doz.

steel — japanned, bright zinc plated
or galvanized

1260



uses for doors of residences, garages, barns, etc • see table for door thickness

construction made of wrought steel • the latch bar is furnished with a special flanged bushing which prevents the bar from binding, regardless of how tightly the screw is driven strike and guide furnished with eyes through which padlock shackle may be placed • when door is closed, screws are concealed

size	length of handle (inches)	for door thickness (inches)	length of grip (inches)	length of latch bar (inches)	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
no. 2	6 3/4	3/8 to 1 3/4	4	4 1/4	6	10	60
no. 3	7 1/2	3/4 to 1 1/2	4	5 1/2	9	5	46
no. 4	8 3/8	1 1/4 to 2 3/8	5	5 1/2	14 1/2	3	45

one set in a box with screws

furnished in japanned (J) bright zinc (K) or galvanized (R) finishes

NO. 1260J-2 - List 10.30 doz.


NO. 1260J-3 - List 13.35 doz.

NO. 1260J-4 - List 21.00 doz.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

extra-heavy thumb latches



1252	steel — japanned, bright zinc or dead black finish	1264	steel — japanned or dead black finish
------	--	------	---------------------------------------

uses for garage and industrial doors • 1252 and 1263 for doors 1½" to 2½" in thickness • 1264 for doors 1¾" to 2¼" in thickness and furnished on order (at additional cost) for doors up to 3" in thickness

construction made of wrought steel • handles and thumb pieces are well formed and liberal in size • when doors are to be locked with a padlock, specify one pair padlock eyes 1245 no. 2 or 3, see page I-8

screw holes are made to take carriage bolts or wood screws • carriage bolts furnished on order (at additional cost), specify thickness of door

the thumb latches with a dead black finish are first bonderized • bonderizing forms a strong bond between the metal and final finish — specify J1 • with a rust-resisting base — specify KJ1

for pulls to match, see page I-12

number	plate (inches)	length of handle (inches)	length of grip (inches)	length of latch bar (inches)	quantity and size of wood screws				average net weight per dozen (lbs.)
					handle and plates	latch bar	strike and guide	escutcheon	
1252	10¾	5	6¼	6—1½ x 12	1—1¾ x 12	4—1½ x 12	2—1 x 10	30
1264	14½ x 2¾	10¾	5	12	12—1½ x 12	1—1¾ x 12	5—1½ x 12	80

one set in a box with screws

furnished in japanned (J), bright zinc (K), dead black (J1) or (KJ1) finishes

carriage bolts furnished on order; when desired, state thickness of door

NO. 1252J - List 38.00 doz.

NO. 1264-J - List 125.00 doz.


THUMB LATCH



1265 | steel — japanned or dead black finish

List Price 16.20 doz.

overall size (inches)	length of grip (inches)	quantity and size of wood screws	average net weight per dozen (lbs.)
10¾ x 2½	5	6—1½ x 12	11




**GATE LATCH
NO. SC1261-X**


steel — bright zinc plated

1261

gravity type



1261 applied



1261 1/2 applied

uses for latching single acting gates, cellar doors and animal coops • self-latching; released by simply raising trip for 1261, gate and post must be flush • 1261 1/2 for outswinging gates

construction made of extra heavy wrought steel
hole is provided in the trip for cord or wire release when required

base (inches)	length of latch bar (1261) (inches)	projection (inches)	gauge of metal	size of RH wood screws		average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
				base	latch bar			
1 3/4 x 2	4 1/2	2	.125	1 x 8	1 1/4 x 10	6	10	62

one-half dozen sets in a box with screws

List Price 13.40 doz.

steel — bright zinc plated

1267



universal strike



surface strike

gate latch

NO. SC1267-K - List 10.50 doz.

uses for latching gates swinging in, out or both ways
mounted on top of gate

steel — bright zinc plated

1267

construction made of extra heavy wrought steel with brass spring and brass rivet

length, overall (inches)	length of base (inches)	width of base (inches)	gauge of metal	size of RH wood screws	average net weight per dozen (lbs.)
6	3 3/4	1 9/16	.125	1 1/4 x 10	10

one-half dozen in a box with screws.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

Sash Lifts



BAR

410, 412 &c.

Size, 1 3/8 x 5 Inches
Cast Iron

*No. 410 - REGULAR FINISHES - OB, OP, PK, LN, N

Size, 1 1/4 x 4 Inches
Cast Iron

No. 412 - REGULAR FINISHES - OB, OP, PK, LN, N

Machine Finish
Cast Bronze and Brass

*No. 810 1/4 - REGULAR FINISHES - P, B, OB, OP, CM, LN, DCM
*CONTRACT FINISHES - NLB, NLP, O3P

No. 810 1/4 - Conform to Fed. Spec. FFH-111A, Type 1203

Size, 1 1/4 x 4 Inches
Machine Finish
Cast Bronze and Brass

*No. 812 1/4 - REGULAR FINISHES - P, B, OB, OP, CM, LN, DCM
*CONTRACT FINISHES - NLB, NLP, O3P

SASH BAR LIFTS

OB-410 and OP-410
List Price 4.10 dozen
either number

SASH BAR LIFTS

NUMBER	LIST PRICE
B-412	1.50 doz.
OB-412	1.50 "
OP-412	1.50 "
N-412	1.65 "

SASH BAR LIFTS

NUMBER	LIST PRICE
CM-810 1/4	12.60
OP-810 1/4	10.00
B-810 1/4	10.00
CM-812 1/4	8.00 doz.
B-812 1/4	6.10 "
OP-812 1/4	6.10 "

PACKING AND WEIGHTS

Nos.	410	412	810 1/4	812 1/4
In Box (doz.)	1	1	1	1
Wt. Per Box (lbs.)	2 3/4	1 1-2	3 1/4	1 3/4
In Case (doz.)	12	24	12	12
Wt. Per Case (lbs.)	35	44	42	22

BAR SASH LIFTS



Full Size Cut

Packed with screws, 1 doz. in box, 5 gross in case.

Size 1 1/8 x 4 inches
Projection 1 1/8 inches

Weight per doz.
Brass 1 lb. 12 oz.; Alum. 12 oz.

	Cast Aluminum BURNISHED	Cast Brass or Bronze MACH. POLISHED
Bright Brass	026A3	026MB3
Dull Bronze	026A10	

NUMBER	TYPE	LIST PRICE
026A3	Pol. Brass	1.54 doz.
026A10	Dull Brass	1.54 doz.
026A14	Pol. Nickel	1.70 doz.
026MB3	Solid Brass-Pol.	6.10 doz.



Plain Edge Flush Sash Lift

53 00 4 SERIES

Finish GROUP 2	Wrought Steel No.	List Price
Dull Brass	53 26 4	1.37 doz.
Dull Bronze	53 30 4	1.37 doz.

Transom Lifters

AUTOMATIC GRIP. WITH SAFETY SPRING

Either Right or Left Hand. Especially adapted for Transoms:

Hung at the Bottom, Opening In. See applications B and BR
Pivoted in the Center, Opening Out. See applications FR

262 For Transoms 8 1/2 to 12 Inches High
263 For Transoms not less than 12 Inches High

Rod 5-16 Inch
Grip Case . . 1 1-8 Inches wide
Guide 1 Inch wide

SUITABLE FINISHES - OB, OP, LN, PK, N
Lengths 3 and 4 Feet

Nos. 262, 263	3	4
Wt. Each (lbs.)	1 1/2	1 3/4
In Case	6	6
Wt. Per Case (lbs.)	11	12 1/2

NUMBER	LIST PRICE
OB-262-3'	3.30 each
OP-262-3'	3.30 each
OB-263-4'	3.70 each



SCREEN LIFTS

WROUGHT BRASS

No. 900 1" x 1", per single gross.

1 gross in a box, weigh 1 lb

List Price 6.82 gross




Mortise Inside Door Locks

(Thumb Bolt Type)

Suitable for Bed-Room and Bath-Room Doors

REGULAR FINISHES - Group 1, 3, CM, DCM



4663

Cast Bronze Front and Bronze Bolts

- HUBS..... {Knob Hub for 5-16 Inch Straight Spindle
Turn Knob Hub for 3-16 Inch Spindle
- STRIKE..... {Lip to Center, 1 inch
- BOLTS..... {Latch Bolt, 3-8 Inch Throw
Dead Bolt, 7-16 Inch Throw
Free Action Latch Bolt
- REVERSE..... By Removing Cap
- KEYS..... 211 3/4

Locks from one side only

BATHROOM LOCKS


NO. CM-4663 -

List Price 5.50 each

Mortise Knob Latch

REGULAR FINISHES - Group 1, 3, CM, DCM

Bronze Front and Bolt



4634

Operation


Latch Bolt from both sides by Knobs.

No. 4634

- HUB..... For 5-16 Inch Straight Spindle
- BOLT..... Bronze, 1-2 Inch Throw
- EASY SPRING... {Easy on Latch Bolt, Firm on Knob
Two Compression Springs
- REVERSE..... Right or Left Hand

Twelve in a box - Weight 7 1/2 lbs.

List Price 3.60 each



No. 221 Lock

Inside
Turn Knob

DEAD LOCKS

NO. B-221

LIST PRICE 5.40 each

DEAD LOCK


NO. OP-221

LIST PRICE 5.40 each

DEAD LOCK

NO. LN-861

List Price 5.55 each




**No. 2 Deadlock
Pin-Tumbler**

Case: 2 1/2 x 3 3/4 x 1 1/4 in. Die-cast, brass finish. Cylinder, five pin-tumblers. Two No. 8 keys. Changes practically unlimited. Can be master-keyed. Die-cast bolt, 1 in. throw. Backset 2 3/8 in. For doors 1 to 2 1/2 in. thick. Operation by key outside, and knob inside.


Packed: Each in a box, complete with screws, rim and flat strikes.

Weight: Each, 1 3/4 lbs.

List Price 49.80 doz.



NO. 112 LOCK
NO. 6828 dozen



No. 112 $\frac{1}{4}$ Deadlock
Pin-Tumbler


Case: $3\frac{3}{8} \times 3\frac{1}{2} \times 1\frac{1}{8}$ in. Die-cast, steel gray enamel finish. Cylinder, five pin-tumblers. Two No. 8 keys. Changes practically unlimited. Can be master-keyed. Bolt die-cast, $1\frac{3}{4} \times \frac{5}{8}$ in., $1\frac{1}{8}$ in. throw. 2 steel inserts. Backset $2\frac{3}{8}$ in. For doors $1\frac{3}{8}$ to $3\frac{1}{4}$ in. thick. Operation from both sides by key.

112 $\frac{1}{4}$ F with flat strike.

Packed: Each in a box, complete with screws.


Weight: Each, $2\frac{3}{4}$ lbs.

LIST PRICE 105.60 doz.



197 Deadlock

NO. 197 LOCK
List Price 73.20 doz.



No. 197 $\frac{1}{2}$ Deadlock
Pin-Tumbler

Case: $2\frac{7}{8} \times 4\frac{5}{8} \times 1$ in. Die-cast, bronze finish. Cylinder, five pin-tumblers. Two No. 8 keys. Changes practically unlimited. Can be master-keyed. Steel bolt. Backset $2\frac{3}{8}$ in. For doors $1\frac{1}{4}$ to $3\frac{1}{4}$ in. thick. Operation, from both sides by key.

Packed: Each in a box, complete with screws.

Weight: Each, $2\frac{1}{4}$ lbs.

List Price 110.40 dozen

**WE SHIP 85% OF ALL MERCHANDISE
WITH OUR OWN TRUCKS — SPEEDS
DELIVERY.**


THE NEW YORK PUBLIC LIBRARY

ASTOR LENOX TILDEN FOUNDATION



Cylinder Mortise Dead Locks

REGULAR FINISHES-B.OB, OP, P, LN, BN, CM, DCM



BACKSET..... { Regular, 2 1/2 inches
Special, 1 1/2 inch

FOR DOORS..... Thickness of door should be specified

BOLT..... Heavy Bronze, 3-4 inch Throw

REVERSE..... Right or Left Hand

CYLINDERS..... Bronze

PACKING AND WEIGHTS

Nos.	In Box	Weight Per Box (lbs.)	In Case	Weight Per Case (lbs.)
4821	1	1 3/4	12	24
4825	1	1 7/8	12	27

Protected Front ONE CYLINDER

Operation—Outside by Key, Inside by Turn Knob

No. 4821 — Flat Front

TWO CYLINDERS

Operation—Both Sides by Key


No. 4825 — Flat Front

OB-4821	-	List	10.70 ea.
OP-4821	-	"	10.70 "
DCM-4821	-	"	11.70 "
OB-4825	-	"	12.90 "
OP-4825	-	"	12.90 "
DCM-4825	-	"	13.90 "

Two Keys 267.



REGULAR FINISHES-Group 1, 3, CM, DCM



4888

JAPD. CASE..... { Special Backsets depth of case 1 1/4 inch
greater than Backset

BACKSET..... { Regular, 2 1/2 inches
Special, 1 1/2, 2 inches

FOR DOORS..... Thickness of door should be specified

BOLT..... Extra Heavy Bronze, 11-16 inch Throw

REVERSE..... Right or Left Hand

CYLINDERS..... Bronze

List Price 17.80 each

Operation—From Both Sides by Key

No. 4888 — Flat Front - TWO CYLINDERS

Weight per box, 3 1/8 lbs.

EXTRA HEAVY—Protected Front
Especially Adapted for Entrance Doors of Public Buildings,
etc.

With Hardened Steel Rollers in Extra Heavy Dead Bolt


Locks 4886, etc., are made with two hardened steel rollers in dead bolt as shown in miniature illustration. These rollers are placed inside dead bolt loosely mounted, near top and bottom of bolt and if attacked with hack-saw or other sharp tool rollers will revolve, making it impossible to cut off dead bolt.

Master Keyed

All Sargent Five Pin Cylinder Locks, Latches, and Padlocks using Key 267 can be furnished to order Master Keyed in sets of practically any required number with Master Key (272) to pass each set and Grand Master Key (272) to pass all.



Mortise Cylinder Door Locks



6725N

Adjustable Protected Front

Fronts can be beveled at any angle
from flat to 3/8 inch in 2 inches

FOR DOORS..... Thickness of door should be specified
BRONZE HUBS..... { Knob Hub for 3-8 inch Straight Spindle
Turn Knob Hub for 3-16 inch Spindle

BOLTS..... 1-2 inch Throw

EASY SPRING..... { Easy on Latch Bolt, Firm on Knob
Two Compression Springs

REVERSE..... by Removing Cap

CYLINDERS..... Bronze Cylinders

TURN KNOB..... Bronze Turn Knob 125 (for 6725N only)

List Price 14.90 each

Bronze Front and Heavy Bolts

REGULAR FINISHES - Group 1, 3, CM, DCM

One Cylinder

Operation

Dead Bolt from outside by Key, from inside by Turn Knob.

Latch Bolt from both sides by Knobs.

No. 6725N

Flat Front

Weight per box, 2 1/2 lbs.

Master Keyed


All Sargent Five Pin Cylinder Locks, Latches, and Padlocks using Key 267 can be furnished to order Master Keyed in sets of practically any required number with Master Key (272) to pass each set and Grand Master Key (272) to pass all.



All Locks on
this page fur-
nished with
two Keys 267.



6745N Mortise Cylinder Door Locks



REGULAR FINISHES - Group 1, 3, CM, DCM

FOR DOORS.....Thickness of door should be specified
EASY SPRING....{Easy on Latch Bolt, Firm on Knob
 {Two Compression Springs
CYLINDER.....One Bronze Cylinder
REVERSE.....By Removing Cap

Adjustable Protected Front

These Locks can be beveled at any angle from flat to 1-8 inch in 2 inches.

Bronze Front and Heavy Bolts

One in a box.

List Price 14.90 each

6745N For Front Doors One Cylinder

Operation


Both Bolts from outside by Key.
Dead Bolt from inside by Turn Knob.
Latch Bolt from both sides by Knobs.
Outside Knob is set by Stop in face of Lock.
Stops automatically Lock with Dead Bolt.

BRONZE HUBS...{Knob Hub for 3-8 inch Swivel Spindle
 {Turn Knob Hub for 3-16 inch Spindle
BOLTS.....{Latch Bolt, 1-2 inch Throw
 {Dead Bolt, 1-2 inch Throw
TURN KNOB.....Bronze Turn Knob

Two Cylinders

Locks 6745N can be furnished at extra price with two Cylinders, so that Dead Bolt may be operated from inside by Key instead of by Turn Knob.

No. 6745N — Flat Front, Weight per box, 3 1/8 lbs.



All Locks on this page furnished with two Keys 267.



Master Keyed



All Sargent Five Pin Cylinder Locks, Latches, and Padlocks using Key 267 can be furnished to order Master Keyed in sets of practically any required number with Master Key (272) to pass each set and Grand Master Key (272) to pass all.

B-6745-NX4cyl.

List Price 18.40 each

NUMBER
W-3 $\frac{1}{4}$

CABINET AND
DRAWER LOCK
NUMBER W-3 $\frac{1}{4}$




No. W7 Wardrobe Lock
Warded

Double keyhole suitable for wardrobe or drawer.

Steel, size 3 x 1 $\frac{5}{8}$ in., $\frac{11}{16}$ in. backset. Steel bolt shoots right and left. One No. R474 key, alike changes.

Packed: $\frac{1}{2}$ doz. in a box.

Weight: Per doz., 2 $\frac{1}{2}$ lbs.




No. R295C Drawer Lock
Lever-Tumbler

Steel, size 1 $\frac{1}{2}$ x 1 $\frac{3}{4}$ in., $\frac{3}{4}$ in. drop. Two No. R295C keys, two tumblers, 12 regular changes. Regular for $\frac{7}{8}$ in. wood. Master-keyed at an extra price.

Packed: $\frac{1}{2}$ doz. in a box.

Weight: Per doz., 1 $\frac{1}{2}$ lbs.




NO. R.465 Drawer Lock
Warded

Double keyhole suitable for drawer or cupboard. Steel, size 1 $\frac{3}{4}$ " x 2 $\frac{1}{4}$ " 3/4" drop

Packed: 1 doz. in a box.

Weight: Per doz., 1 $\frac{3}{8}$ lbs.




No. SA162 Chest Lock
Lever-Tumbler

All brass, size 1 $\frac{1}{2}$ x 2 in., $\frac{7}{8}$ in. drop. Double link. Two No. S152 keys, three tumblers, 12 regular changes Regular for $\frac{3}{4}$ in. wood.

Packed: $\frac{1}{2}$ doz. in a box.

Weight: Per doz., 2 lbs.




No. 9402 Drawer Lock
Disc-Tumbler

Brass plate, 1 $\frac{1}{2}$ x 2 in. Die-cast bolt and nose, $\frac{7}{8}$ in. dia., $\frac{3}{4}$ in. drop. Five disc-tumblers. Two No. 9278 keys, 200 changes. Regular for $\frac{3}{4}$ in. wood.

Packed: $\frac{1}{2}$ doz. in a box.

Weight: Per doz., 3 $\frac{1}{4}$ lbs.




No. 9660 Drawer Lock
Disc-Tumbler

Die-cast case, 1 $\frac{1}{2}$ x 1 $\frac{1}{8}$ in. Steel bolt and back plate. Nose, die-cast, $\frac{7}{8}$ in. dia., $\frac{3}{4}$ in. drop. Five disc-tumblers. Two No. 9278 keys, 200 changes. Regular for 1 $\frac{3}{16}$ in. wood. Master-keyed at an extra price.

Packed: $\frac{1}{2}$ doz. in a box.

Weight: Per doz., 2 $\frac{3}{4}$ lbs.

No. 9661: Same as above, but with four screw holes for attaching.



No. 9780 Wardrobe Lock
Disc-Tumbler

Die-Cast case, 1 $\frac{7}{8}$ x 1 $\frac{1}{2}$ in. Steel bolt and plate Nose, die-cast, $\frac{7}{8}$ in. dia., $\frac{3}{4}$ in. backset. Five disc-tumblers. Two No. 9278 keys, 200 changes. Regular for $\frac{11}{16}$ in. wood

Packed: $\frac{1}{2}$ doz. in a box.

Weight: Per doz., 2 $\frac{3}{4}$ lbs.

CABINET & DRAWER LOCKS

NUMBER	LIST PRICE
W-3 $\frac{1}{4}$	5.20 dozen
W-7	6.20 "
R-295C	12.30 "
R-465	7.90 "
SA-162	29.20 "
9402	20.40 "
9660	15.50 "
9780	15.00 "


CABINET LOCK MERCHANDISER

SIZE 17 $\frac{7}{8}$ x 8 $\frac{3}{4}$

Tot. weight 12 lb.


F-146 43.60 each

SUITCASE & TRUNK LOCKS



NUMBER
BP-0825

SIZE
3 $\frac{1}{4}$ " x 2 $\frac{1}{8}$ "
List Price
1.15 ea.



No. 0838
STEEL

Per single dozen. 1 dozen in a box.

Pierced for $\frac{1}{2}$ " x No. 3 Screws

BP-0838 2" x 1 $\frac{3}{4}$ "

List Price 1.00 ea.


BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


148

MOULDING CHROMTRIM
6' LENGTHS
PACKED 120' TO CARTON


STYLE NUMBER	DESCRIPTION	LIST PRICE PER FT.	REFILLS PACKED 120' TO THE TUBE	STOCK LENGTH	APPROX. WEIGHT PER TUBE IN LBS.	TYPE OF NAIL
6050	Corrugated Stair Nosing 15/16".....	.32	38.40	6'	17	J
6063	Inside Outside Corners 1/2"x1/2".....	.26	31.20	6'	8 1/2	J
6066	Inside Outside Corners 3/4"x3/4".....	.29	34.80	6'	12	J
6068	Flat Decorative Strip 3/4".....	.23	27.60	6'	6 1/2	E
6090	Cove 1/2"x1/2".....	.24	28.80	6'	11 1/2	E
6022	Counter Edging (2 Ribs) 7/8".....	.27	32.40	6'	9	E
6025	Counter Edging (2 Ribs) 1-1/16".....	.29	34.80	6'	8 3/4	E
6027	Decorative Strip 1 1/4".....	.29	34.80	6'	12	E
6030	Cap or Binder.....	.21	25.20	6'	8 1/2	E
6411	Cap Flange Type 1/8" Material.....	.19	22.80	6'	7	R




Stair Nosing
6050 Aluminum .34 ft.




Inside, Outside Corner
6063 Aluminum .26 ft.



Counter edging
6022 Aluminum,
LIST PRICE
.27 ft.



COUNTER EDGINGS
6025 .30 ft.




Decorative Strip
6027 Aluminum
.30 ft.




6030 .20 ft.



Cove or Corner
6090 Aluminum
.25 ft.



WALL BOARD MOULDING
120' & 140' TO TUBE
CAPS



Inside, Outside Corner
6066 Aluminum
.30 ft.



Decorative Strip
6068 Aluminum
.23 ft.



No. 6411-Aluminum
Flange-Type Cap
.18 ft.

NUMBER LIST PRICE
NL-6044 .30

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

149

STRAIGHT FACE NOSINGS



No. 1642-TC
No. NL-1846

EDGING




No. 1891

COUNTER EDGINGS



2023-C, 2025-C,
2027-C

COVE



No. 5394

WALL BOARD MOULDING 120' & 240' to tube

NUMBER	LIST PRICE
1642-TC	.31 ft.
NL-1846	.42 "
NL-1891-SC	.28 "
2023-C	.29 "
2025-C	.32 "
2027-C	.34 "
5311-TP	.25 "
5313	.31 "
5315	.39 "
5317	.39 "
5394	.31 "

O.H.N.P. DRIVE SCREWS 660 TO POUND


Size - 7/8 x 3
List Price 3.60 pound

O.H.N.P. SCREWS 455 TO POUND

Size - 3/4 x 4
List Price 3.55 pound

DRIVE NAILS 750 TO POUND

SIZE - 3/4 x 14
List Price 1.50 pound




CAP



No. 5311-TP

PANEL DIVIDER




No. 5313

INSIDE CORNERS



No. 5315

OUTSIDE CORNER



No. 5317

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY


CYLINDER KEY PADLOCK

WITH THE STEEL BALL LOCKING FEATURE

Junkunc Extruded Brass Case,
Hardened Steel Shackle
Model A 1/4" 1" shackle

Junkunc Extruded Brass Case,
Hardened Steel Shackle
Model L 5/16" 1-1/16" shackle

Junkunc Extruded Brass Case,
Hardened Steel Shackle
Model K 3/8" 1" shackle



Junkunc Hardened Steel
Case and Shackle
Model H 7/16" 1-1/16" shackle

SPECIFICATIONS

EXTRUDED BRASS PADLOCKS WITH HARDENED STEEL SHACKLES

Style	Case	Shackle Length	Shackle Thickness	Weight Each	Keys Each	Packed to the Box	List Price per doz.
A 1/4"	1 1/2"	1"	1/4"	7 oz.	3	6	\$23.04
L 5/16"	1 5/8"	1-1/16"	5/16"	8 oz.	3	6	25.80
K 3/8"	1 3/4"	1"	3/8"	9 1/2 oz.	3	6	28.80

HARDENED STEEL "CASE AND SHACKLE" PADLOCKS

H 7/16"	2" Dia.	1-1/16"	7/16"	15 oz.	3	6	34.56
---------	---------	---------	-------	--------	---	---	-------

Applies to above material.

Keyed alike, add suffix KA to stock number.

SECRET SERVICE Padlocks

BRASS CYLINDER, PIN TUMBLER MECHANISM

1. Strongest case construction — laminated under pressure up to 300,000 lbs., forming a case stronger than a solid block of steel.
2. Super-strength, alloy-steel shackle.
3. Extra heavy solid brass locking lever securely bolts shackle.
4. Patented protection against "jarring" open.
5. Steel-jacketed pilfering protector.
6. Precision-cut, nickel-silver keys.
7. Cadmium rustproofing throughout on steel locks.
8. Individually boxed — 6 in colorful selling display.
9. Can be keyed alike, master-keyed or sub-master-keyed.

LAMINATED STEEL CASE



No. 7 "Secret Service"

1 5/8" STEEL case. Shackle diameter 5/8", vertical clearance 5/8". 750 key changes. Wt. 2 lbs. 13 oz.

No. 7\$12.00 Doz. List

No. 3 "Secret Service"

1 1/2" STEEL case. Shackle diameter 3/4", vertical clearance 3/4". Key changes practically unlimited. Wt. doz. 5 lbs. 15 oz.

No. 3\$15.00 Doz. List

No. 1 "Secret Service"

1 3/4" STEEL case. Shackle diameter 7/8", vertical clearance 1 1/8". Key changes practically unlimited. Wt. doz. 7 lbs. 9 oz.


No. 1\$18.00 Doz. List

No. 5 "Secret Service"

2" STEEL case. Shackle diameter 1 1/8", vertical clearance 1". Key changes practically unlimited. Wt. doz. 11 lbs. 6 oz.


No. 5\$21.00 Doz. List

- CHAINS (9-in. length) available attached to any of above at \$3.00 list per dozen extra; add suffix C to number.
- MASTER-KEYED, \$4.80 list per dozen extra, plus 70c list for master key; add suffix MK to number.
- KEYED ALIKE, no extra charge; add suffix KA to number.




1 1/2

PADLOCK NO. 1 1/2 2 1/2" Shackle
List Price 21.00 doz.



PADLOCK NO. 3 2" Shackle
List Price 18.00 doz.


PADLOCK NO. 5 1/2 2 1/2" Shackle
List Price 24.00 doz.



PADLOCK NO. 7 1 1/2" Shackle
List Price 15.00 doz.

(Illustration 1/2 size)

PADLOCKS



22

LAMINATED Padlocks

Modern Warded Security

No. 22 "Strong Boy"

1 1/2" laminated steel case. Shackle diameter 1/4", vertical clearance 5/8". 40 key changes. Keyed alike or master-keyed, no extra charge. Individually packed, 12 to a sales display. Wt. doz. 4 lbs. 1 oz.
No. 22\$5.40 Doz. List

LAMINATED BRASS CASE

No. 8 "Secret Service"

1 1/2" BRASS case. Shackle diameter 5/8", vertical clearance 1 1/2". 750 key changes. Wt. doz. 2 lbs. 15 oz.

No. 8 18.00 Doz. List

No. 4 "Secret Service"

1 1/2" BRASS case. Shackle diameter 5/8", vertical clearance 3/4". Key changes practically unlimited. Wt. doz. 6 lbs. 5 oz.

No. 4 24.00 Doz. List

No. 2 "Secret Service"


1 3/4" BRASS case. Shackle diameter 1", vertical clearance 1 1/2". Key changes practically unlimited. Wt. doz. 8 lbs. 2 oz.

No. 2 30.00 Doz. List

No. 6 "Secret Service"

2" BRASS case. Shackle diameter 3/8", vertical clearance 1". Key changes practically unlimited. Wt. doz. 12 lbs. 7 oz.

No. 6 36.00 Doz. List



LITTLE GIANT Padlocks Improved Lever Security

o. 44



Compact 1 1/4" wrought steel case. Ribbed, reinforced edge. Improved lever security. Extruded brass key guide. Self-locking swivel shackle, diameter 7/8", vertical clearance 1/2". Cadmium rust-proofed. Nickel-plated keys, 10 key changes. Boxed individually. 12 to colorful sales carton. Wt. doz. 1 3/8 lbs.

Master No. 44\$3.00 Doz. List


Applies to above material.

Keyed alike, add suffix KA to stock number.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


154



No. 55

Sturdy 1½" embossed wrought steel case. Ribbed reinforced edge. Extruded brass key guide extends clear through the lock. Self-locking swivel shackle, diameter ¼", vertical clearance ¾". Master-perfected lever security; 12 key changes. Cadmium rustproofed. Nickel-plated, milled keys. Keyed alike, no extra charge. Individually boxed 12 to a sales-appealing carton. Wt. doz. 1½ lbs.

Master No. 55\$3.60 Doz. List



No. 66

Strong 1¾" case of heavy, hard-wrought steel. Ribbed edge around case, reinforced for unusual strength. Powerfully riveted. Sturdy, warded multi-spring lever locking mechanism. Spring tension, self-locking swivel shackle, diameter ¼", vertical clearance ¾". Extruded brass key guide extends clear through the lock. Nickel-plated milled keys; 12 key changes. Cadmium rustproofed. Keyed alike, no extra charge. Individually boxed 12 to a colorful carton. Wt. doz. 3 lbs.

Master No. 66\$4.20 Doz. List


Brass Cylinder, Pin Tumbler Mechanism



No. 77

Husky 1½" hard-wrought steel case; heavily armored and embossed. Genuine brass cylinder, pin-tumbler security. Heavy brass locking lever. Steel pilfering protector. Shackle diameter ¼", vertical clearance ¾". Cadmium rustproofed. Coined nickel-silver keys, 750 key changes. Available keyed alike, no extra charge. Individually boxed, 12 to a distinctive sales carton. Wt. doz. 4 lbs.

Master No. 7712.00 Doz. List




No. 510

RATCHET PADLOCK

1¾" laminated steel case—built like a bank vault door! Adjustable and removable 3" shackle; diameter 9/32", vertical clearance ¾" to 2". Warded mechanism featuring Master-perfected brass lever security. Rustproofed throughout. Furnished with 2 corrugated, embossed steel keys. 60 key changes. Individually boxed, 6 to a carton. Weight dozen 7 lbs. 5 oz.

No. 510\$9.00 Doz. List



No. 105 "Jewel"

1½" laminated steel case. Strong brass locking lever. Shackle diameter ⅝", vertical clearance ½". 105 key changes. Keyed alike or master-keyed, no extra charge. Individually packed, 12 to a display carton. Wt. doz. 2 lbs. 12 oz.

No. 105\$6.00 Doz. List

No. 500 "Multi-Spring"

1¾" laminated steel case. Shackle diameter ⅝", vertical clearance ½". 60 key changes. Keyed alike or master-keyed, no extra charge. Individually packed, 6 to a display carton. Wt. doz. 6 lbs.

No. 500\$7.80 Doz. List



"CHAMP" Combination Padlock


No. 1500

95c Retail

CHAMPION of the Combination Padlock field. 1¾" strong double-wall case—wrought brass over heavy steel. Smooth-working 3-number brass locking mechanism. Extruded brass knob. Easily-read brass dial finished in black with white numerals. Double-acting locking lever. Shackle diameter ⅝", vertical clearance ½". Practically unlimited combinations. Individually packed, 6 to a display. Wt. doz. 5 lbs.


No. 150014.40 Doz. List

No. 450 HASP LOCK



Powerful modern hasp, heavy slide bolt, and 1¾" laminated steel padlock—all in one! Padlock permanently attached—cannot be lost, stolen, nor dropped in the mud or snow! Hasp of heavy steel, 4½", ribbed for max. strength. Powerful "pinless" hinge. Recessed, reinforced screw seatings. All screws "locked in" when hasp is closed. Cadmium rustproofed. 60 key changes. Keyed alike, no extra charge. Individually boxed complete with screws, 6 to a colorful display. Wt. doz. 11 lbs. 13 oz.

No. 450 Hasp lock\$18.00 Doz. List



No. 704 4½" SAFETY HASP

A powerful modern hasp, ribbed for maximum strength. Heavier gauge steel. Protected screw seatings. Husky flanged padlock eye. Rustproofed throughout. All screws "locked in" when hasp is closed. Individually boxed complete with screws, 12 to a colorful display. Wt. doz. 4½ lbs.

No. 704—Safety Hasp\$4.20 Doz. List

Applies to above material.

Keyed alike, add suffix KA to stock number.



1517

No. 1517
Strong double-wall combination bikelock, 1 7/8" wrought brass over heavy rust-proofed steel. RUBBER COATED, removable steel shackle: Maximum vertical clearance 4 3/4", diameter 9/32". Patented, double-acting brass locking lever. Simplified, perfected 3-dial mechanism. Practically unlimited combinations. Individually boxed, 6 to colorful display. Wt. doz., 7 1/2 lbs.
List Price 15.90 doz.



5517

No. 5517
Sturdy wrought steel 1 1/2" case. Wide self-locking Swivel type shackle: clearance 5 3/8" by 1 3/16", diameter 1/4". Master-perfected lever security. Furnished with 2 milled, nickel-plated keys, 12 key changes. A bikelock of convenient weight for cycle use. Cadmium rust-proofed throughout. Individually boxed, 12 to an attractive display. Weight dozen, 3 5/8 lbs.
List Price 4.68 doz.




6617

No. 6617
Heavy 1 11/16" embossed wrought steel case. Wide spring-tension steel swivel shackle, self-locking; vertical clearance 1 3/16", diameter 1/4". Improved lever security. Cadmium rust-proofed. 2 embossed, nickel-plated keys, 12 key changes. Individually boxed, 12 to a sales-compelling display. Weight dozen, 4 3/4 lbs.
List Price 5.88 doz.



7717

No. 7717
1 3/4" strikingly embossed wrought steel cast - strongly reinforced. Genuine brass cylinder, pin tumbler mechanism. Steel swivel shackle: vertical clearance 5 3/4", Maximum horizontal clearance 1 3/16", diameter 1/4". Rust-proofed throughout. Two beautifully coined nickel-silver keys. 750 key changes. Individually boxed, 6 to an attractive display. Wt. doz., 6 lbs
List Price 14.20 doz.



517


No. 517
Laminated steel 1 3/4" case - built like a bank vault door! 7" adjustable and removable strong steel shackle; diameter 9/32", vertical clearance 2 5/8" to 5 3/4". Modern brass lever security. Cadmium rustproofed throughout. Furnished with 2 corrugated, embossed steel keys, 60 key changes. Individually boxed 6 to an attractive sales display. Weight dozen, 9 1/8 lbs.
List Price 9.48 doz.



518

No. 518
Strong 1 3/4" laminated steel case - built like bank vault door! Wide RUBBER COATED steel shackle: maximum clearance - vertical 5 1/8" horizontal 1 1/8", diameter 9/32". New improved brass lever security. Cadmium rustproofed. 2 corrugated, embossed steel keys, 60 key changes. Individually boxed, 6 to a colorful merchandising display. Weight dozen, 9 1/4 lbs.
List Price 10.68 doz.

Applies to above material.
Keyed alike, add suffix KA to stock number.



PADLOCK CHAINS

With Collar and Chain Holder

9 Inch Length

Nos.	Fits Master Padlocks	For Shackles	List Price
70A	44,55,7,8,105	3/16" to 7/32" dia.	3.00 doz.
70B	3,4,22,77,66	1/4" dia.	3.00 doz.
70C	500,510	9/32" dia.	3.00 doz.
70D	1, 2	5/16" dia.	3.00 doz.
70E	5, 6	3/8" dia.	3.00 doz.

Master Padlocks may be had with steel chains attached, or chains may be purchased separately for attachment to any round-shackled padlock. Five different sizes to fit various shackle diameters. Brass collar, suitable for riveting around shackle. Special chain holder with threaded nails. Chain and attachment cadmium rust-proofed. One doz. to carton. Wt. doz., 1 lb.



BIKELOCK DISPLAY

YOU BUY only ONE DOZEN MASTER BIKELOCKS

3 each 5517 3 each 518
3 each 6617 3 each 1517

YOU GET attractive, permanent display at NO EXTRA CHARGE!!

Weight, padlock assortment and display 9 lbs. 2 oz.

List Price 15.36 doz.

no. 100

PADLOCK DISPLAY


You buy only 28 fast-selling Master numbers!

	Master No.		Master No.
2 each	44	2 each	1500
2 each	55	2 each	7
2 each	66	2 each	3
2 each	77	2 each	1
2 each	22	2 each	5
2 each	105	2 each	704
2 each	500	2 each	450

List Price 24.10 doz.

Applies to above material.

Keyed alike, add suffix KA to stock number.



Padlocks

CYLINDER

EXTRUDED BRASS, POLISHED CASE

Two Nickel Silver Keys. Practically Unlimited Changes.
Five Pin Tumblers, except #756 Series Which Have Six Pins

Each Padlock Individually Packaged

PACKING AND WEIGHTS

Numbers	752HS	753HS	754HS	756HS
In Box (doz.)	1/2	1/2	1/2	1/2
Wt. Per Box (lbs.)	2 1/4	4	5 1/4	5 1/4
In Case (doz.)	3	3	3	...
Wt. Per Case (lbs.)	15	27	33	...
List Price doz.	28.70	32.80	38.30	50.70

Master Keys Available


753HS with 2 1/2" Shackle
Can be furnished with 2 1/4"
Shackle - Order as 753HS x
2 1/2" Shackle



100 YEARS OF EXPER-
IENCE HAS PROVEN
THAT CUSTOMERS
NEVER CHANGE FROM

BARRETT QUALITY AND SERVICE ONCE
THEY KNOW IT.

Get acquainted with your BARRETT sales-
man. Learn the products he stocks that you
can use. Tell him the items you buy and
your supply problems. He can save you
headaches, money and deliver the goods.



No. 222 Padlock
Disc-Tumbler


Adjustable Ratchet Shackle

2 1/8 in. wide. Shackle clearance from 1 1/8 to 5 1/2 in. Die-cast case, red enamel finish. Five disc-tumblers. 200 changes. Two No. 9810 keys. Nickered steel shackle.

Packed: 1/2 doz. in a box.

Weight: Per doz., 6 lbs.

List Price 16.80 dozen



No. 515 Padlock
Combination

2 in. wide. Rustless metal case, baked aluminum finish. Dial and knob of die-cast metal. 10,000 different combinations. Cadmium plated steel shackle.

Packed: 1/2 doz. in a box.

Weight: Per doz., 5 1/2 lbs.

List Price 17.40 doz.




No. 249 Padlock
Warded

1 5/8 in. wide. Die-cast case, baked aluminum finish. 6 changes. Two No. 240 keys. Steel shackle, baked aluminum over cadmium; 1/4 in dia., 7/8 in. clearance.

Packed: Each in a box, 6 in a carton.

Weight: Per doz., 3 1/4 lbs.

List Price 6.60 doz.



No. 259 Padlock
Warded

1 5/8 in. wide. Die-cast case, baked aluminum finish. 6 changes. Two No. 240 keys. Steel shackle, baked aluminum over cadmium; 1/4 in dia., 7/8 in. clearance.

Packed: Each in a box, 6 in a carton.

Weight: Per doz., 3 lbs.

List Price 6.60 doz.



No. 602 Padlock
Disc-Tumbler

1 1/2 in. wide. Die-cast case, baked aluminum finish. Five disc-tumblers. 200 changes. Two No. 9278 keys. Steel shackle, baked aluminum over cadmium; 1/4 in. dia., 3/4 in. clearance.

Packed: Each in a box, 6 in a carton.

Weight: Per doz., 4 1/2 lbs.

List Price 11.40 doz.



No. 605 Padlock
Disc-Tumbler

1 3/4 in. wide. Die-cast case, baked aluminum finish. Five disc-tumblers. 200 changes. Two No. 9278 keys. Steel shackle, baked aluminum over cadmium; 1/8 in. dia., 1 1/8 in. clearance.

Packed: Each in a box 6 in, a carton.


Weight: Per doz., 6 lbs.

List Price 16.20 doz.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

160



No. 711PB Padlock
Disc-Tumbler

1 in. wide. Die-cast case, cream enamel finish. Five disc-tumblers. 200 changes. Two No. 24½ keys. Hardened steel shackle, baked aluminum over cadmium; ⅝ in. dia., ½ in. clearance. Packed: Each in a box, 6 in a carton. Weight: Per doz., 1½ lbs.

List Price 15.00 doz.



No. 713J Padlock
Disc-Tumbler

1½ in. wide. Die-cast case, red enamel finish. Five disc-tumblers. 200 changes. Can be master-keyed. Two No. 9278 keys. Hardened steel shackle, baked aluminum over cadmium; ¼ in. dia., ¾ in. clearance. Packed: Each in a box, 6 in a carton. Weight: Per doz., 4½ lbs.

List Price 15.60 doz.



No. 714J Padlock
Disc-Tumbler

1¾ in. wide. Die-cast case, red enamel finish. Five disc-tumblers. 200 changes. Can be master-keyed. Two No. 9278 keys. Hardened steel shackle, baked aluminum over cadmium; ⅝ in. dia., ⅞ in. clearance. Packed: Each in a box, 6 in a carton. Weight: Per doz., 6 lbs.

List Price 18.60 doz.



No. 773 Padlock
Pin-Tumbler

1½ in. wide. Solid brass case. Five pin-tumblers. Practically unlimited changes. Can be master-keyed. Two No. 13½ keys. Hardened steel shackle, baked aluminum over cadmium; ⅝ in. dia., ¾ in. clearance.

Packed: Each in a box, 6 in a carton. Weight: Per doz., 5 lbs.

List Price 28.80 doz.



No. 774 Padlock
Pin-Tumbler

1¾ in. wide. Solid brass case. Five pin-tumblers. Practically unlimited changes. Can be master-keyed. Two No. 8 keys. Hardened steel shackle, baked aluminum over cadmium; ⅝ in. dia., ⅞ in. clearance.

Packed: Each in a box, 6 in a carton. Weight: Per doz., 7 lbs.

List Price 33.00 doz.



No. 775 Padlock
Pin-Tumbler

2 in. wide. Solid brass case. Five pin-tumblers. Practically unlimited changes. Can be master-keyed. Two No. 8 keys. Hardened steel shackle, baked aluminum over cadmium; ¾ in. dia., ⅞ in. clearance.

Packed: Each in a box, 6 in a carton. Weight: Per doz., 9½ lbs.

List Price 38.30 doz.



No. 797 Padlock
Pin-Tumbler

1½ in. wide. Die-cast case, gray enamel finish. Five pin-tumblers. 1700 changes. Can be master-keyed. Two No. 33½ keys. Hardened steel shackle, baked aluminum over cadmium; ¼ in. dia., ⅞ in. clearance.

Packed: Each in a box, 6 in a carton. Weight: Per doz., 4½ lbs.

List Price 19.20 doz.



No. 798 Padlock
Pin-Tumbler

1¾ in. wide. Die-cast case, gray enamel finish. Five pin-tumblers. 7000 changes. Can be master-keyed. Two No. 8 keys. Hardened steel shackle, baked aluminum over cadmium; ⅝ in. dia., ⅞ in. clearance.

Packed: Each in a box, 6 in a carton. Weight: Per doz., 7 lbs.

List Price 22.20 doz.



No. 830 Padlock
Pin-Tumbler

1½ in. wide. Cast bronze case. Five pin-tumblers. Practically unlimited changes. Can be master-keyed. Two No. 13½ keys. Hardened steel shackle, chromium plated; ¼ in. dia., ⅞ in. clearance.

Packed: Each in a box, 6 in a carton. Weight: Per doz., 5 lbs.

List Price 45.50 doz.

No. 840 Padlock Pin-Tumbler

1 $\frac{3}{4}$ in. wide. Cast bronze case. Five pin-tumblers. Practically unlimited changes. Can be master-keyed. Two No. 8 keys. Hardened steel shackle, chromium plated; $\frac{1}{8}$ in. dia., $\frac{1}{8}$ in. clearance.

Packed: Each in a box, 6 in a carton.
Weight: Per doz., 8 $\frac{1}{4}$ lbs.

List Price 51.50 doz.



No. 850 Padlock Pin-Tumbler

2 in. wide. Cast bronze case. Five pin-tumblers. Practically unlimited changes. Can be master-keyed. Two No. 8 keys. Hardened steel shackle, chromium plated; $\frac{3}{8}$ in. dia., 1 in. clearance.

Packed: Each in a box, 6 in a carton.
Weight: Per doz., 10 lbs.

List Price 61.80 doz.



Get acquainted with your BARRETT salesman. Learn the products he stocks that you can use. Tell him the items you buy and your supply problems. He can save you headaches, money and deliver the goods.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

162



No. 659A

SIZE: 1½ inch
Shackle Diameter 3-16 inch
Shackle Clearance ⅝" x ⅝"



No. 620

SIZE: 1½ inch
Shackle Diameter 9-32 inch
Shackle Clearance ⅞" x ¾"

No. 659A Polished, 4 pin tumbler mechanism. Self locking, Brass Shackle.

No. 620

No. 621

No. 622

} Polished, 5 pin tumbler mechanism.

} Self locking, case hardened, rust proofed steel shackle.

List Price

21.84 doz.

24.48

29.04

35.28



No. 621

SIZE: 1¾ inch
Shackle Diameter 5-16 inch
Shackle Clearance ⅞" x ⅞"



No. 622

SIZE: 2 inches
Shackle Diameter ⅝ inch
Shackle Clearance 1" x 1"

Sash Pivots

Transom — Extra Large and Heavy
Suitable for windows or transoms pivoted at sides
or top and bottom

List Price 3.40 set

Will hold sash open at any angle.
Friction can be adjusted before applying for various weights of Sash.

**Friction Pivots for
1-2 Inch Rabbet**
Packed open as illustrated,
ready for applying.

Top part is for Sash
Bottom part is for Casing



For
Casing

For
Sash

PC73 & C. Cut shows half a set

Cast Iron
PRIME COAT (LIGHT GRAY)

Numbers	Size, Inches	For Sash, Inches
PC 73	1 3/4 x 4	1 3/4

PACKING AND WEIGHTS

Nos.	PC73
In Box (sets)	3
Wt. Per Box (lbs.)	6 1/2
In Case (sets)	12
Wt. Per Case (lbs.)	26



Wrought Letter Box Plates

Brass and Steel

Finish

Dull Brass Plated
Bright Zinc Plated
Dead Black

Nos. 9150

Size Outside Plate 3" x 10" Opening
1 1/2" x 7 1/2"—In-Swinging Flap

Packed with inside plates—1/2 dozen in a box with screws,
3 dozen in a case—weight 29 lbs.

NO. 9150-C
LIST PRICE
14.13 doz.

NO. 9150-DL
LIST PRICE
14.13

Letter Box Plates

Extra Large

Opening large enough for Magazines, etc.

Measurements


Outside Plate, 3 x 10 Inches
with Opening, 1 1/2 x 7 1/2 Inches
Inside Plate, 3 x 10 Inches

List Price

27.80 doz.
for either
B or OP
268TC



Outside Plate 268TC



Miniature of Inside Plate

No. 268TC — SUITABLE FINISHES - B,OP

STATE OF NEW YORK

IN SENATE

January 12, 1900

REPORT

OF THE

COMMISSIONER OF THE LAND OFFICE

IN RESPONSE TO A RESOLUTION PASSED BY THE SENATE

ON JANUARY 10, 1899

ALBANY:

THE STATE PRINTING OFFICE

1900



MENDING STRAPS

WROUGHT BRASS


Full Size—No. 417

BRASS

Made of .060 Metal

- No. 417** $\frac{1}{2}$ " x 2", per single gross.
 $\frac{1}{4}$ gross in a box, weigh $8\frac{1}{2}$ oz.
 Pierced for $\frac{5}{8}$ " x No. 4 Screws
- No. 418** $\frac{1}{2}$ " x 3", per single gross.
 $\frac{1}{4}$ gross in a box, weigh 13 oz.
 Pierced for $\frac{5}{8}$ " x No. 4 Screws

NUMBER	LIST PRICE
417	6.01 gross
418	8.11 "



CORNER PLATES

WROUGHT BRASS

Full Size—Made of .040 Metal

- No. 422** $\frac{3}{8}$ " x $1\frac{1}{8}$ ", per single gross.
 $\frac{1}{4}$ gross in a box, weigh 9 oz.
 Pierced for $\frac{1}{2}$ " x No. 3 Screws

NUMBER	LIST PRICE
422	9.55 gross

995 | steel — plain or bright zinc plated

for extra heavy mending plates, see 1985 on page K-9

mending plates



size, length (inches)	width (inches)	gauge of metal	quantity and size of wood screws	average net weight per gross (lbs.)	gross in a case	average case weight (lbs.)
2	$\frac{3}{4}$.072	2 — $\frac{3}{4}$ x 7	3	$8\frac{1}{2}$	28
$2\frac{1}{2}$	$\frac{3}{4}$.083	2 — $\frac{3}{4}$ x 7	5	$8\frac{1}{2}$	44
3	$\frac{3}{4}$.095	4 — $\frac{3}{4}$ x 7	$8\frac{3}{4}$	5	46
4	$\frac{7}{8}$.109	4 — $\frac{3}{4}$ x 8	14 $\frac{1}{4}$	4	61
5	1	.109	4 — $\frac{3}{4}$ x 8	21 $\frac{1}{4}$	$2\frac{1}{2}$	56
6	$1\frac{1}{4}$.120	4 — $\frac{3}{4}$ x 9	33 $\frac{1}{4}$	2	69

8" and smaller one-sixth gross; larger sizes one-twelfth gross; in a box without screws

furnished in plain steel (PS) or bright zinc plated (K) finishes


MENDING PLATES Without Screws

NUMBER	SIZE	LIST PRICE
995-K	2"	6.30 gross
"	$2\frac{1}{2}$ "	6.95 "
"	3"	8.10 "
"	4"	11.55 "
"	5"	14.90 "
"	6"	18.30 "

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

T-plates



T PLATES NO. 995½K

size (inches)	width (inches)	gauge of metal
2½ x 2½	½	.078
3 x 3	¾	.083
4 x 4	¾	.083
5 x 5	1	.083
6 x 6	1½	.123

5" x 5" and smaller one-sixth gross
6" x 6" one-twelfth gross; in a box without screws

Without Screws

NUMBER	SIZE	LIST PRICE
995½K	2½x2½	20.50 gross
"	3 x 3	23.80 "
"	4 x 4	32.70 "
"	5 x 5	54.20 "
"	6 x 6	86.75 "

PLEASE ORDER BY NUMBER

No. 1900 Plain
No. 1907 Mirrorbeck

GLASS PUSH PLATES

Flawless crystal glass with fine beveled edges. Eyelets permit firm fastening to a flat surface without danger of cracking the plate. Furnished in clear transparent or with mirror back. One standard size: 3"x12".

WEIGHT AND PACK

Packed 1 pair to carton, complete with nickel-plated screws and eyelets.

Weight per pair—1¼ lbs.

Weight per case (72 pair)—112 lbs.

NUMBER	SIZE	LIST PRICE
PLAIN -1900	3"x12"	40¢ each
MIRROR-1907	3"x12"	82¢ each



3"x12" Size

METAL

Push Plates

PACKING AND WEIGHTS

One in a box - Weight 1 lb.

NUMBER	LIST PRICE
OB-893-S	2.44 ea.
CM-893	2.85 "
OP-893	2.44 "
OP-893-MR	4.20 "
OE-893-DU	4.85 "
OGP-893-DU	4.85 "
L5N-893-DU	5.25 "
DCM-893-DU	5.65 "



893

Push Plate



893MR

15 x 3 1/2



893 DU



No. 893MR

Size; 15 x 3 1/2 Inches

Sash Pull Plates

1 x 2 Inches



Cast Bronze and Brass 1802

SUITABLE FINISHES-Group 1,3,5,CN,DCM


Weight 1 oz.

Conform to Fed. Spec. FFH-111A, Type 1266

List Price 8.15 dozen

HANGER PLATES

WROUGHT BRASS



Full Size—Made of .015 Metal

No. 700 Per single gross.

1 gross in a box, weigh 4 oz.

Pierced for 1/2" x No. 16 Escutcheon Pins

List Price .20 doz.

MIRROR FASTENERS

WROUGHT BRASS



Full Size

No. 705 1/2" x 15/16", per single gross.

3 dozen in a box, weigh 6 oz.

STOCK FINISH: Nickel and Chrome Plate on Brass.

List Price .75 doz.



PLATE HANGERS
MIRROR

NUMBER 706


List Price .58 doz.

MAKE BARRETT HARDWARE YOUR
HEADQUARTERS FOR ALL YOUR
HOUSEWARE NEEDS — IT'S THE
WISE, EXPEDIENT AND ECONOM-
ICAL WAY TO BUY.

1949-50 20498947 7139847

1949-50 20498947 7139847

DOOR PULLS
Cast Iron NO. X1241




No. X1241 1" x 4 $\frac{3}{8}$ ", per single dozen.
1 dozen in a box, weigh 3 lbs.

Finished in Polished Brass, Dull Brass, Old Copper, Nickel Plated, Chrome.

These pulls are used extensively for Desk Drawers, Filing Cabinets, Billiard Cue Cabinets, Store Fixtures.

List Price .96 each

PULLS
CAST BRASS



Full Size

Distance of Holes, Center to Center 3 $\frac{1}{4}$ "
Measurements are Post to Post, Center of Holes

No. 249 1 $\frac{3}{4}$ " x 5", per single dozen.
1 dozen in a box, weigh 3 lbs.

Pierced for $\frac{5}{8}$ " x No. 5 Screws

List Price 1.40 each

PULLS
WROUGHT BRASS



No. 254 $\frac{3}{8}$ " x 2", per single gross.


Full Size—Made of .068 Metal

$\frac{1}{4}$ gross in a box, weigh 10 oz.

Pierced for $\frac{1}{2}$ " x No. 3 Screws

List Price .14 each

Door Pulls



1536



1535


1535 packed with Wood Screws; 1536 are packed with Machine Screws to fasten from the back.

Cast Bronze and Brass
Cast Iron, PK Finish Only
No. 1535, 1536-SUITABLE FINISHES: B, OB, P, OP, O3P, LN, CM, DCM, PK
SPECIAL FINISHES - NLB, NLP, O3P

Can be furnished in less than full case quantities (but not less than full box quantities) for contract orders only.

NUMBER	LIST PRICE	PACKING, WEIGHTS AND DIMENSIONS		
		Numbers	1535	1536
OB-1536	4.50 each	In Box	2	2
OP-1536	4.50 each	Wt. Per Box (lbs.)	2 $\frac{1}{2}$	13 $\frac{1}{4}$
CM-1536	5.40 each	In Case	12	6
DCM-1536	5.40 each	Wt. Per Case (lbs.)	14	8
PK-1536	4.50 each	Length over all (ins.)	7 $\frac{1}{2}$	7 $\frac{1}{2}$
OB-1535	4.50 each	Center to Center		
OP-1535	4.50 each	of Bases (ins.)	5 $\frac{1}{2}$	5 $\frac{1}{2}$
CM-1535	5.40 each	Width of Bases (ins.)	2	2
DCM-1535	5.40 each			
PK-1535	4.50 each			

Door Pulls on Plates



Solid Wrought Bronze and
Brass Plates

Cast Bronze and Brass

Grips 636

7 1/4" Overall, 6" C to C

Size of Plate,

15 x 3 1/2 Inches

No. 1893

REGULAR FINISHES-Group 1, 3, 5, CM, DCM

Packed with Six Wood Screws for Plate and
Two Machine Screws and Nuts to fasten Grip
to the Plate and through the Door.

PACKING AND WEIGHTS


Two in a box - Weight 4 lbs.

1893

Conform to Fed. Spec. FF-106A, Type 455.

NUMBER	LIST PRICE
OB1893	7.20 each
OP1893	7.20 each

MR - Madison Design



COLD FORGED BRONZE (.048 Ga.)

DOOR PULLS

NO. 1893 MR

Finishes - OB - OP - CM

SPECIFICATIONS

SIZE: 15 x 3 1/2

Door Pull (Grip 636) Forged
Cast Bronze

PACKING AND WEIGHTS

One in a box - Weight 2 lbs.

NUMBER	LIST PRICE
OB 1893 MR	8.40 each
OP 1893 MR	8.40 each
CM 1893 MR	9.60 each

No. 1893MR



Door Pull
1893DU

DU—Durex Design Door Pulls on Plates

Wrought Bronze and Brass
Plates

Bronze Grips 633

5 5/8" Overall, 5 1/4" C to C

Size of Plate,

15 x 3 Inches

No. 1893DU

REGULAR FINISHES-B, OE, O6P, L5N, CM

PACKING AND WEIGHTS

Nos.	1893DU
In Box	2
Weight, Box (lbs.)	4

One in a box - Weight 2 lbs.

1893DU 15 x 3 Door Pulls, Grip 633

OGP1893DU 8.45 each

L5N1893DU 9.20 each

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

171

steel — japanned, dead black or plated finishes

482

brass — finely finished

482¼

DOOR PULLS

made of wrought steel or brass

size	overall size (inches)	length of grip (inches)	quantity and size of wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
					482	
no. 1	5 x 1¼	3¾	4 — ¾ x 7	1½	6	10
no. 2	5¾ x 1½	4	4 — ¾ x 8	2	6	13
no. 3	6½ x 1¾	4½	4 — 1 x 9	3	6	19
no. 4	7⅞ x 2¼	5⅝	4 — 1¼ x 12	6¼	6	38

nos. 1, 2 and 3 one dozen, no. 4 one-half dozen; in a box with screws

482 furnished in japanned (J), dead black (J1) or plated finishes

482¼ in plated finishes

NUMBER

LIST PRICE

482J-1

2.54 doz.

482J-2

2.84 doz.

482J-3


3.10 doz.

482J-4

10.00 doz.

482¼C-2

8.50 doz.



**Small Crescent
Drawer Pull**

Antique Copper

NUMBER LIST PRICE

4-26-1 .90 dozen



**Large Crescent
Drawer Pull**

4 00 2 SERIES

Antique Copper

NUMBER LIST PRICE


4-26-2 .90 dozen

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

172

DOOR PULL



1265 | steel — japanned or dead black finish

uses for doors of garages and industrial buildings

construction made of wrought steel • handle is well formed and liberal in size

pulls with a dead black finish are first bonderized • bonderizing forms a strong bond between the metal and final finish — specify J1 • with a rust-resisting base — specify KJ1

for thumb latch set to match, see page I-6

overall size (inches)	length of grip (inches)	quantity and size of wood screws	average net weight per dozen (lbs.)
10 3/4 x 2 1/2	5	6 — 1 1/2 x 12	11


one-half dozen in a box with screws

furnished in japanned (J) or dead black (J1) or (KJ1) finishes

NO. 1265-J

List Price 16.20 doz.

DOOR PULL



Dull Brass, for Plain
Surfaces. Zinc Plated

479-K ZINC PLATED

479-F DULL BRASS, FOR
PLAIN SURFACES

size of RH wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
3/4 x 8	6	6	39

Screen Door

479-K 1.10 doz.

479-F 1.10 doz.


BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

173

AWNING PULLEYS

All awning pulleys - both single & double in sizes $\frac{5}{8}$ " to 1" inclusive furnished with solid turned steel wheel.



W74 - Cadmium Plated						
Inch	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
For Rope (in.)	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{7}{16}$	$\frac{5}{8}$
In Box (doz.)	1	1	1	1	$\frac{1}{2}$	$\frac{1}{2}$
Wt. Box (lbs.)	$1\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{3}{4}$	$5\frac{1}{4}$	5	$9\frac{1}{4}$
In Case (doz.)	12	12	12	6	3	2
Wt. Case (lbs.)	20	29	35	33	34	39
LIST PRICE						
PER DOZEN	2.50	3.10	3.50	4.60	9.00	15.10

Double Wheel W76 - Cadmium Plated				
Inch	$\frac{3}{4}$	1	$1\frac{1}{2}$	2
For Rope (in.)	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{7}{16}$
In Box (doz.)	1	1	1	$\frac{1}{2}$
Wt. Box (lbs.)	3	4	$7\frac{1}{4}$	$8\frac{5}{8}$
In Case (doz.)	8	6	4	2
Wt. Case (lbs.)	24	25	39	42
LIST PRICE				
PER DOZEN	3.30	4.90	7.30	14.30

W73 - Cadmium Plated					
Inch	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
For Rope (in.)	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{5}{16}$
In Box (doz.)	1	1	1	1	$\frac{1}{2}$
Wt. Box (lbs.)	$1\frac{1}{2}$	$2\frac{3}{8}$	3	4	$4\frac{3}{4}$
In Case (doz.)	12	12	12	6	3
Wt. Case (lbs.)	19	28	37	33	35
LIST PRICE					
PER DOZEN	3.10	3.70	4.10	5.80	12.50


W78 - Cadmium Plated, Swivel Eye, Double Wheel				
Inch	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
For Rope (in.)	$\frac{3}{16}$	$\frac{3}{16}$	$\frac{3}{16}$	$\frac{1}{4}$
In Box (doz.)		1	1	3
Wt. Box (lbs.)	$1\frac{3}{4}$	$2\frac{5}{8}$		6
In Case (doz.)		8	8	19
Wt. Case (lbs.)		15	21	

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

174

Hot House Pulleys




Cast Iron
Without Screws
No. W85 - Cadmium Plated
Inch For Rope 2 2 1/2
5-16 3-8 Inch

PACKING AND WEIGHTS

Inch	2	2 1/2
In Box (doz.)	1/2	1/2
Wt. Per Box (lbs.)	3 1/4	7 1/2
In Case (doz.)	4	2
Wt. Per Case (lbs.)	38	32


Ceiling Pulleys



Cast Iron
Without Screws
Inch For Rope (Inch) 2 5/16
No. W95 - Cadmium Plated
One dozen in a box - Weight 8 lbs.
In case, 4 dozen - Weight 33 lbs.

BJ 95 Ceiling Pulleys

No. 95 - Japanned
Inch For Rope (Inch) 1 3/4 2 2 1/2
Weight, box (lbs.) 5-16 5-16 3-8
5 3/4 8 5 1/2
1 3/4 and 2 Inch, one dozen in a box;
2 1/2 Inch, half dozen.



Without Screws

NUMBER	SIZE	LIST PRICE
Galv. W-95	2"	7.90 "
Jap'd BJ-95	2"	6.85 "
Jap'd BJ-85	2"	8.90 "
Galv. W85 or Z85	2"	10.20 "
"85 or Z85	2 1/2"	16.50 "
0174	3/4"	2.15 "
"	1"	2.65 "

SIMPLIFY YOUR ELECTRICAL BUYING!


RELY ON BARRETT FOR ALL YOUR ELECTRICAL NEEDS. ONE ORDER, ONE SHIPMENT, ONE INVOICE, ONE PAYMENT—MAKES BUYING FROM BARRETT EASY AND ECONOMICAL.

heavy-duty jam-proof sash pulleys


7001

steel — mahogany, bright electro-galvanized or
bright bronze plated over copper base

journal bearing


steel
bushing

bronze
sleeve

steel
axle


2 1/2" wheel

uses for windows of office buildings, schools, hospitals, apartment houses, etc

construction made of heavy gauge wrought bronze or steel

ruggedly constructed for heavy duty, insuring great rigidity and long life • journal bearing consists of an extra heavy steel bushing, axle and a bronze sleeve which gives a bearing surface of steel against bronze throughout resulting in smooth, quiet operation

enclosed construction keeps out the cold, dust and dirt and avoids the necessity of special housings to prevent drafts • reinforced housing is so formed that the sash cord or chain cannot slip off the wheel or become jammed

the wheel, which will withstand strains up to 1500 pounds, is fully enclosed, leaving no unsightly pulley openings • the combination wheel groove is designed for either sash cord or chain • sash cord is easily pushed through the pulley without the use of a mouse • a steel mouse tape is furnished for use with chain • will take sash cord up to and including no. 10; chain up to and including type A or no. 50


installed with
sash cord

installed with
sash chain

face plate (inches)	gauge of metal (face plate)	diameter of axle (inches)	for thickness of frame stile (inches)	size of wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
1 1/4 x 5 3/4	.095	5/16	1 1/16 or 1 1/8	3/8 x 10	6 1/2	10	67

one dozen in a box with screws

List Price 6.90 dozen

sash pulleys

steel — mahogany or bright electro-
galvanized

7003

on face



2" wheel

uses for windows of residences and apartment houses

construction made of wrought steel • wheel hub is steel bushed and wheel halves are securely riveted together

the combination wheel groove is designed for sash cord up to and including no. 8, or the light weight pulley chain, but not the larger sizes of flat link chain

axle is spun, insuring a smooth, straight axle and quiet, free-running wheel

made to fit standard 1" x 4 1/2" face plate mortise

mahogany finish furnished unless otherwise specified

face plate (inches)	gauge of metal (face plate)	diameter of axle (inches)	for thickness of frame stile (inches)	size of wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
1 x 4 1/2	.050	5/16	3/4 or 7/8	3/8 x 8	2 1/4	50	125

bulk without screws


List Price 1.72 dozen

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

176

heavy-duty sash pulleys



uses for windows of office buildings, schools, hospitals, apartment houses, etc

construction made of wrought steel for heavy duty work • the heavy steel bushing with 3/8" bronze axle gives quiet, dependable operation • the housings are so formed that the sash cord or chain cannot slip off the wheel or become jammed

7008-7008 1/2 have enclosed face plates which keep out the cold, dust and dirt and avoids the necessity of special housings to prevent drafts


the combination wheel groove is designed for either sash cord or chain and will withstand strains up to 750 pounds

• sash cord is easily pushed through the pulley without the use of a mouse • a steel mouse tape is furnished for use with chain • will take sash cord up to and including no. 10; chain up to and including type A or no. 50

face plate (inches)	gauge of metal (face plate)		diameter of axle (inches)	for thickness of frame stile (inches)	size of wood screws	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
	7004- 7004 1/2	7008- 7008 1/2						
1 1/8 x 5	.072	.105	3/8	3/4, 1 1/16 or 1 1/8	7/8 x 10	4	10	42

one dozen in a box with screws **List Price 3.56 dozen**

SASH PULLEYS



uses for windows of residences and apartment houses

construction made of wrought steel • the saw-tooth construction holds pulley securely in the frame • face plate need not be mortised into frame

the combination wheel groove is designed for sash cord up to and including no. 8, or the light weight pulley chain, but not the larger sizes of flat link chain

mahogany finish furnished unless otherwise specified

NO. 7006

number	face plate (inches)	for thickness of frame stile (inches)	mortise (inches)	average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)
7006	1 1/16 x 2 13/16	3/4 or 7/8	2 1/2 x 1	1 1/2	50	84

List Price 1.60 dozen




Side Pulleys

Single Wheel

	SIZE	LIST PRICE
NO. W-25	1"	4.70 per doz.
	1½"	5.50 " "
	2"	6.90 " "
	2½"	11.80 " "
	3"	18.20 " "

Inch	1 1/2	2
For Rope (in.)	1/4	3/8
Length of Screw	1 5/16	1 1/2
In Box (doz.)	1	1
Wt. Box (lbs.)	1 1/2	2 1/2
In Case (doz.)	12	6
Wt. Case (lbs.)	19	16

Screw Pulleys



NO. W-45 GALV.	SIZE	LIST PRICE
	1½"	3.50 per doz.
	2"	4.90 " "

Inch	1	1 1/2	2	2 1/2	3
For Rope (in.)	1/4	1/4	5/16	3/8	7/16
In Box (doz.)	1	1	1	1	1 1/2
Wt. Box (lbs.)	2 1/8	2 3/4	4 3/4	11	7
In Case (doz.)	8	8	8	3	2
Wt. Case (lbs.)	20	23	40	37	29

Phone 4341
Joliet, Illinois



100 YEARS OF EXPERIENCE HAS
PROVEN THAT THE CUSTOMERS
NEVER CHANGE FROM BARRETT
HARDWARE QUALITY AND SERVICE
ONCE THEY KNOW IT.

1917 FEB 27 11 11 AM

U.S. DEPT. OF AGRICULTURE

OFFICE OF THE SECRETARY

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

179

TRAP DOOR RINGS NO. 1215-J

1215

steel — japanned, bright zinc plated
or galvanized finishes

trap door ring



sets flush with the floor, eliminating the danger of tripping


size	plate (inches)	diameter of ring (inches)		depth overall (inches)	gauge of metal	wire (inches)	size of wood screws	average net weight per dozen (lbs.)	dozen in c case	average case weight (lbs.)
		outside	inside							
no. 1	3 x 3½	2¼	1½	½	.072	5/16	1 x 9	5½	12	68
no. 2	3½ x 3¾	2¼	1½	1 9/32	.083	¾	1 x 10	7½	6	47
no. 3	3¾ x 4¼	2¾	1¾	1 9/32	.095	2 5/64	1 x 10	10	6	62

no. 1 and no. 2 one-half dozen;
no. 3 one-quarter dozen; in a box with screws

furnished in japanned (J) bright zinc (K) plated or
galvanized (R) finishes

NUMBER	LIST PRICE
1215J - 1	12.20 dozen
1215J - 2	13.70 "
1215J - 3	16.25 "

CAST BRASS



Full Size

No. 310 1½" x 1½", per single dozen.
Pierced for ½" x No. 3 Screws
1 dozen in a box, weigh 9 oz.

DEE RINGS




Full Size

STEEL

No. 210 Dee Rings, per single gross.
STOCK FINISHES: Brass Plate and Nickel Plate.
Packed ½ gross in a box.

FLUSH RING

WROUGHT BRASS



Full Size

No. 0347 Per single dozen. STEEL
3 dozen in a box.

RINGS

NUMBER	TYPE	FINISH	LIST PRICE
310	FLUSH	BP	9.56 doz.
210	DEE	BP	7.61 gross
0347	FLUSH	BP	2.91 doz.

No. 53




Stay Rollers

•No. 53 "Handy" Barn Door Stay Roller

For inside or outside doors, 1-1/2" to 2-1/2" thick. Adjustable and reversible. Wheels, gray iron, 2" diameter. Steel frame, 4" long, 1-1/2" high, 3-5/8" wide. Finish, gray enamel. Packed in bulk. Weight, per hundred, 80 lbs.

List Price 60¢ each



•No. 55 Lag Screw Barn Door Stay Roller For Inside Doors Only

Wheels, gray iron, 2" diameter. Lag screw, 7/16" diameter, extends 5-3/4" below wheel. Finish, gray enamel. Packed in bulk. Weight, per hundred, 50 lbs.

List Price 55¢ each




No. 55


•No. 57 Lag Screw Barn Door Stay Roller For Outside Doors Only

Wheels, gray iron, 2" diameter. Lag screw, 7/16" diameter. Finish, gray enamel. Packed in bulk. Weight, per hundred, 60 lbs.

List Price 60¢ each



No. 57



No. 754 GIANT ADJUSTABLE

STAY ROLLER
FOR CONCRETE
FLOOR OR DRIVE

LIST PRICE 1.62 ea.

Same 3 1/2 inch wheel 7/8 inches thick and heavy malleable frame as used with the No. 1531 Giant Stay Roller as shown above. Bottom loop firmly embedded in cement.






Finished in black enamel. Packed loose. Weight each, 3 lbs.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

181

ASPHALT SHINGLES

Colors	Description	Type
Jade Green Tile Red Black Red Blend Slate Blend Pearl Blend Brown Blend	LATITE SHINGLES Length: 16" Width: 16" Shingles Per Square: 85 GIANT WEIGHT165 lbs. List Price 6.95 sq. Bundles Per Square: 2 STANDARD WEIGHT130 lbs. 5.76 UNDERWRITER'S CLASS "C" LABEL	
Jade Green Tile Red Black Green Blend Red Blend Blue Blend Slate Blend Brown Blend	HEXAGONAL SHINGLES Length: 36" Width: 11-1/3" Shingles Per Square: 86 Bundles Per Square: 2 Weight Per Square: 168# List Price 6.89 sq. UNDERWRITER'S CLASS "C" LABEL	
Jade Green Natural Green Clover Green Tile Red Natural Red Black Navy Blue Gray Surf Blend Mist Blend	Peacock Blend Pearl Blend Spring Blend Gulf Blend Green Blend Red Blend Blue Blend Slate Blend Brown Blend Gray Blend 12" STANDARD STRIP—3-TAB SHINGLES WITH CLIPS Length: 36" Width: 12" Shingles Per Square: 80 Bundles Per Square: 3 Weight Per Square: 210# List Price 8.61 sq. Clips Per Square: 240 UNDERWRITER'S CLASS "C" LABEL	
Jade Green Natural Green Clover Green Tile Red Natural Red Black Navy Blue Gray	Peacock Blend Pearl Blend Spring Blend Gulf Blend Green Blend Red Blend Blue Blend Slate Blend Brown Blend Gray Blend STANDARD INDIVIDUAL SHINGLES Length: 12" Width: 9" Shingles Per Square: 380 Bundles Per Square: 4 Weight Per Square: 253# List Price 10.42 sq. UNDERWRITER'S CLASS "C" LABEL	
Jade Green Tile Red Black Green Blend Red Blend Blue Blend Slate Blend Brown Blend	GIANT DUTCH-LAP SHINGLES Length: 16" Width: 12" Shingles Per Square: 112 Bundles Per Square: 2 List Price 6.89 sq. Staples Furnished Weight Per Square: 165# Unless Specified Otherwise. UNDERWRITER'S CLASS "C" LABEL	

ALL WEIGHTS ARE APPROXIMATE

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

182

RIDGE & VALLEY ROLLS		
Jade Green	Peacock Tone	List Price
Natural Green	Pearl Tone	
Clover Green	Spring Tone	RIDGE ROLLS
Tile Red	Gulf Tone	
Natural Red	Green Tone	9"x36'—22 lbs.—No Fixtures 1.00 rl
Black	Red Tone	VALLEY ROLLS
Navy Blue	Blue Tone	
Gray	Slate Tone	18"x36'—44 lbs.—No Fixtures 1.90 rl.
Aluminum	Brown Tone	
	Gray Tone	



RIDGE



VALLEY

**19' Selvedge
Slate Roll..**



CONSTRUCTION ROOFING AND FELTS

19" SELVEDGE SLATE ROLL ROOFING			No Fixtures
For Cold Application, See Cement No. 38-S	Jade Green	19" Lap, 17" Slate Surface	List Price 2.93 rl.
	Tile Red	108 Sq. Feet, 36" x 36'	
	Black	One Roll lays 1/2 square	UNDERWRITERS LABEL
	Aluminum	Weight: 55 lbs.	



ASPHALT SATURATED FELT

15 Lbs.—432 Square Feet Per Roll—36"	60 lbs.
30 Lbs.—216 Square Feet Per Roll—36"	60 lbs.

UNDERWRITERS LABEL

List Price 3.83 rl



SMOOTH SURFACE ROOFING

List Price

36" Wide x 36' Long	Weight 45 lbs.	2.32 rl.
108 Square Feet to Roll	55 lbs.	2.93 rl.
Galvanized Nails and Cement Included	65 lbs.	3.32 rl.

CLASS "C" UNDERWRITERS ON 55—65# ONLY

SLATE SURFACE ROLL ROOFING

Jade Green	Peacock Tone
Natural Green	Pearl Tone
Clover Green	Spring Tone
Tile Red	Gulf Tone
Natural Red	Green Tone
Black	Red Tone
Navy Blue	Blue Tone
Gray	Slate Tone
Aluminum	Brown Tone
	Gray Tone

36" Wide 36' Long
108 Square Feet per Roll
Weight—90 lbs.

Galvanized Nails and Cement Included

UNDERWRITER'S CLASS "C" LABEL
SLATE ROLL ROOFING—2" LAP

List Price 3.90 rl



COLD APPLICATION CEMENT (No. 38-S) Approx. Wt.

A liquid asphalt bodied with asbestos fibre, developed especially for bonding together the layers of Cold Application Built-Up Roofs, having a tendency to set slow, allowing the roofing material to expand and contract, and to flatten out naturally without breaking the bond between the layers eliminating buckles from that cause.

To be used in the application of Cold Built-Up Roofs with Invin-
cible 19" Seldedge Slate Roll Roofing or Invincible Super Smooth
Roll Roofing, applied by squeegee. **DO NOT THIN**

55-Gallon Drums	550
5-Gallon Pails	52
1-Gallon Cans (6 per carton)	63



B-U RESURFACER (No. 68)

Contains asphalt, asbestos fibre and petroleum spirits.

A specially prepared and exceptionally flexible cold-application roof coating, containing asbestos fibre, for revivifying old asphalt roofs—smooth surfaced, built-up, mineral surfaced, gravel or slag, and for protecting metal roof surfaces.

Clean surface of all dust, dirt, loose or blistered paint, mineral surfacing or other foreign matter. The edges of all breaks or cuts in the old roofing should be securely fastened to the deck and properly repaired with ready roofing.

Apply with a rubber squeegee or roofer's brush at the rate of not less than 1½ gallons per 100 sq. ft. over smooth surface roofs and heavier for rough or badly weathered surfaces.

Do not attempt to spread too thin a coating, because Resurfacer will then be absorbed by the old roofing.

During cold weather, if Resurfacer appears too thick, keep in warm room before using.

Keep container tightly closed when not in use. **DO NOT THIN**

55-Gallon Drums	500
5-Gallon Pails	45
1-Gallon Cans (6 per carton)	54



ROOF COATING (No. C-35)

Contains asphalt and petroleum spirits.

An asphalt roof coating used to prolong the life of prepared roofings and to seal small openings at laps.

One application is usually sufficient, but when the old roofing has become dry and hard or the first coat becomes absorbed, a second coat should be applied.

Clean surface of all loose dirt, rust or loose and blistered paint.

Apply with a rubber squeegee or roofer's brush.

During cold weather, if coating appears too thick, keep in warm room before using.

One gallon will cover approximately 100 square feet, dependent upon character and condition of surface.

Keep container tightly closed when not in use. **DO NOT THIN**

55-Gallon Drums	480
5-Gallon Pails	43
1-Gallon Cans (6 per carton)	53



PLASTIC CEMENT (No. 33)

For patching roofs, cementing seams, stopping roof leaks, etc. An elastic, full bodied plastic of troweling consistency—ready for use.

Applicable to felt or metal roofings, concrete or brick-work. Can be applied to either dry or wet surfaces without sliding. If surfaces are wet, work Plastic Cement in well till it catches hold.

Numerous uses will suggest themselves where any leaky condition prevails.

Apply to any surface, using a trowel, to an average thickness of 1/8". When applied that thick, 80 pounds will cover 100 square feet.

During cold weather, if the plastic cement appears too thick, keep in warm room before using.

Keep container well covered when not in use. **DO NOT THIN**

600 Lb. Drums	600
50 Lb. Pails	50
10 Lb. Cans (6 per carton)	64
5 Lb. Cans (12 per carton)	64
2½ Lb. Cans (24 per carton)	63
1 Lb. Cans (48 per carton)	52



ASPHALT FIBRE COATING (No. 39)

Approx. Wt.

Contains asphalt, asbestos and petroleum spirits.

An asphalt roof coating containing asbestos fibre which permits application of a heavier film than ordinary roof coating. Therefore, one application usually serves to waterproof surfaces of all types of old composition asphalt roofing, and seal openings at laps.

Clean surface of all loose dirt, rust or loose and blistered paint.

Apply with a rubber squeegee or roofer's brush.

Do not attempt to spread too thin a coating.

During cold weather, if the coating appears too thick, keep in warm room before using.

One gallon will cover approximately 100 square feet, dependent upon character and condition of surface.

Keep container tightly closed when not in use. **DO NOT THIN**

55-Gallon Drums	490
5-Gallon Pails	46
1-Gallon Cans (6 per carton)	55

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

185

SCREEN-O-MATIC
WINDOW ASSORTMENT
Stock Number 1
Packed with
Demonstrator

Catalog Number 1

Assortment Consists of:

		List Price
6 only	24"	4.95 ea.
2 only	26"	5.25
16 only	28"	5.45
8 only	30"	5.75
8 only	32"	6.05
2 only	34"	6.35
4 only	36"	6.65
2 only	40"	7.15


SCREEN-O-MATIC
WINDOW ASSORTMENT
Stock Number 4
Packed with Demonstrator

Number 4 Assortment
Consists of following:

2 only	24"	4.95 ea.
4 only	28"	5.45 ea.
3 only	30"	5.75 ea.
3 only	32"	6.05 ea.

Screen-o-matic
The DISAPPEARING, SELF-STORING WINDOW SCREEN

SCREEN AUTOMATICALLY
RAISES AND LOWERS
WITH LOWER SASH



- PERMANENT
- RUSTPROOF
- SELF-STORING
- NO MAINTENANCE
- MORE LIGHT
- EASIER WINDOW WASHING
- LOWER COST
- ANYONE CAN INSTALL, comes complete in small compact carton 2" x 2½" x length.



Phone 4341 Joliet, Illinois

100 YEARS OF EXPERIENCE HAS PROVEN THAT CUSTOMERS NEVER CHANGE FROM BARRETT QUALITY AND SERVICE ONCE THEY KNOW IT.

YNA9803 375W2278 073032 101

2000 10 10 10 10 10 10 10 10 10 10

HOUSEHOLD HARDWARE

HAND RAIL SCREWS



NO. 551 STYLE

One end lag thread
Other end machine thread,
with washer and cog nut
Plain finish

NUMBER	MACHINE THREAD	OVERALL	PACK GROSS	LBS. GROSS	LIST PRICE
551	5/16--18	4½"	¼	14	13.02 gross

10x24 Thread



Side Knob Screws

Numbers

3 — Steel, Blued

OB3 — Steel, Dull Brass Plated

One gross in a box.

LIST PRICE 1.90 gross



Grub Screws


Munson Safety Thread Grub Screw

For Use on All Model F and D Knobs
and Model G Knobs and Lever Handles.

Made of Cold Drawn Tobin Bronze.

NO. OB-225


LIST PRICE 5.90 gross



SCREWS

STOP BEAD with Washers

TYPE	SIZE	LIST
BRASS	1½ x 8	2.60 gr.
NICKEL PLATED	" "	2.60 "
"	" 10	2.94 "
BRASS	" "	2.94 "



STOP BEAD WASHERS (only)


TYPE	NUMBER	LIST
ZINC	6	.74 gr.
BRASS	6	.74 "
"	8	.80 "
ZINC	8	.80 "
BRASS	10	.94 "
ZINC	10	.94 "

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

188

cellar window sets



1762

STEEL - JAPANNED OR BRIGHT
ZINC PLATED

Set consists of:

One pair hinges 2" x 1 9/16"

One Cam Action fastener 2 1/2"

One hook and eye 2 1/2"

CELLAR WINDOW SETS
NUMBER LIST PRICE
1762-K 9.80 doz.
1762-J 8.25 "

NUMBER	SIZE OF WOOD SCREWS				AVERAGE NET WEIGHT DOZEN SETS		AVERAGE CASE WEIGHT (LBS.)
	HINGES	BOLTS	BUTTONS	FASTENERS	PER DOZEN SET (LBS.)	IN A CASE	
1762	3/4x6	3/4x7	4 1/4	10	44

One dozen sets in a box with screws


Furnished in Japanned (J) or
Bright Zinc Plated (K) Finishes



Phone 4341 Joliet, Illinois

100 YEARS OF EXPER-
IENCE HAS PROVEN
THAT CUSTOMERS
NEVER CHANGE FROM
BARRETT QUALITY AND SERVICE ONCE
THEY KNOW IT.

Get acquainted with your BARRETT sales-
man. Learn the products he stocks that you
can use. Tell him the items you buy and
your supply problems. He can save you
headaches, money and deliver the goods.



floating

"swing-up"
hardware
2731½

2731½ *Economatic*

light weight

specifications

size width 8'
height 6' 6" to 7'
maximum door weight 150 lbs

operation fully automatic due to a patented spring suspension
• a turn of the handles and the door opens automatically

headroom only 1½"

sideroom 2½" on each side

depth to rear 6' 8"

GARAGE SET NO. 2731½
150# DOOR-SWING-UP
ECONOMATIC
LIST PRICE 35.00 set
Less Door

jamb brackets
located on side jamps • made of heavy wrought steel • a series of holes permit adjustment for various heights of doors, up to 150 pounds • brass bushings are used to reduce friction and give long wear

springs
door operated by heavy, heat-treated and oil-tempered coil springs one on each side of the door • the angle lifting arms, actuated by the coil springs, propel the door upward • fitted with adjusting bolts at the bottom for proper balancing of the door

track
wrought steel no. 13 gauge, designed to prevent the wheels from jumping out • furnished in two sections with the back half bolting into a joint plate that is welded to the front half • securely lagged to wood bucks at front and suspended by strap hangers and braces at the rear • steel bumpers are included

hardware
top and bottom angle door braces, used to combine door sections, insure against warpage • locking device 1004½ furnished complete with brass ball-bearing cylinder with two keys, securely locks the door at both sides from the center • cylinder can be masterkeyed or keyed alike to other cylinders of same make • locking device, latches and automatic feature are zinc plated • remainder of hardware superior black japan

ball bearing rollers
specially designed ball-bearing wheels are attached to roller brackets which are corrugated for added strength • the wheels are screw-machine made, hardened and have twelve 3/16" grade "A" carbon steel balls

packing
one complete set in a carton, with instructions for installing • carton is 43" long, weighing 71 lbs

specifications

sizes

width up to 8' with angle door braces
up to 16' with adjustable door braces

height furnished in two sizes
6' 6" to 7' and 7' to 8'

maximum door weight 250 lbs
specify door width, height and weight when ordering

headroom only 2"

sideroom 3" on each side

depth to rear 7' 10" for doors 7' to 8' high
6' 10" for doors 6' 6" to 7' high

jamb brackets located on side jamps • made of heavy wrought steel • a series of holes permit adjustments for various weights of doors up to 250 lbs • ball-bearings are used to reduce friction and give long wear

springs door operated by heavy, heat-treated and oil-tempered coil springs, one on each side of door • the angle lifting arms, actuated by the coil springs propel the door upward • fitted with adjusting bolts at bottom for proper balancing of door

track wrought steel no. 13 gauge, designed to prevent the wheels from jumping out • securely lagged to wood bucks at front and suspended by strap hangers and braces at the rear • steel bumpers are included

hardware angle braces are furnished on doors up to 8' wide • for doors up to 16' wide adjustable door braces are furnished • locking device 1004½, furnished complete with brass ball bearing cylinder with two keys, securely locks the door at both sides from the center • cylinder can be masterkeyed or keyed alike to other cylinders of same make • locking device, latches, and spring spindle are zinc plated • remainder of hardware superior black japan



ball bearing rollers specially designed ball-bearing wheels attached to reinforced roller brackets • wheels are screw-machine made, hardened and have fourteen 3/16" grade "A" carbon steel balls

packing one bundle and one carton with instructions for installing • shipping weights:

6' 6" to 7' high	with angle braces	107 lbs
6' 6" " 7' "	" adjustable "	109 "
7' " 8' "	" angle "	116 "
7' " 8' "	" adjustable "	116 "

floating

2732
"swing-up"
hardware
medium weight




GARAGE SET NO. 2732
250# DOOR-SWING-UP
LIST PRICE 53.20 set
Less Door

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

190

details



floating

"swing-up"
hardware
2733

2733 super *Economatic*

heavy weight

GARAGE SETS NO. 2733
375# SWING-UP DOOR
HARDWARE FOR 8' HIGH
X 16' WIDE DOOR
LIST PRICE -- 66.00 set
Less Door

sizes specifications

width up to 16'
height 7' to 8'
maximum door weight 375 pounds

headroom only 2 1/4"

sideroom 3' on each side

operation

fully automatic due to patented spring suspension • a turn of the handle and the door opens automatically • action of door is controlled by two micro-adjusting screws • one screw assures easy floating action in opening, the other regulates the ease in closing door and also the force with which door hits bumper when opening

jamb brackets

very heavy and sturdy • a series of holes permit adjustment for various weights of doors • the arms which swing the door are made of angle iron and operate on ball-bearings

springs

heavy duty oil-tempered springs, that will not break under normal usage, assure proper balance at all times • fitted with adjusting bolts at bottom

packing

complete set in one bundle with instructions for installing • shipping weight 151 lbs

track

wrought steel no. 13 gauge, designed to prevent the wheels from jumping out • securely lagged to wood bucks at front and suspended by strap hangers and braces at the rear • steel bumpers with rubber pads are included

hardware

adjustable door braces are furnished • locking device 1004 1/2 furnished complete with brass ball-bearing cylinder with two keys, securely locks the door at both sides from the center • cylinder can be masterkeyed or keyed alike to other cylinders of same make • locking device and door pulls are zinc plated • remainder of hardware superior black japan


ball bearing rollers

double, specially designed ball-bearing wheels attached to brackets which are corrugated for added strength • the wheels are screw-machine made, hardened and have fourteen 3/16" grade "A" carbon steel balls



GARAGE SET
WITH DOORS
NO. 2731 1/2 X 1001

LIST PRICE
86.40 set



PUSH OVER GARAGE DOOR SETS
NO. 50-50 (8' x 8')
WIDTH HEIGHT LIST PRICE
8' 8' 35.00 set
Less Door




HARDWARE WITH DOORS
NO. 2711-ATC06
LIST PRICE 120.00 set
ROLL UP HARDWARE ONLY
NO. 2711-ATS
LIST PRICE 60.90 set

SLIDING DOOR HARDWARE

SERIES 250A

FOR $\frac{3}{4}$ " KITCHEN CABINET AND LIGHT WARDROBE BY-PASSING DOORS

Track with step up design. Adjustable taper lock hanger. Requires $1\frac{1}{8}$ " headroom. Doors removable.



PACKAGED COMPLETE SET

WIDTH OF OPENING	NO. OF DOORS	WIDTH OF EA. DOOR	LIST PRICE	SHIP. WT.
24"	2	12"	\$4.75	2 lbs.
32"	2	16"	5.25	2 lbs.
36"	3	12"	7.20	2 lbs.
48"	2	24"	7.00	3 lbs.
48"	3	16"	8.20	3 lbs.
48"	4	12"	9.40	3 lbs.
58"	2	30"	7.75	3 lbs.
64"	4	16"	10.40	4 lbs.
70"	2	36"	8.75	4 lbs.
70"	3	24"	9.90	4 lbs.
96"	4	24"	13.50	5 lbs.

No. 2502—Hanger complete (2 per door). Each, 70¢; set of two, \$1.40.



SERIES 300A

FOR $\frac{3}{4}$ " TO $1\frac{3}{8}$ " OPEN AND CLOSED POCKET DOORS


Non adjustable hanger requiring only 1" headroom. 8 wheels per door.

PACKAGED COMPLETE SET

WIDTH OF OPENING	NO. OF DOORS	LIST PRICE	SHIP. WT.
48"	1	\$6.50	2 lbs.
64"	1	7.50	2 lbs.
72"	1	8.00	3 lbs.
84"	1	9.00	3 lbs.
96"	1	10.25	3 lbs.

Prices on lengths up to 20 ft. available upon request.

WEIGHT PER DOOR DOES NOT EXCEED 100 LBS.



No. 3002—Hanger complete with expansion sleeve (2 per door). Each, \$2.00; set of two, \$4.00.



SERIES 600

FOR $1\frac{3}{8}$ " BY-PASSING DOORS


Adjustable hanger, 8 nylon wheels per door. Requires $2\frac{1}{16}$ " headroom.

PACKAGED COMPLETE SET


WIDTH OF OPENING	NO. OF DOORS	LIST PRICE	SHIP. WT.
48"	2	\$12.50	4 lbs.
64"	2	14.50	5 lbs.
72"	2	15.50	6 lbs.
72"	3	20.00	6 lbs.
72"	4	24.50	7 lbs.
84"	3	21.50	7 lbs.
96"	4	27.50	8 lbs.

Prices on lengths up to 20 ft. available upon request.

WEIGHT PER DOOR NOT TO EXCEED 100 LBS.




No. 3502—Hanger complete (2 per door). Each, \$2.25; set of two, \$4.50.



SERIES 400A

FOR $1\frac{3}{8}$ " TO $1\frac{3}{4}$ " CLOSED-POCKET DOORS

Deluxe heavy duty track with precision ball bearing, adjustable hanger. Requires $2\frac{3}{4}$ " headroom. No millwork required. 8 wheels per door.




PACKAGED COMPLETE SET

WIDTH OF OPENING	NO. OF DOORS	LIST PRICE	SHIP. WT.
48"	1	\$10.25	3 lbs.
64"	1	11.00	3 lbs.
72"	1	11.50	4 lbs.
84"	1	12.50	4 lbs.
96"	1	14.00	5 lbs.


Prices on lengths up to 20 ft. available upon request.

WEIGHT PER DOOR NOT TO EXCEED 150 LBS.

No. 1132—Nylon door guide (single) for $1\frac{3}{8}$ " door (1 per door). Each, 25¢.




No. 4002—Hanger complete (2 per door). Each, \$3.00; set of two, \$6.00.



SERIES 350

FOR $1\frac{3}{8}$ " CLOSED POCKET DOOR

Adjustable nylon wheel hanger with the popular 300A track. Requires $2\frac{1}{16}$ " headroom. 8 wheels per door.




PACKAGED COMPLETE SET

WIDTH OF OPENING	NO. OF DOORS	LIST PRICE	SHIP. WT.
48"	1	\$7.00	2 lbs.
64"	1	8.00	2 lbs.
72"	1	8.50	3 lbs.
84"	1	9.50	3 lbs.
96"	1	10.75	3 lbs.

Prices on lengths up to 20 ft. available upon request.


No. 3502—Hanger complete (2 per door). Each, \$2.25; set of two, \$4.50.



SERIES 650

FOR $1\frac{3}{8}$ " BY-PASSING DOORS

Non-adjustable hanger with double track. Requires only 1" headroom. 8 wheels per door.



PACKAGED COMPLETE SET

WIDTH OF OPENING	NO. OF DOORS	LIST PRICE	SHIP. WT.
48"	2	\$11.50	4 lbs.
64"	2	13.50	5 lbs.
72"	2	14.50	6 lbs.
72"	3	18.50	6 lbs.
72"	4	22.50	7 lbs.
84"	3	20.00	7 lbs.
96"	4	25.50	8 lbs.

Prices on lengths up to 20 ft. available upon request.

WEIGHT PER DOOR NOT TO EXCEED 100 LBS.

No. 3002—Hanger complete with expansion sleeve (2 per door). Each, \$2.00; set of two, \$4.00.

No. 3016—Hanger less expansion sleeve. Each, \$1.70.



BARRETT HARDWARE COMPANY


Over 100 Years Service to the Trade

192

SERIES 700

FOR 3/4", 1" AND 1 1/8" BY-PASSING DOORS

Adjustable hanger, 8 nylon wheels per door. Requires 2 1/16" headroom.



PACKAGED COMPLETE SET


WIDTH OF OPENING	NO. OF DOORS	LIST PRICE	SHIP. WT.
48"	2	\$12.00	4 lbs.
64"	2	14.00	5 lbs.
72"	2	15.00	5 lbs.
72"	3	19.50	6 lbs.
72"	4	24.00	6 lbs.
84"	3	21.00	6 lbs.
96"	4	26.50	7 lbs.

Prices on lengths up to 20 ft. available upon request.

WEIGHT PER DOOR NOT TO EXCEED 100 LBS.

No. 1131—Universal Nylon Door Guide (1 per door). Each, 15¢.

No. 3502—Hanger complete (2 per door). Each, \$2.25; set of two, \$4.50.




SEE ACCESSORY SHEET FOR DOUBLE 3/4" GUIDE

SERIES 750

FOR 3/4", 1" AND 1 1/8" BY-PASSING DOORS

Non-adjustable hanger with double track. Requires only 1" headroom. 8 wheels per door.



PACKAGED COMPLETE SET

WIDTH OF OPENING	NO. OF DOORS	LIST PRICE	SHIP. WT.
48"	2	\$11.00	3 lbs.
64"	2	13.00	4 lbs.
72"	2	14.00	4 lbs.
72"	3	18.00	5 lbs.
72"	4	22.00	6 lbs.
84"	3	20.00	6 lbs.
96"	4	25.00	7 lbs.

Prices on lengths up to 20 ft. available upon request.

WEIGHT PER DOOR NOT TO EXCEED 100 LBS.

No. 1131—Universal Nylon Door Guide (1 per door). Each, 15¢.



No. 3002—Hanger complete with expansion sleeve (2 per door). Each, \$2.00; set of two, \$4.00.

No. 3016—Hanger less expansion sleeve. Each, \$1.70.




No. 3009—Expansion Sleeve only (2 per door). Each, 30¢; set of two, 60¢.

Scottie


SLIDING DOOR HARDWARE

SERIES 2000 for 3/4" by-passing doors




FRONT Hanger #2039
REAR #2039

SERIES 2100 for 1" by-passing doors




FRONT Hanger #2039
REAR #2140

SERIES 2180 for 1 1/8" by-passing doors



FRONT Hanger #2141
REAR #2039

SERIES 2500 for 1 3/8" by-passing doors



FRONT Hanger #2141
REAR #2140

The only differences in the above series are the hangers. This is to accommodate doors from 3/4" to 1 3/8" thicknesses.

PRICES FOR SERIES 2000, 2100 2180 AND 2500

COMPLETE PACKAGED SETS

WIDTH OF OPENING	NO. OF DOORS	LIST PRICE	SHIP. WT.
48"	2	\$ 5.50	4 lbs.
60"	2	6.20	4 lbs.
72"	2	6.90	5 lbs.
72"	3	8.10	5 lbs.
96"	4	11.00	7 lbs.

MAXIMUM RECOMMENDED WEIGHT PER DOOR
75 LBS.

EXTRA PARTS

No. 2039 Hanger
3/8" offset. 2 per door each 60¢; set of two, \$1.20




No. 2140 Hanger
3/8" offset. 2 per door each 60¢; set of two, \$1.20



SERIES 2500

No. 2141 Hanger
Straight. 2 per door each 60¢; set of two, \$1.20





PACKAGED

PREFABRICATED

DELUXE SERIES 800


ALL-METAL KENNAFRAME

FOR 1 3/8" CLOSED POCKET DOOR INSTALLATION

COMPLETE WITH SERIES 400A TRACK fastened to header at the factory, in packaged set with precision ball bearing hangers and guide for one door.

PART NO.	SIZE DOOR	ROUGH OPENING	LIST PRICE	SHIP. WT.
820	2'0" x 6'8"	4'1" x 7'2 1/2"	\$33.90	51 lbs.
824	2'4" x 6'8"	4'9" x 7'2 1/2"	34.90	53 lbs.
826	2'6" x 6'8"	5'1" x 7'2 1/2"	35.90	54 lbs.
828	2'8" x 6'8"	5'5" x 7'2 1/2"	35.90	55 lbs.
830	3'0" x 6'8"	6'1" x 7'2 1/2"	36.90	57 lbs.

WEIGHT PER DOOR NOT TO EXCEED 150 LBS.



PACKAGED

PREFABRICATED


SERIES 900 SCOTTIE K-FRAME

FOR 1 3/8" CLOSED POCKET INSTALLATION

Complete with metal split jambs, wood header, adjustable hangers, track installed to header at factory.


PART NO.	SIZE DOOR	ROUGH OPENING	LIST PRICE	SHIP. WT.
920	2'0" x 6'8"	4'1" x 7'2 1/2"	\$23.50	45 lbs.
924	2'4" x 6'8"	4'9" x 7'2 1/2"	23.50	47 lbs.
926	2'6" x 6'8"	5'1" x 7'2 1/2"	24.00	48 lbs.
928	2'8" x 6'8"	5'5" x 7'2 1/2"	24.00	50 lbs.
930	3'0" x 6'8"	6'1" x 7'2 1/2"	24.50	51 lbs.

COMBINATION GUIDE AND FRICTION LATCH



No. 302—The purpose of this guide is to bring sliding doors into alignment between stops, so that the lock or latch may engage. It also serves as a light latch. FINISHES: Bright brass, dull brass, bright chrome, dull chrome, and dull bronze.

KENNALOCK



• ADJUSTABLE FOR 1 3/8" to 1 3/4" DOORS • REVERSIBLE LOCK FOR LEFT OR RIGHT-HAND PULL • CLEARANCE OF 3/8" FOR VERTICAL DOOR ADJUSTMENT • STRIKER PLATE RADIUS OF 1/2" FOR EASY FIT TO JAMB • LOCK FOR ROOM PRIVACY • NO KEY NECESSARY • SAFETY BUTTON, SO DOOR CAN BE UNLOCKED FROM OUTSIDE • FINGER TIP RELEASE; SIDE PLATE FORM-FITTED TO HAND • SIMPLEST KIND OF INSTALLATION—JUST NOTCH STILE AND APPLY • SOLID BRASS CONSTRUCTION • AVAILABLE IN SPLIT FINISHES AS LISTED BELOW • BETTER LOOKING—BETTER MADE—BETTER PERFORMING

No. 1420—Packaged one to a box with template and instructions for installation. Size: 5" x 2 1/2". Finished both sides in: Bright brass, dull brass, bright chrome, dull chrome, or dull bronze. Also available in split finishes on special order.

LIST PRICE	
NO. 302 - U.S. - 3	.50 each
U.S. - 10	.50 each
U.S. - 26	.75 "


LIST PRICE	
NO. 1420 - U.S. - 3	7.00 each
U.S. - 10	7.00 "
U.S. - 26	7.50 "

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

194

KENNALATCH



No. 620—A positive latch for $\frac{3}{4}$ " cabinet and wardrobe doors, with right and left-hand pull. Sold in pairs. FINISHES: Bright brass, dull brass, bright chrome, dull chrome, and dull bronze.


NO. 620 - U.S. - 3
U.S. - 10
U.S. - 26

LIST PRICE

3.40 each
3.40 "
4.00 "



No. 50—Flush pull for cabinet and small wardrobe doors. Length, $2\frac{1}{4}$ "; Width, $1\frac{1}{8}$ "; depth, $\frac{3}{4}$ ".



No. 450—Kennapull, for use with closed pocket installations. Its function is to provide a means of retracting the door from the wall pocket. Length, $2\frac{1}{4}$ "; width, $1\frac{1}{8}$ "; depth, $\frac{3}{4}$ ".

FINISHES: Bright brass, dull brass, bright chrome, dull chrome, and dull bronze.

DOOR PULLS FOR CUSTOM AND SCOTTIE INSTALLATIONS

FLUSH PULLS

NUMBER	LIST PRICE
Nylon 50	3.60 dozen
Nylon 450	3.60 dozen

RELY ON BARRETT FOR ALL YOUR
HOUSEWARE NEEDS. ONE ORDER,
ONE INVOICE, ONE PAYMENT —
MAKES BUYING FROM BARRETT
EASY AND ECONOMICAL.



Phone 4341
Joliet, Illinois

SILVER STREAK Hangers and Track

●Packed

One pair hangers in carton with one No. 1019 floor guide.

●Silver Streak Track

Extra hard composition extruded aluminum. 1-9/16" high. Available in 4', 5', 6', 7', 8', and 10' lengths. Weight per foot 1/2 lb. Order track equal to twice width of opening.

●Use

For doors, 3/4" or more in thickness.
No 1019 for 100 lb. doors.


●Construction

No 1019 attached to top of door by plate 3/4" wide.
No. 3019 attaches to face of door.

Cat. No.	Type Bearings	Frame, Pendant Plate or Apron	Diameter Bakelite Wheels	Weight per Pair	Finish
1019	Ball	Steel	1-1/4"	1 Lb.	Silver
3019	Ball	Steel	1-1/4"	7/8 Lb.	Silver

NUMBER	TRACK SIZE	LIST PRICE
1019	4,5,6,7,10	.65 pair

SILVER STREAK HANGERS	
NUMBER	LIST PRICE
3019	2.75 pair
1019	4.00 "



Single Wheel Silver Streak Adjustable Hanger for 100 lb. Doors No. 1019 Steel.



Single Wheel Silver Streak Junior Non-Adjustable Hanger for 100 lb. Doors No. 3019 Steel

Phone 4341
Joliet, Illinois



WE CARRY A COMPLETE LINE OF
HAND AND POWER TOOLS. IN
FACT, BARRETT IS YOUR ONE
DEPENDABLE SOURCE OF SUPPLY
FOR ALL YOUR ELECTRICAL NEEDS.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

196

door pulls for interior residential sliding doors

edge pull




steel — *plished and plated*

2683

flush pulls



no. 1



no. 2

brass — *finely finished*

2688

EDGE PULLS

NUMBER	LIST PRICE
2683-C	10.08 doz.
2683-A5	10.80 "

FINGER PULL-ROUND

NUMBER	LIST PRICE
2688-2-C	3.60 doz.
2688-2-A5	3.60 "

edge pull is installed in edge of door for pulling door out of pocket

number	size	plate (inches)	hole diameter (inches)	depth (inches)	size of wood screws	average net weight per dozen (lbs)
2683	4 3/4 x 7/8	3/4 x 7	2
2688	no. 1	3/4	1/4	1/2 x 12 pins	1/4
	no. 2	1 3/4	5/16	1/2 x 12 pins	1/2

one dozen in a box except 2688 no. 1 which has twelve dozen in a box; with screws or pins

finishes described on page 30

FLUSH PULL-ORLONG

NUMBER	LIST PRICE
2684-C	8.26 doz.
2684-A5	8.26 doz.

flush pull



brass — *finely finished*

2684

flush pull



brass — *finely finished*

2689

one set in a box with screws

number	plate (inches)	depth (inches)	size of wood screws	average net weight per dozen (lbs)
2684	3 3/8 x 2 1/2	3/8	1/2 x 5	1 1/4
2689	4 x 1 1/2	1/2	1/2 x 5	1 1/4

FLUSH PULLS-OVAL

NUMBER	LIST PRICE
2689-C	7.92 doz.
2689-A5	7.92 "
2689-CM	9.60 "



NUMBER
2685

MORTISE ADJUSTABLE LATCH

NUMBER	LIST PRICE
2685-C	3.34 set
2685-A5	3.34 "

JAMB BOLT


NUMBER	LIST PRICE
2686-C	8.90 pair
2686-A5	4.25 "

BORED-IN LOCK SETS


REG. U. S. PAT. OFF.

WITH


Auto-Release Button



Emergency Key No. 211



1731-3 3/8"



Outside

Set 8-200


Glass Knobs

ROSES


For Doors
1 3/8" to 1 3/4"



Box 30
For use with
Strike 330, 430



Roses 159, 159S
With hole for Emergency Key




Outside

Inside


Set 1-200, 01-200

Metal Knobs



330

Reversible-Not Handed



430

Reversible-Not Handed



Lock 200

Cap Off

OPERATION

Latch Bolts by Knob from either side. Outside Knob is set by Auto-release Button on inside Rose. When Button is set, Outside Knob is locked, but a turn of the Inside Knob automatically releases the Button. Should Button inadvertently be set when door is in open position the retracting of Latch Bolt as it slides across Strike also automatically releases

the Button. This distinctive Sargent feature gives security when room is occupied and free access at all other times. For general use on Bedroom or Bathroom Doors. No Emergency Key is required as door is unlocked at all times except when room is occupied. Emergency Key furnished for unlocking door from outside.

Can be furnished - CM Finish one side. For CM Finish Lock Front and Inside Trim order as BxCM1-200 etc.

Order only by the Set Numbers	LOCK Number	FOR BEDROOM AND BATHROOM DOORS								Weight per Box (lbs.)	List Price doz.
		KNOBS		SPINDLE	ROSES		Emergency Key	Sets in Box			
		Outside	Inside			Outside			Inside		
WROUGHT BRONZE and BRASS - REGULAR FINISHES - B,OB,OP, LN, CM											44.40 (B-OP)
1-200	200	1773	1773	1731-3 3/8					1	48.00 (BxCM)	
					159	157	211	1		(OPxCM)	
8-200		2243	2243	1731-3 3/8					1 1/4	35.10 (B-OP)	
										39.90 (BxCM)	
										(OPxCM)	


CM FINISH - FULL OR HALF TRIM

1 Dozen Per Case - No. 8-200 Weight 17 Lbs.

BORED-IN LATCH SETS


REG. U. S. PAT. OFF.

For Doors
1 3/8" to 1 3/4"



Outside & Inside

Set 1-210



Outside & Inside

Set 8-210



Box 30

For use with
Strike 330,430

CLOSET SPINDLE

1614

1714




Inside


1614-3 1/4" For Metal Knobs

1714-2 9/16" For Glass Knobs

SPINDLE




1732-3 3/8" For



Latch 210

Reversible-Not Handed



Latch 210

Cap Off

Operation

Both sides by Knob.

Order Only by the Set Numbers	LOCK Number	KNOBS		SPINDLE	DOORS ROSES		Sets in Box	Weight per Box (lbs.)	Sets in Case (Doz.)	Weight per Case (lbs.)	List Price doz.
		Outside	Inside		Outside	Inside					
WROUGHT BRONZE and BRASS - REGULAR FINISHES - B,OB,OP,LN,CM SPECIAL FINISH - DCM These Sets can be furnished with closet spindle 1614 or 1714 on the inside; specify as 1-210 1/4, 6-210 1/4 or 8-210 1/4.											
1-210	210	1772	1772	1732-3 3/8	155	155	1	1	2 1/2	33	37.20 (B-OP)
								1.1/4			
8-210		2243	2243	1732-3 3/8						39	28.80 (B-OP)
WROUGHT STEEL - REGULAR FINISHES - OB,OP,N,LN											

CM FINISH - FULL OR HALF TRIM

1 Dozen Per Case - No. 8-210, Weight, 17 Lbs. Other Sets - Weight, 14 Lbs.

If required with Locks having Rounded End Fronts and Strikes, specify above set number "x Lock 220."


CLOSET LOCK
NO. OP-1-210 1/4
SOLID BRONZE DULL
List Price -
31.90 doz.

CLOSET DOOR
LOCK SET
NO. B-1-210 1/4
SOLID BRASS POLISHED
List Price 31.90 doz.

CLOSET LOCK
NO. OP-8-210 1/4
BRONZE - DULL
GLASS KNOB
List Price 26.80 doz.

PASSAGE LOCK
NO. OP-08-210
STEEL
BRONZE PLATED
GLASS KNOB
List Price 28.80


LATCH AND LOCK SETS



LOCK NO. B-200
LOCK NO. CM-200
for Bored-in Sets

LIST PRICE:


NO. B-200: 2.00 ea.
NO. CM-200: 2.40 ea.




No. 210 Latch
LATCH NO. 210
for Bored-in Sets
List Price: 1.40 each

LOCK STRIKES NO. 425 (B and CM)
for Mortise Locks and Latches

PACKING: 25 in box
Size: 2 7/16 x 3 1/32
Lip to Center: 1 1/8"
Material: Wrought Bronze
and Brass



List Prices: B-425: .28 pr.
CM-425: .44 pr.



ROSES NOS.
B-159 and CM-159

List Prices:
NO. B-159: .80 pair
NO. CM-159: 1.10 pair



Phone 4341
Joliet, Illinois

100 YEARS OF EXPERIENCE HAS
PROVEN THAT THE CUSTOMERS
NEVER CHANGE FROM BARRETT
HARDWARE QUALITY AND SERVICE
ONCE THEY KNOW IT.

1. Summary of work done during the year

The first part of the report is a summary of the work done during the year.

The second part is a detailed account of the work done during the year.

The third part is a detailed account of the work done during the year.

The fourth part is a detailed account of the work done during the year.

The fifth part is a detailed account of the work done during the year.

The sixth part is a detailed account of the work done during the year.

The seventh part is a detailed account of the work done during the year.

The eighth part is a detailed account of the work done during the year.


The ninth part is a detailed account of the work done during the year.

The tenth part is a detailed account of the work done during the year.

BL—Bradford Design

WROUGHT BRONZE AND BRASS

SOLID BRASS DULL



REGULAR FINISHES

B, OE, O6P, L5N, CM

LOCK SETS

Bathroom	Order Only By Set Numbers	Locks	Knobs		Escutcheon		List Price
			Outside	Inside	Outside	Inside	
		CM4663	1772BL Metal	CM1772BL Metal	715BL	CM722BL	70.90 dozen
		CM4663	2243 Glass	CM2243 Glass	715BL	CM722BL	69.90 dozen
French Door Sets OE 5134BL		5134	1772BL Metal	1119 Metal	Knob and Lever Handle 715BL 715BL		67.70 dozen


Mortise French Door Locks

The Spring on the Hub is made extra heavy to hold up Lever Handles

REGULAR FINISHES-Group 1, 3, CM, DCM

Bolts.....See below { Latch Bolt, 5-16 inch Throw
Dead Bolt, 5-16 inch Throw
EASY SPRING...Easy on Latch Bolt, Extra Firm on Knob
REVERSE.....Flat Front, By Removing Cap
KEYS.....Steel

Bronze Hubs for 5-16 Inch Straight Spindle
Heavy Bronze Bolts



5134

PACKING AND WEIGHTS	
Set No.	1-5134
Sets in Box	1
Wt. per Box (lbs.)	1 1/2
Sets in Case (doz.)	1
Wt. per Case (lbs.)	20


Sectional One Piece Wrought
Bronze and Brass Knobs
With Metal Knobs
No. B-01-5134
List Price 50.30 doz.
No. OP-1-5134
List Price 50.30 doz.

Set Number	Lock	Knobs		Roses		Cylinder Rings	Key Escutcheons and/or Turn Knob		Spindle
		Outside	Inside	Outside	Inside		Outside	Inside	
1-5134	5134	1772	Lever 1119	554	554		710	710	1632-3 3/4"

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

202



SETS - REAR DOOR LOCK

Mortise Dead Locks

FLUSH CYLINDER

HEAVY FORGED BRASS DEAD BOLT

INDICATOR TYPE TURN KNOB

CASE Die Cast; Diameter 1 inch
Length Overall 3 1-16 inch

FOR DOORS 1 5/16 to 2 inches thick


BOLT Forged Brass

CYLINDER Bronze, 5-Pin Tumblers


CYLINDER RINGS Wrought Brass or Bronze, No. 99

TURN KNOB Wrought Brass or Bronze

REVERSE Right or Left Hand



SET NO. 1-221
OUTSIDE VIEW



SET NO. 1-221
INSIDE TRIM VIEW

B-1-221
OP-1-221

List 9.10 ea.
List 9.10 ea.

One set in a box - Weight 1 lb.

Twelve sets in a case - Weight 12 lbs.



Locks 221 can be furnished to order in sets of practically any required number with Nickel Silver Master Key to pass each set and Grand Master Key to pass all. Lock 221 can also be Master Keyed and Grand Master Keyed with any Sargent Five Pin Cylinder Locks using Master Key 272.

MAKE BARRETT HARDWARE YOUR
HEADQUARTERS FOR ALL YOUR
ELECTRICAL NEEDS—




Phone 4341
Joliet, Illinois

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

203


LOCK SETS





Front or Rear
Doors - B-4505½AA

Rear Door -
BXCM -4505½AA

Front or Rear
Door - OP-4505½AA



Passage - B-4515-AA



B-4505½AR

Bedroom Lock
Steel Rim - B-4565-SAA

Bedroom Lock - B-4565AA

Bathroom Locks - BXN-4565AA
BXCM-4565AA

DUALOCK DESIGN - POLISHED BRASS

Set Number	Operation	SPECIAL FINISHES - P,NLP,O3P,NLB REGULAR FINISHES - Listed below	Sets in Box	Weight per Box Lbs.	Sets in Case Doz.	Weight per Case Lbs.
4505 1/2AA	CYLINDER LOCK SET					
4505 1/2AA Keyed Alike in pairs	With Guarded Latch Bolt. Outside always by Key. Outside by Knob except when set by Turn Button in center of Inside Knob. Inside Knob always operative. Can be released by turning Button reversely.	B-OB-OP-CM-DCM-LN LNxCM	1	1 lb. 12 oz.	6 Sets	12
4505 1/2AR	CYLINDER LOCK SET					
4505 1/2AR Keyed Alike in pairs	With Guarded Latch Bolt. Outside always by Key. Outside by Knob except when set by Turn Button in center of Inside Knob. Inside Knob always operative. Can be released by turning Button reversely.	B-OB-OP-CM-DCM-LN	1	1 lb. 12 oz.	6 Sets	12
4515AA	LATCH SET					
	Both sides by Knobs.	B-OB-OP-LN	1	1 lb. 6 oz.	2 1/2	43
		CM, DCM and CM 1 side LN x CM	1	1 lb. 6 oz.	1	18 16
4565AA	BATHROOM SET					
	As 4564AA except with Emergency Key which when inserted in Outside Knob, releases locking mechanism.	B-OB-OP-LN	1	1 lb. 8 oz.	2 1/2	47
		CM, DCM and CM 1 side LN x CM	1	1 lb. 8 oz.	1	20 17

B-4505½AA	List Price	10.40 each
B-4505½AR	List Price	11.40 each
BXCM-4505½AA	List Price	10.70 each
OP-4505½AA	List Price	10.40 each
B-4565AA	List Price	64.80 dozen
BXN-4565AA	List Price	68.80 dozen
BXCM-4565AA	List Price	68.40 dozen
B-4515AA	List Price	55.20 dozen
B-4565SAA	List Price	54.60 dozen

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

SCHLAGE Lock Sets

Plymouth & Novo Designs

GROUP "A" LOCKS

US 3 Bright Brass US10 Dull Bronze
US26 Polished Chrome

Wrought Trim

A1OS	US 3 or US10	4.60 ea.	A4OS	US 3 or US10 x 26	5.44 "
A1OS	US 3 or US10 x US26	4.92 "	A4OS	US26	6.06 "
A1OS	US26	5.24 "	A51PD	US 3 or US10	11.84 "
A2OS	US 3 or US10	4.60 "	A51PD	US 3 or US10 x 26	12.16 "
A2OS	US26	5.24 "	A52WD	US 3 or US10	8.00 "
A3OS	US 3 or US10	5.42 "	A170	US 3 or US10	1.82 "
A3OD	US 3 or US10	6.14 "	A170	US26	2.14 "
A4OS	US 3 or US10	5.42 "			

In ordering please specify finish desired.

A Saturn Design

GROUP "A" LOCKS

Cast Brass or Bronze Knob
Wrought Brass or Bronze Rose

A1OS	US 3 or US10	9.60 ea.	A4OS	US 3 or US10 x 26	10.74 "
A1OS	US 3 or US10 x US26	9.92 ea.	A51PD	US 3 or US10	17.84 "
A2OS	US 3 or US10	7.10 "	A51PD	US 3 or US10 x 26	18.16 "
A2OS	US26	7.74 "	A51WD	US 3 or US10	13.00 "
A3OD	US 3 or US10	11.14 "	A51WD	US 3 or US10 x 26	13.32 "
A4OS	US 3 or US10	10.42 "	A170	US 3 or US10	4.32 "
			A170	US26	4.64 "

In ordering please specify finish desired.

Capri Design

GROUP "A" LOCKS

GLASS KNOBS
Wrought Brass Trim

A1OS	US 3	5.60 ea.
A1OS	US 3 x US26	5.92 "
A1OS	US26	6.24 "
A4OS	US 3	6.42 "
A4OS	US 3 x US26	6.74 "
A170	US 3	2.32 "
A170	US26	2.64 "

Additional information and cuts
illustrating the above on follow-
ing pages.....


In ordering please specify finish desired.

SCHLAGE


Lock Sets

List Prices and additional information for the following "A" Group LOCK SETS are listed on the preceding page.


A SATURN DESIGN
Cast bronze or Brass Knob
Wrought Brass or Bronze Rose
Available in special order,
Please specify desired finish.




A-10S-PLYMOUTH-3 "A" Type LOCK SETS



A10S-NOVO-10



A10S-PLYMOUTH-3



A10S-CAPRI-3

A 10S Ply. 3
Recommended for Passage and Closet Doors.
Both knobs always free. Rotating either
knob will retract latchbolt.


SPRING LATCH

KEYLESS


A CLOSET LOCK

Thumbturn on inside: For use in cases where there is insufficient clearance to permit use of standard knob and rose on inside of door. The thumbturn can be furnished on the following lock functions:


A10S with thumbturn, specify A20S.
A70PD with thumbturn, specify A71PD.
A70WD with thumbturn, specify A71WD.
A80PD with thumbturn, specify A81WD.




A 20 S PLYMOUTH



A 20 S NOVO




A4OS FLY. 3



A4OS NOVO 10

SCHLAGE


Lock Sets



A4OS CAPRI 3

A4OS Recommended for bathroom and bedroom doors. Rotating either knob will retract latchbolt. Pushing button in inside knob locks outside knob. Rotating inside knob or closing door releases button automatically, unlocking door and preventing accidental lock-out. In emergency, can be unlocked from outside by inserting flat key, screw-driver or knife blade in emergency release slot in outside knob. Inside knob always free for immediate exit.


SPRING	EMERGENCY	UNIVERSAL
LATCH	KEYWAY	BUTTON




A3OD NOVO ID

A3OD Recommended for basement, sun deck and inner office doors. Rotating either knob will retract latchbolt. Pushing button in inside knob locks outside knob. Rotating inside knob or closing door releases button automatically, unlocking door and preventing accidental lock-out. Inside knob always free for immediate exit.

DEADLOCKING LATCHBOLT PUSH-BUTTON



A3OD FLY. 3




A3OS NOVO LD

3OS Recommended for basement, sun deck and inner office doors. Rotating either knob will retract latchbolt. Pushing button in inside knob locks outside knob. Rotating inside knob or closing door releases button automatically, unlocking door and preventing accidental lock-out. Inside knob always free for immediate exit.

SPRING LATCH

PUSH-BUTTON




A3OS FLY. 3

SCHLAGE Lock Sets

A42D Recommended for communicating office doors. This lock is designed to provide privacy only on communicating doors. It should never be used on bathroom doors or doors between rooms which do not have another exit in each room. Rotating either knob will retract latchbolt. Turning button to horizontal position in either knob locks both knobs. Lock may be opened by manually restoring both buttons to vertical position. Latchbolt automatically deadlocks when door is closed.


DEADLOCKING LATCHBOLT TURN-BUTTON




A42D PLY.

A51PD Recommended for front or office doors. Rotating either knob will retract latchbolt. Turning button in inside knob to horizontal position locks outside knob. Button does not release unless manually restored to vertical position. Lock may be opened by key from outside. Inside knob always free for immediate exit. Latchbolt automatically deadlocks when door is closed.

DEADLOCKING PIN TUMBLER TURN-BUTTON LATCHBOLT KEYWAY




A51PD PLY.



A51PD NOVO

A52WD Recommended for Entrance or Corridor Doors. Rotating either knob will retract latchbolt. Pushing Universal Button in inside knob locks outside knob. Rotating inside knob releases button automatically, but closing door does not release button. Button may be fixed in locked position by rotating Universal Button to horizontal position. Lock may be opened by key from outside. Inside knob always free for immediate exit. Latchbolt automatically deadlocks when door is closed.



A52WD Novo

**DEADLOCKING
LATCHBOLT**

**WATCH TUMBLER
KEYWAY**

**UNIVERSAL
BUTTON**

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


PIN TUMBLER DEADLOCKING LATCHES AND DEADLOCKS

100% Reversible

Wrought Trim Brass Bronze or Aluminum

SCHLAGE

B250PD - NIGHT LATCH. Latchbolt may be retracted by key from outside or by Thumbturn from inside. Latchbolt automatically deadlocks when door is closed. Latchbolt can be held in retracted position by raising Hold-Back Catch.



B250PD


DEADLOCKING
LATCHBOLT

PIN TUMBLER
KEYWAY

THUMBTURN
(Hold-back Catch)

B250PD

8.06 ea.




B-260P

B260P - DEADLOCK. Bolt may be operated by key from outside or by Thumbturn from inside. Bolt automatically deadlocks when fully thrown.

DEADBOLT PIN TUMBLER KEYWAY THUMBTURN

B260P

7.28 "



B-262P

B262P - DOUBLE CYLINDER DEADLOCK.

Bolt may be operated by key from either side. Bolt automatically deadlocks when fully thrown.

Cylinders are interlocked in place by a machine screw through the face of each cylinder. When non-removable socket head screws are desired, specify B262PS.

B262P 12.30 "

DEADBOLT

PIN TUMBLER KEYWAY
(Inside and outside)

REMOVABLE CYLINDER PADLOCK MODEL 910RC.

A new design featuring rugged construction and removable cylinder, particularly suited for use on public and commercial buildings where constant changing of cylinders is necessary. Can be keyed into any standard 5-Pin or 6-Pin system. Case hardened steel shackle is easily removed for replacement with different length shackle.





D51PD PANTHEON




D51PD PLYMOUTH




D51PD SATURN



D51PD BARRINGTON



D51PD MERCURY



D51PD ASTRA

D51PD Recommended for front or office doors. Rotating either knob will retract latchbolt. Turning button in inside knob to horizontal position locks outside knob. Button does not release unless manually restored to vertical position. Lock may be opened by key from outside. Inside knob always free for immediate exit. Latchbolt automatically deadlocks when door is closed.

DEADLOCKING PIN TUMBLER TURN-BUTTON
LATCHBOLT KEYWAY

SCHLAGE

Cast Trim Outside Wrought Trim Inside
Prefix #D51PD to all sets.

Outside Trim		Inside Trim	
Barrington	US 3 or US10	Ply. or Novo	281 28.12 ea.
Pantheon	US 3 or US10	Ply. or Novo	44.88 "
Astra	US 3 or US10	Ply. or Novo	30.70 "
Mercury	US 3 or US10	Ply. or Novo	28.12 "
Saturn	US 3 or US10	Saturn	29.48 "
Plymouth	US 3 or US10	Plymouth	21.50 "

Above sets are priced with Standard 2 3/4" Backset.

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


210

DISTINCTIVE FRONT ENTRANCE D LOCKS

Following are prices for long backset links.

D199	5"	1.60 ea.
D199	7"	2.40 "
D199	10"	3.18 "
D199	18" & 21"	10.00 "

Special long Backsets other than listed and up to 42" 20.70 ea.



A199 Extension Link

SCHLAGE

Large ornamental escutcheons, made possible by the 5" Backset, are being used successfully for many styles of entrance doors and for special effects on interior doors of residences and other types of buildings. When installing the 5" Backset Lock, the hole for the lock is bored 5" away from the door edge. After the A199 Extension Link is joined to the latch unit, the installation procedure is then the same as for the standard "A" Lock. 5" Backset "A" Locks

Any "A" Lock can be changed to a 5" Backset Lock by simply joining an A199 Extension Link to the standard latch unit. When installed on the door, the extended latch unit couples with the lock housing in the same manner as the standard latch unit.

E LOCKS

Prefix the #E51PD to all sets

In ordering specify both inside and outside trim, also finish.

Outside Trim		Inside Trim	
Plymouth	US 3 or 10	Ply. or Novo	28.52
Dorchester	US 3 or 10	Ply. or Novo	28.52
Waverly	US 3 or 10	Ply. or Novo	29.08
Outside Trim		Inside Trim	
Plymouth	US 3 or US10	Saturn	31.02 ea.
Dorchester	US 3 or US10	Saturn	31.02 ea.
Waverly	US 3 or US10	Saturn	31.58 ea.

Additional information and cuts illustrating the above numbers following:

SCHLAGE

LATCH and LOCK SETS

E51PD (Formerly E200PD)

Recommended for Entrance Doors to Residences, Apartments, and Light Commercial Buildings. Rotating knob or depressing thumbpiece will retract latchbolt. Turning button in center of knob to horizontal position locks thumbpiece. Button does not release unless manually restored to vertical position. Lock may be opened by key from outside. Inside knob always free for immediate exit. Latchbolt automatically deadlocks when door is closed. Latchbolt may be held fully retracted by depressing thumbpiece and turning button to horizontal position.

DEADLOCKING
LATCHBOLT

PIN TUMBLER TURN-BUTTON
KEYWAY

Inside Trim For E51PD Lock - Novo Design

Inside Trim for E51PD Lock - Saturn Design


Inside Trim for E51PD Lock - Plymouth Design




E51PD-DOR-3




E51PD-WAV-3



INSIDE TRIM FOR
E51PD LOCK
PLYMOUTH DESIGN



INSIDE TRIM FOR
E51PD LOCK
SATURN DESIGN



INSIDE TRIM
FOR E51PD LOCK
NOVO DESIGN




E51PD-PLY-3

Lock Sets and Inside Trims are interchangeable.
Any of the three above Inside Trims may be
used with any of the LOCK SETS as shown.


BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


212



Al70- Capri-3



Al70- Novo-10



Al70-Plymouth-3

SCHLAGE

A 170 Dummy Trim:

Glass Knobs.....Wrought Brass Trim
CAPRI DESIGN

For use on single doors or pairs of doors when only a pull is required. Available in all designs shown for "A" Series Locks. Furnished complete with three wood screws for attaching mounting plate to door. Rose snaps on, concealing wood screws. When ordering, specify number, design name and finish. If Dummy Trim is needed for both sides of door, specify Al72.

Al70.....US3.....2.32 each

Al70.....US26.....2.64 each

In ordering please specify finish desired.



803
Riviera



803
Darien



Novo

803 Auxiliary Escutcheon


803	5½"	Riviera Plate	US 3 or US10	2.20 ea.
803	"	" "	US26	2.50 "
803	5½"	Darien Plate	US 3 or US10	2.20 "
803	"	" "	US26	2.50 "
803	8"	Novo Plate	US 3 or US10	6.00 "
803	"	" "	US26	8.00 "
6300		Screen Door Latch Aluminum		3.20 "

Distinctive and unusual hardware designs for flush panel doors, and doors with wide lock rails, can be obtained easily and inexpensively by using one of the #803 wrought escutcheons in conjunction with various standard "C" or "D" knobs and roses and a long backset lock. The 5" backset is the most practical from a functional standpoint, but longer backsets are often used to create desired architectural effects. The Darien and Riviera escutcheons will fit any of the "C" or "D" designs which have a standard 2 9/16" dia. rose. The Novo escutcheon is not limited in its application and is particularly effective when used in a matching or in a contrasting finish as a background for the Astra or Zenith designs.

SCHLAGE


900 THREADED CYLINDER FOR MORTISE LOCKS

For use in mortise locks using standard cylinder cams. Made of Brass or Bronze. Furnished with five or six Pin Tumbler Cylinder and can be Keyed Alike or Masterkeyed with other Schlage Pin Tumbler Locks. When ordering, specify 900, Finish, Length of Cylinder (measure cylinder as illustrated) and Make of Lock with which it is to be used.




901 CYLINDER FOR RIM LOCKS:

For use with night latches, overhead garage door locks, sliding door locks, exit bolts, etc. Made of Brass or Bronze. Furnished with five or six Pin Tumbler Cylinder and can be keyed alike or Masterkeyed with other Schlage Pin Tumbler Locks. When ordering, specify 901, Finish and Make of Lock with which it is to be used or Number of Bar desired.



914 BORING BIT, 2 1/8" WITH BRACE SHANK 915 BORING BIT, 2 1/8" WITH MACHINE SHANK

RIVIERA ESCUTCHEON - 5 1/2" Dia. Specify: 803 Riv.
DARIEN " - 5 1/2" Dia. Specify: 803 Dar.
NOVO " - 8 " Dia. Specify: 803 Novo




Both Boring Bits are made of tool steel and have fast cutting heads. No adjustments are necessary as bits are permanently set for 2 1/8" diameter holes. Speeds up boring operation for "A", "C" or "D" Locks. When ordering bit for use with hand tools, specify 914 Boring Bit. When ordering bit for use with power tools, specify 915 Boring Bit.

970 Electric Door Opener

970 Electric Strike

Any Schlage Lock can be opened electrically from a remote point with the 970 Door Opener. Regularly furnished in Dull Brass finish. When ordering, specify 970 and Type of Lock with which it is to be used.



970	Electric Latch Release	US 4 or US10	9.00	ea.
970	"	"	10.00	"
		US26D		

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

214

SARGENT

ENTRANCE DOOR HANDLES
Complete with Cylinder Lock
Cast Bronze and Brass

Available in dull brass finish - add 0B
Cylinder for outside of door.
Turn knob for inside.

Set No. - 4171, one handle
for outside, Spindle 1630
knob 1772 x Rose 155 and
Turn Knob 125 for inside.

Set No. PB4171 - One
handle for outside, speci-
fy inside trim required.

Packing and Weights		
Nos.	4171	4171PB
in box	1 set	1 set
Box wt.	4½ lbs.	5½ lbs.
case	6 sets	
wt. case	30 lbs.	
list	19.20	19.20
price	ea.	ea.

4171

Nos.	Sizes overall with cylinder	Projection Inches Handle	Grip Number Number
4171	15 5/8 x 1 3/4"	2 1/8	---
4171PB	14½ x 2½"	2 3/8	736

ENTRANCE DOOR
HANDLES NO. 4371, 4471

Cylinder for outside door.
Turn knob for inside.
Spindle 1630; Knob 1772 x
Rose 155 and Turn Knob 125
for inside

Number	Include Cylinder All Over Size	Projection Inches	List Price
B4371	16 7/8 x 2 15/16	1 7/8	18.00 ea
4471	16 ¼ x 2 5/32	1 15/16	18.00

Packing and Weights

Number	B4371
In Box	
Sets	1

Wt. Box 4 lbs.

In Case 6 sets

Wt. Case 28 lbs.


Packing and Weights

Number	4471
In Box	
Sets	1


Wt. Box 4 lbs.

In Case 6 Sets

Wt. Case 28 lbs.



4471



4371



Store Door Handles **SARGENT**

7923MR

MADISON DESIGN

CAST BRONZE AND BRASS
(Forged Grip)

WROUGHT BRONZE AND BRASS

7923MR 15 x 3 1/2 2 3/8 636

List Price ea. 29.60 ea.-B-7923MR
List Price ea. 29.60 ea.-OP-7923MR
List Price ea. 32.70 ea.-CM-7923MR
List Price ea. 32.70 ea.-DCM-7923MR

4123PB BRISTOL DESIGN

Numbers	Sizes Over All, Including Cylinder Inches	Projection Inches (Handle)	Grip Number
4123PB	14 1/2 x 2 1/2	2 3/8	736

PACKING & WEIGHTS

Nos.	4123PB	7923MR
In Box (Sets)	1	1
Weight, Box (lbs.)	6 1/4	8
In Case	- -	6
Weight, Case (lbs.)	- -	49

List Price ea. 38.20 ea.-LN-4123PB



Entrance Door Handles

COMPLETE WITH CYLINDER LOCK
CAST BRONZE AND BRASS

Cylinder for Outside of Door. Turn Knob for Inside
SET NOS. 2271, 3471, ONE HANDLE FOR OUTSIDE; SPINDLE 1630;
KNOB 1772 x ROSE 155 AND TURN KNOB 125 FOR INSIDE.

Numbers	Sizes Over All, Including Cylinder Inches	Projection Inches (Handle)	Grip Number	REGULAR FINISHES
2271	15 7/16 x 2 1/4	1 7/8	---	B, BN
3471	15 x 1 3/4	2 1/8	736	B, OB, LN

PACKING AND WEIGHTS

Nos.	2271	3471
In Box (sets)	1	1
Weight, Box (lbs.)	4 1/2	4 1/2
In Case (sets)	6	6
Weight, Case (lbs.)	32	32

RESIDENCE ENTRANCE HANDLE SETS

B-3471-List Price-21.50 ea.
OB-3471-List Price-21.50 ea.
OP or B-4171-List Price-20.20ea.
B-2271-List Price-18.00 ea.
B-4371-List Price-18.00 ea.
B-4471-List Price-18.00 ea.



3471




2271

BRASS FORGING

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade


216



•414

NO. 414 PRIVACY LOCK
Bathroom or Bedroom
Set for 1 3/8" interior
Adjustable to 1 3/4".
Packed 1 set per carton.
20 sets per case.
Weight, 22 lbs.

414-3 List 4.05 ea.
414-3x26 4.30 "



•418

-Passage Lock

NO. 418 KNOB LATCH
Interior Passage
No locking mechanism.
Set for 1 3/8" interior
Adjustable to 1 3/4".
Packed 1 set per carton.
20 sets per case.
Weight, 22 lbs.

418-3 -List Price-3.30 ea.
418-3x26-List Price-3.55 ea.
418-26 -List Price-3.80 ea.



•419

NO. 419-26
NO. 419-3 DUMMY TRIM
for Interior Doors
Packed 1 set per carton.
20 sets per case.
Weight, 7 lbs.

419-3 -List Price-1.25 ea.
419-26 -List Price-1.45 ea.



491

NO. 491-3 HANDLE
For Exterior Doors

Decorative Handles for use with
NATIONAL LOCKset Key Locks
on Entry Door applications.
Cast Brass. Shipped complete
with Screws.

Designed for use with NOS.
411 and 411D Key Lock.
Size: 12x3 1/8"
Packed: 1 handle per carton.
10 handles per case.
Weight: 14 lbs.

No. 491 — Group 1 Finish — List Price — \$2.50 each
Group 2 Finish — List Price — 3.00 each

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

217

HEAVY DUTY KEY IN KNOB - Integralock

B-7645AR-List Price- 25.80 ea.
B-7645AS-List Price- 19.90 ea.
OP-7645AS-List Price-19.90 ea.

AR - Adams Design
AS - Ashcroft Design


INTEGRA/LOCK
TRADE MARK REG. PRECISION BUILT

BRASS, BRONZE AND ALUMINUM


MORTISE LOCKS

BRONZE AND BRASS

REGULAR FINISHES - B.O.B.



Illustrations	Profile Views for HAR Design	FOR DOORS 1 5/8" TO 1 7/8" Can be furnished for Doors 2 1/8" to 2 3/8" thick, except Sets 7650.	Numbers	For Doors Opening
 Set 7645HAR		<p>FOR ENTRANCE DOORS 1 CYLINDER Operation</p> <p>Both Bolts from outside by Key. Dead Bolt from inside by Turn Lever. Latch Bolt from both sides by Knobs. Outside Knob set by Push Button Stop in Lock Face.</p> <p>Carried in Stock in AN,B,OP and LN Finishes Regular Bevel only.</p>	<p>7645HAR</p> <p>7645AS</p>	<p>In</p> <p>In</p>
		<p>Packing and Weights</p> <p>1 Set per box - 4 1/2 lbs.</p> <p>6 Set per case -27 1/2 lbs.</p>		




.411D

Solid Brass
Front with
Dead Lock

NO. 411 and NO. 411D KEYLOCK EXTERIOR

5-pin tumbler lock construction.
Equipped with turnbutton.
No. 411 without dead latch
No. 411-D with dead latch
Set for 1 3/4" exterior doors.
Adjustable down to 1 3/8".
Packed 1 set per carton.
20 sets per case.
Weight, 24 lbs.

411-3 List 7.45 ea.
411-3x26 " 7.70 "
411D-3 " 8.20 "



.412

Patio Door
Turnbutton
(No Key)

NO. 412 TURNBUTTON LOCK for Porch or Patio

Without dead lock feature.
Set for 1 3/4" exterior
Adjustable down to 1 3/8".
Packed 1 set per carton.
20 sets per case.
Weight, 22 lbs.

412-3 List 4.05 ea.

• DEMONSTRATORS




• INDIVIDUAL

Each National Lockset
Displayed Individually.
Size: 7" high 6 5/8" wide
Finish: Natural Wood




• "4-IN-1"

Compact Colorful
Demonstrator Displays
4 Popular National Locksets
Size: 12" high 10 1/2" wide
Finish: Natural Wood



494

Round and Star Escutcheons




495

Decorative Trim for use with NATIONAL LOCKset Key Locks for entry door applications. No. 494 Star Escutcheon measures 7 1/8" high and is 3 1/2" wide. No. 495 Escutcheon is 3-13/16" in diameter. Either the No. 494 or No. 495 Escutcheon can be used with either 2 3/8" or 5" backset latch bolts. Made of Brass or Bronze.

No. 494 — Group 1 Finish — List Price — \$2.50 each
Group 2 Finish — List Price — 3.00 each

No. 495 — Group 1 Finish — List Price — \$1.00 each
Group 2. Finish — List Price — 1.25 each

No. 411-LT9 Mortise Marker




Used for cutting mortises for face plates quickly and accurately. This Marker can also be used for cutting mortises for the strike. Easy to sharpen.

Price on Application

No. 411-LT6 Boring Jig

Designed for quick installation of NATIONAL LOCKsets. 1 3/4" hole for housing and 7/8" hole for bolt housing can easily and quickly be made. Jig is made of Cast Aluminum and has tool steel bushings, for boring holes. Jig is self-centering and is adjustable for doors from 1 1/4" to 1 7/8" thick.

List Price — \$8.00 each




Screen Door Sets

FOR DOORS OPENING OUT

WROUGHT STEEL

No. 6464 - REGULAR FINISHES - B, OB, OP



6464

CASE.....2 3/8 x 1 7/8 Inches
 OUTSIDE ROSE.....2 3/16 Inches
 KNOB.....1 3/4 Inches
 LEVER HANDLE, INSIDE....1 1/2 Inches Long
 PROJECTION:
 KNOB.....2 Inches from Door
 LEVER HANDLE, INSIDE...1 3/8 Inches from Door
 FOR DOORS.....7/8 to 1 3/8 Inches Thick
 REVERSE.....Right or Left Hand

NUMBER	LIST PRICE
OB 6868-TC	34.00 doz.
OP 6868-TC	34.00 doz.
B 6464	22.50 doz.

PACKING AND WEIGHTS


One twelfth dozen sets in a box - Weight 3/4 lbs.
 In case, two dozen sets - Weight 19 lbs.

Bored-In

Reg. U. S. Pat. Off.

Lever Handle for Inside, Knob for Outside

CASE.....5/8 x 2 5/8 Inches
 ROSES.....2 3/16 Inches
 KNOB.....1 3/4 Inches
 LEVER HANDLE.....1 3/4 Inches
 PROJECTION:
 KNOB.....2 Inches from Door
 LEVER HANDLE.....1 1/8 Inches from Door
 FOR DOORS.....7/8 to 1 3/8 Inches Thick
 BACKSET.....To center of Hub, 1 3/4 Inches
 HUB.....For 5/16 Inch Spindle
 REVERSE.....Right or Left Hand



5375

No. 5375 - REGULAR FINISHES - B, OB, OP

PACKING AND WEIGHTS

One twelfth dozen in a box - Weight 5/8 lbs.
 In case, four dozen - Weight 33 lbs.

Directions and Template for applying packed
 with each Screen Door Catch

Wrought Steel Roses, Knob, Case, Bolt and Strike
 Cast Iron Lever Handles

FOR DOORS OPENING IN OR OUT


OPERATION

Latch Bolt may be operated by both
 Knob and Lever. Slide Stop when set
 locks both Knob and Lever Handle.

NUMBER	LIST PRICE
B 5375-TC	28.40 doz.
B 5775-TC	30.90 doz.

REPLACEMENT BOLT
 for OB-5775-TC
 List Price 8.40 dozen

Cut above shows Knob on outside, but either Knob or Lever Handle can
 be used for outside.



LATCHES

CAST HANDLE SERIES

FOR DOORS $\frac{7}{8}$ " TO $1\frac{3}{8}$ " THICK

Push the handle if door swings from you.

Pull the handle if door swings toward you.

Regularly for out-swinging doors.

Available for in-swinging doors and pairs of doors. See below.

Installed by drilling one 1" hole (no mortising). Strike surface applied.

Swollen Door Easily Planed (latch need not be removed)

Guaranteed Against Breakage . . . We Will Replace or Repair Broken Latches Free of Charge.

Silent operating, easy latching action strike. Attractive design—Beveled Escutcheons.

Case of lock secured to door with 2 concealed screws. Positive slide button locking bar.

Cat. No.	MATERIALS		FINISH	List Price
	Handle	Trim		
1121US4	Cast Zinc	Steel	Dull Brass	13.00 doz.
21US3	Brass	Brass	Pol. Brass	14.60
1121DCD	Cast Alum.	Steel	Chromated Zinc	17.50
1121MPB	Cast Zinc	Steel	Mach. Pol. Brass	28.20

Weight Alum. Handle Sets 5 lbs. per Dozen.

Zinc Handle Sets 8 lbs. per Dozen.

Brass and Bronze Sets 9 lbs. per Dozen

All Brass and Bronze Plated Finishes Are Triple Coated Offering High Degree of Rust Resistance.

DISPLAY WORKING MODELS AVAILABLE AT PRICE OF LATCH ONLY.

For Doors $9/16$ " to $13/16$ " thick Prefix Symbol TH

For **in-swinging** doors, slide bolt in opposite escutcheon, includes extra strike for slide bolt. Prefix Symbol IS.


Strikes available for pair of doors—any finish.

Packed with 8 only $\frac{3}{4}$ "x6 Truss Head Screws.


LATCH No. F1500

Push-Pull Type for Screen, Storm or Combination Doors

No. F1500 constructed of solid brass throughout. Forged handle gives beautiful smooth finish and eliminates any breakage.



Working model furnished with special pack or individually at price of hardware only.



PACKING INFORMATION

STANDARD PACK — 6 Doz. to Shipping Carton.


SPECIAL PACK — For Initial Orders — 1 Doz. to Shipping Carton. 11 Latches and One Model With No Extra Charge for Model.

SHIPPING WEIGHTS

F1500 Brass — Approx. $8\frac{1}{4}$ Lbs. Per Doz.

No. F1500 Solid Brass with Forged Handle and Collapsible Strike

LIST PRICE 24.00 dozen



"Shelby" Mortise Screen Door Latch Set

75 00 1 SERIES

Wrought Steel


Finish
GROUP 2

No.

Dull Brass

75 26 1

LIST PRICE 12.70 doz.



exterior view applied

uses for screen, storm or combination doors from $\frac{3}{4}$ " to $1\frac{3}{8}$ " in thickness

construction made of wrought brass or steel

STANLEY

simple to install by boring a 1" hole in the door • no mortising necessary

latch operates with an easy, positive, push-pull action • to open door, push inside handle or pull outside handle

equipped with an easily operated safety lock • lock operates on push side only

self-latching • free acting latch bolt permits latching under minimum pressure

1280	steel — planished and plated
1280½	brass — finely finished

NUMBER	LIST PRICE
1280-F	1.68 ea.
1280-K	1.68 ea.
1280½-C	3.34 ea.

length	quantity and size of wood screws		average net weight per dozen (lbs.)	dozen in a case	average case weight (lbs.)	
	OH (escutcheons)	RH (strike)			1280	1280½
2½	4 — 7/8 x 8	2 — 7/8 x 8	6	2	15	18


one in a box with screws

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

222

1011 — YALE PUSH-PULL DOOR CATCH




Yale Push-pull catch is applied by drilling only one hole. Easy action and position inside lock keep doors shut.

The Yale Airliner screen door closer and Yale Push-pull screen door catch are designed expressly for your screen and combination storm doors. Both units are easily installed — any handy man can do it.

NUMBER 1011 SET LIST PRICE 24.00 doz.
for Screen Doors

Cat. No.	Material	Plate	Strike	Operation	Doors	Packing
1011	Rustless, plated	2 $\frac{1}{16}$ x 2 $\frac{3}{4}$ "	1 $\frac{3}{4}$ x 1 $\frac{1}{16}$ "	Push, pull	1 $\frac{1}{8}$ - 1 $\frac{3}{8}$ " opening out	Set per box

SCREEN DOOR CATCH



SHIPPING WEIGHTS

R1952 — Brass — Approx. 9 Lbs. Per Doz.

NUMBER R-1952 PB
SCREEN DOOR SETS
LIST PRICE 29.20 dozen


... FEATURES ...

Very short knob action—requires only $\frac{1}{8}$ or 45° turn to operate latch.


Quick Installation—Inside handle and plate mechanism assembled to spindle ready to install.

Bolt has $\frac{7}{16}$ " throw ($\frac{1}{16}$ " longer than usual)—allows for greater degree of door shrinkage. Also includes dead bolt feature when locked.



NO.	MATERIAL	FINISH
R1952-PB (US3)	Brass	Polished Finish



Rim Strike



Angle Strike



"Shelby" Rim Screen Door Latch Set

76 00 1 SERIES

Wrought Steel

Our Rim Latches are made with Reversible Bevel Bolt and are packed regularly with angle strikes. When specified latches can be furnished with rim strikes for reversed bevel bolt.

LIST PRICE	Finish GROUP 2	Regular No.
11.55 doz.	Dull Brass	76 26 1



steel — japanned, bright zinc or dull brass finish | 1750



half surface



door thicker
than jamb



door thinner
than jamb

screen door sets
full surface

a set consists of:
one pair of hinges 3" x 2 3/4"
one door pull 4 3/4"
one hook and eye 2 1/2"
one coil spring no. 3

hinges furnished separately under class number 1751,
see page J-9

NUMBER	LIST PRICE
1750-J	9.30 dozen
1750-F	11.50 dozen

size of wood screws	average net weight per dozen sets (lbs.)	dozen sets in a case	average case weight (lbs.)
3/4 x 8	11 1/2	6	70

one set in a box with screws

furnished in japanned (J), bright zinc (K) or dull
brass (F) finishes



No. 400 Ball Bearing Sheaves—Case, 1 1/4" x 1 1/8". To fit tracks No. 467-C, No. 467, No. 450, No. 455. Packed 100 in a carton. Weight: 5 3/4 lbs. per C.

LIST PRICE 16.00 doz.



No. 402 Ball Bearing Sheaves. Case, 1 1/4" x 1 1/8". Flange, 2 1/4" x 1 1/8". To fit tracks No. 467, No. 450, No. 467-C, No. 455. Packed 100 in a carton. Weight: 7 1/2 lbs. per C.

LIST PRICE 21.42 doz.



NO. 455 WROUGHT STEEL TRACK
6' lengths. Plain Finish
List Price ... 7.50 c'

THE UNIVERSITY OF CHICAGO

LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891



THE UNIVERSITY OF CHICAGO

LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891



LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891

LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891

LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891

LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891

LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891

LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891


LIBRARY OF THE UNIVERSITY OF CHICAGO

1890-1891

Gardner's Pole Sockets

Brass Plated
Wrapped in Pairs
ONE DOZEN PAIRS IN BOX

No.	Size*	Weight per Box	List Price
10	1 Inch	3/8 Lb.	1.44 doz.
12	1 1/4 Inch	3/8 Lb.	1.56 doz.
37	1 3/4 Inch	1 Lb.	1.68 doz.
50	1 1/2 Inch	1 1/8 Lb.	1.80 doz.



SPINDLES
same size the
whole length

*Size Measurement is for diameter of pole or rod used.




No. 1431 — 5-16 Inch, Steel, 4 Inches Long
List Price 5.50 dozen



No. 1831 — 5-16 Inch, Steel, 5 Inches Long
List Price 9.00 dozen



No. 1631 — 5-16 Inch, Steel, 4 Inches Long
List Price 7.00 dozen
Straight Spindles




No. 1432 — 5-16 Inch, Steel, 3 3/4 Inches Long
List Price 2.65 dozen



No. 1632 — 5-16 Inch, Steel, 3 3/4" long -
Can be furnished to order 4 1/2"

No. 1732 — 5-16 Inch, Steel, 3 3/8 Inches
long for glass knobs



No. 1832 — 5-16 Inch, Steel, 5 Inches Long
List Price 5.00 dozen
Swivel Spindles




No. 1635 — Steel, 4 1/2 Inches Long
Can also be furnished to order in lengths as follows:
No. 1635 - 4, 5 Inches

List Price 4 inch ... 9.20
5 inch ... 11.60

Closet Knob Spindles

5-16 INCH
Steel Spindles.

REGULAR FINISHES - QB, OP, LN



Nos. 1613, 1713


For Mortise Locks, Turn Knob with 1 5/8 Inch Rose
Cast Iron Turn Knob and Wrought Steel Rose No. 155

List Price 9.20 dozen
No. 1613 - 3 1/4 Inches Long, For Metal Knobs

Half Spindles

FOR LOCKS OPERATED BY KNOB
FROM ONE SIDE ONLY

5-16 INCH Steel



NO. 1630

No. 1630 - 2 3/4 Inches Long
No. 1730 - 2 3/16 for Glass Knobs
List Price 9.20 (either number) doz.

HY-KO Reflecting SIGNS



Attractively Decorated
Display Card FREE with
5 Dozen Asst. Signs

\$3.00 per dozen

LIST PRICE
25c
EACH



OVER 60 OF THE MOST POPULAR STANDARD
SIGNS TO CHOOSE FROM

Office	No Smoking
Danger	Private
Exit	No Trespassing
Gentlemen	Entrance
Ladies	No Admittance
Keep Off The Grass	Beware Of Dog

Expertly Styled For Tops In Eye-Appeal
Easiest To Read — Night or Day
Can Be Used Indoors and Out

HY-KO standard signs are 9 1/2" x 3 3/8"
Packed 12 to a carton
Shipping Weight 1 lb. per dozen

DOOR SPRINGS



STANDARD SPECIFICATIONS

Packed one dozen to box with screw hooks to match.

Trade No.	Size of Wire	O. D.	Length Over All	Weight per Gross
3	.049	11/32	16½	27 lbs.
4	.056	3/8	16½	33 lbs.
5	.060	7/16	16½	39 lbs.
6	15½	1/2	16½	48 lbs.

BLACK JAPAN

	Weight Per Gross	LIST DOZ.
NO. 3	27	.96
NO. 4	33	1.08

Packaged 1-dozen per box. 2-gross per reshipping case.

NO. 5	39	1.20
NO. 6	48	1.44

Packaged 1-dozen per box. 1-gross per reshipping case.


GATE SPRINGS

BLACK JAPAN FINISH ONLY

No.	Weight Per Gross	Length Over All
No. 8	150	16½


— Packed 6 to a box — 3 dozen to a shipping container.

List Price 5.40 dozen



The Universal Gate Spring is made from best quality spring steel wire . . . tightly coiled . . . accurately formed. High lustre finish is rust and corrosion resistant. Allows gates to swing easily

ADJUSTABLE DOOR SPRING No.16



For Screen, Storm and Combination Doors

The Adjustable Spring will serve the purpose of any spring from the number three to a number six.

The Spring is made of 16 gauge spring wire, tempered to assure long life and satisfactory service.

SHIPPING WEIGHT	List 2.40 dozen	PACKING
44 Lbs. Per Gross		12 Dozen to Shipping Carton

SARGENT DOOR CLOSER SPRINGS

SPRING

Because of the Universal Action of the Plunger, it is possible to use a Universal Spring Action, as well. It will operate on a RIGHT or LEFT hand Door, without changing any of its parts. ONLY ONE HAND TO CARRY IN STOCK. No need of knowing the HAND of the door when making a sale. No time wasted changing the hand of the Spring, while erecting Closers out on the job.


It is made from round manganese steel wire, rolled flat. This gives the same power, but, being so thin, permits of many extra coils of wire in the space provided — About 14 feet in a 43 Closer. The Spring is helically wound and the driving mechanism eliminates all friction — equal power on right or left hand.

Every inch of Spring moves under equal tension.

The Spring CANNOT BE DAMAGED by winding in the wrong direction.

IT HAS A WIDE RANGE OF ADJUSTMENT

DOOR CHECK SPRINGS	NUMBER	LIST PRICE	PARTS FOR 2020
NO. 226	226-42V	1.70 each	NO. 13
	226-43V	2.10 each	List Price .44 each
	226-44V	2.40 each	
	226-45V	3.40 each	



DOOR CHECK SPRINGS

A - B - C - D - E - F



NORTON DOOR CLOSER SPRINGS

NUMBER	LIST PRICE
A	1.50 ea.
B	1.85 "
C	2.25 "
D	2.60 "
E	3.65 "
F	6.20 "

Lock Springs



Check Springs


No. 2871 — 1 Inch Long

No. 5234 — $1\frac{1}{8}$ Inch Long for Locks 4671, 5231, 5233, 5234, 5239MK, 5249, 5259

No. 6344 — $\frac{3}{4}$ Inch Long for Locks 6341, 6341 $\frac{1}{2}$, 6343, 6343 $\frac{1}{2}$, 6344, 6344 $\frac{1}{2}$, 6345, 6345 $\frac{1}{2}$
Twenty-five in a box.

NUMBER	LIST PRICE
2871	.10 each
5161	3.70
5234	4.10
6344	4.10

Brass Coil Springs



No. 5161 — 1 $\frac{1}{8}$ Inches Long (13 coils)
for Locks 4663, 5164

Twenty-five in a box.

Japanned, Bright Black Finish F1B Without Screws

Special Features

This door spring is substantially constructed and has a symmetrical appearance. The parts are fastened together so they are never misplaced. It does not require a special tool to apply the tension on the spring.



Sizes 11

Size Number	Length Overall	Outside Diameter	Packed Per Box	Standard Packing Per Carton	Approximate Weight Per Gross
281	11 in.	$1\frac{5}{16}$ in.	1 "	6 "	114 "

NUMBER
OLD NEW
281 281-F1B
List Price .76 each



Type 270—Iron

Chicago "Reliance" Door Springs

Heavy Duty Construction Cast Iron Attachments Adjustable Tension

This door spring is designed with heavy attachments having a projecting flange with three screw holes, thereby giving unusually secure application. The spring is of large diameter and heavy gauge wire. Its weight and power cannot be determined by comparing the length with other types of door springs.

The parts are fastened together, so they are never misplaced. It does not require a special tool to apply the tension on the spring.


Size Number	Length Overall	Outside Diameter	Packed Per Box	Standard Packing Per Carton	Approximate Weight Per Gross
270L	7 in.	1 $\frac{3}{16}$ in.	1 dozen	6 dozen	91 $\frac{1}{2}$ pounds
270M	8 in.	1 in.	$\frac{1}{2}$ "	3 "	132 "
270H	10 in.	1 $\frac{1}{4}$ in.	$\frac{1}{2}$ "	3 "	240 $\frac{1}{2}$ "

Each spring is supplied with a tension adjuster and tension rivet for holding the tension.

Approximate weight per gross includes wrapping and box only, but not the packing and shipping container. For shipping weight, add 10%.

Japanned, Bright Black
Finish F1B
Without Screws

NUMBER		LIST PRICE
OLD	NEW	
270 L	270-I.-FIB	.59 each
270 M	270-M-FIB	.81 each
270 H	270-H-FIB	1.24 each



WINDOW CONTROL SPRINGS MADE OF STAINLESS STEEL

No. Quiki 1" No. Quiki 1 $\frac{1}{4}$ "

To use where cords are broken or in preference to other balances.

Packed One Pair Per Card.

2 Doz. Cards Per Box.

6 Boxes Per Shipping Carton.

Shipping Wt. 12 Lbs. Per Shipping Carton.

List Price (2 doz. pr. to ctn.)
2.40 doz. pr.



STAPLES Wrought Brt.

NUMBER	LIST PRICE
976 PS - 2"	2.15 gross
976 PS - 2 $\frac{1}{2}$ "	3.05 gross
976 PS - 3"	3.90 gross
976 PS - 3 $\frac{1}{2}$ "	4.40 gross
976 PS - 4"	6.20 gross



RECEIVED 1947 MAY 15

U.S. DEPARTMENT OF AGRICULTURE

TO THE DIRECTOR, BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.


FROM THE DIRECTOR, BUREAU OF ENTOMOLOGY
WASHINGTON, D. C.

SUBJECT: [Illegible]

[The remainder of the page contains several paragraphs of extremely faint, illegible text, likely a memorandum or report.]

Heavy Door Stops

Nos. 22, 30, 35 are furnished with a Wood Screw and Expansion Shield (to prevent turning after application)



For Marble

Projection, 3 3/4 Inches

Base, 2 1/2 Inches

22

Rubber Tip

Cast Bronze and Brass

No. 22 — Listed Finishes, Groups 1, 3 and CM

Conforms to Government Specification FF-H-111, Type 1336

Weight per box, 1 1/2 lbs.

LIST PRICE 6.40 each

For Marble, Concrete or Tile Floors

With Hook

Height, 3 Inches

Base, 2 1/2 Inches

Rubber Tip

Cast Bronze and Brass

No. 30 — Listed Finishes Groups 1, 3, 7 and CM

Weight per box, 1 3/4 lbs

LIST PRICE 7.30 each 30



One in a box.

Cut shows a Right Hand Stop.

In ordering, specify Hand wanted.

For Floor

Height, 3 Inches


Base, 2 1/2 Inches

Rubber Tip

Weight per box, 3/4 lb.

Cast Bronze and Brass

32



NUMBER LIST PRICE

CM-32 5.00 each

OB-32 3.60 each

For Baseboard

Projection, 3 3/4 Inches

Base, 2 1/2 Inches

Rubber Tip


Cast Bronze and Brass

No. 27 — Listed Finishes, Groups 1, 3, 7 and CM

Conforms to Government Specification FF-H-111, Type 1334

Weight per box, 3-4 lb.

LIST PRICE 3.30 each



27

For Marble, Concrete or Tile Floors

Height, 3 Inches

Base, 2 1/2 Inches

Rubber Tip

35


Cast Bronze and Brass

Weight per box, 1 1/8 lbs.

NUMBER LIST PRICE

OB-35 4.40 each

OP-35 4.40 each



With Rubber Bumpers

Can be furnished to order with

Lead Expansion Shields

Cast Bronze and Brass

For Doors with Threshold

Height (from Floor), 1 1/4 Inches

Base, Diameter, 2 1/2 Inches; 1/2 Inch High

No. 67

SUITABLE FINISHES - Group 1, 3, 5, CM, DCM 67

Conform to Fed. Spec. FF-H-111A, Type 1330A.

LIST PRICE 25.20 dozen

Dome Type

Rubber



For Floor
Rubber Tip.. Steel Screw
Height, 1 1/4 Inches

Cast Iron

No. 64 — SUITABLE FINISHES- OB, OP

Cast Bronze and Brass

No. 68 — SUITABLE FINISHES- B, OP

NUMBER	LIST PRICE	NUMBER	LIST PRICE
B-68	11.10 doz.	OB-64	2.30 doz.
OP-68	11.10 doz.	OP-64	2.30 doz.
		LN-64	2.55 doz.



64, 68

For Doors without Threshold

Height (from Floor), 15-16 Inch

Base, Diameter, 2 1/2 Inches; 3-16 Inch High

No. 67 1/2

PACKING AND WEIGHTS

Numbers	In Box (Doz.)	Weight Per Box (Lbs.)
67	1/2	2 1/2
67 1/2	1/2	2



Rubber

67 1/2

LIST

25.40

dozen

DOOR STOPS



214 &c.

For Baseboard
Rubber Tip, Steel Screw
Projection, $3\frac{1}{8}$ Inches

Cast Iron



200

For Baseboard
Rubber Tip, Steel Screw
Projection, $2\frac{1}{2}$ Inches

Cast Iron

No. 200 — Listed Finishes: Groups 1, 3, 7, W
Two dozen in a box. Weight per box, $2\frac{1}{4}$ lbs.
Full cartons contain 60 dozen. Weight, 90 lbs.



214, 217

For Baseboard
Rubber Tip, Steel Screw
Projection, $3\frac{1}{8}$ Inches

Cast Iron

* No. 214 — SUITABLE FINISHES-OB, OP, LN, N, PK

Cast Bronze and Brass. Machine Finish

* No. 217 — SUITABLE FINISHES-P, B, OB, OP, LN, CM, DCM


No. 217 Can be furnished on contract orders in the following finishes NLB, NLP, O3P.

NUMBER	LIST PRICE	NUMBER	LIST PRICE
OB-214	4.00 doz.	OB-200	1.50 each
OP-214	4.00 doz.	OP-200	1.50 each
CM-217	13.40 doz.	ZD-200	1.75 each

PACKING AND WEIGHTS

Numbers	In Box (Doz.)	Weight Per Box (Lbs.)	In Case (Doz.)	Weight Per Case (Lbs.)
64	2	2 1/2	12	15
68	1	2 3/4	6	18
200	2	2 1/4	24	35
214	1	2 3/4	12	33
217	1	2 3/4	6	17


No. 958 GIANT CANNON BALL DOOR STOP



Giant Cannon Ball Door Stop is pressed out of heavy 12 gauge steel $2\frac{1}{2}$ in. wide. Three bolt holes permit it to be securely bolted to the building.

Finished in black enamel. Weight per dozen, 9 lbs.

LIST PRICE 16 each



Full Size Cut

Packed 1 dozen in box. 30 dozen in carton.

Projection $2\frac{1}{2}$ inches

Weight per doz.

Brass 1 lb. 3 ozs.


Alum. 9 ozs.

Cast Aluminum BURNISHED

Bright Brass	062A3
Dull Bronze	062A10
Bright Nickel	062A14

NUMBER	DESCRIPTION	LIST PRICE
062A3	Pol. Brass	1.54 doz.
062A10	Dull Bronze	1.54
062A14	Pol. Nickel	1.70

Door Stops



STORM DOOR STOPS
SPRING CHAIN DOOR
NO. 95-18-2


LIST PRICE 8.00 dozen

No. 95 18 2.


It's a strong inter-linked chain combined with a heavy compression spring. Two screws in the top of your storm door — two screws in the top of door jamb — and it's ready for use.

Lock Strikes

FOR MORTISE LOCKS AND LATCH




No. 200



No. 201
Type of 204

Wrought Bronze and Brass
201 5 x 1 1/8




Steel

350S 3 1/2 x 7/8

NUMBER	LIST PRICE
OB-201	1.35 each
OB-201-S	1.20
OB-350-S	.26

ADJUSTABLE SHELF STANDARDS AND SUPPORTS



No. 233 Shelf Standards—3/8" wide, steel, nickel plated finish. Sizes: 4', 5', 6', and 12'. 1/2" adjustment. Weight: 170 lbs. per M feet.

LIST PRICE 9.15 c'

432

steel — bright brass or
bright nickel plated


LIST PRICE 5.45 doz. pr.

not reversible; when ordered singly specify hand

length (inches)	size of RH wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
10	3/4 x 7	3 1/4	12	40

one dozen pairs in a box (one-half right hand) with screws

furnished in bright brass (C) or bright nickel (N) finishes



435


steel — bright brass or
bright nickel plated

LIST PRICE 10.10 doz. pr.

length (inches)	size of RH wood screws	average net weight per dozen pairs (lbs.)	dozen pairs in a case	average case weight (lbs.)
12 1/2	3/8 x 7	3 3/4	10	39

one dozen pairs in a box with screws

furnished in bright brass (C) or bright nickel (N) finishes



No. 346 Shelf Support—Steel, nickel plated, 1/4" pin. Packed one gross in a box. Weight: 2 1/2 pounds per box.

LIST PRICE 2.80 c.



No. 239 Support—Fits No. 255 or No. 233 Standard, steel, nickel plated, 7/8" long x 5/8" wide. Packed 100 per carton. Weight: 25 lbs. per M.

LIST PRICE 2.40 c.





TABLE LEAF SUPPORTS

NUMBER	SIZE	LIST PRICE
1956	10"	1.68 pair
1956	8"	1.42

NON-INTERLOCKING EXTRUDED DOOR SILLS
32", 36" and 42" lengths.


NO. 251 ...	BRASS ...	4" wide	$\frac{1}{2}$ " high	
	List Price ...			4.78
NO. 252 ...	BRASS ...	5" wide	$\frac{1}{2}$ " high	
	List Price ...			6.56
NO. 253				
NO. 252-Z ...	ALUMINUM -	4" wide	$\frac{1}{2}$ " high	
	List Price			1.58
NO. 252-Z ...	ALUMINUM -	5" wide	$\frac{1}{2}$ " high	
	List Price			1.90



Black Crutch Tips


Heavy Duty Type. Made to Government Specifications.

NO.	SIZE	LIST PRICE	PACKED
17	5/8 inch	.44 per doz.	3 doz
18	3/4 inch	.48 per doz	2 doz
19	7/8 inch	.52 per doz	2 doz
20	1 inch	.60 per doz	2 doz
21	1 1/8 inch	.74 per doz	1 doz



White Crutch Tips

NO.	SIZE	LIST PRICE	PACKED
19	7/8 inch	.68 per doz	2 doz
20	1 inch	.72 per doz	2 doz
21	1 1/8 inch	1.00 per doz	1 doz




Chair Shoes

No.	Width of Opening	Length	Depth	Pack	Wgt.	List Price
2 Round..	7/16"	1 13/16"	1 1/8"	.2 Dz...	12 oz.	.64 doz.
4 Round..	1 1/2"	1"	1 5/16"	.2 Dz...	1 lb..	.72
3 Square.	5/16"....	3/4"	1 1/8"	.2 Dz...	15 oz.	.72

Made of high quality non-marking gray rubber. The above sizes are standard for all types metal furniture.






4415

Size without Strike, $1\frac{1}{8}$ x $1\frac{1}{8}$ Ins.

Cupboard Turns



4425

Size without Strike, $2\frac{1}{8}$ x $1\frac{1}{8}$ Ins.

NO. OB-4415

List Price ... 3.80 per doz.

NO. N-4415

List Price ... 4.20 per doz.

PACKING AND WEIGHTS

Numbers	4415	4815
In Box (doz.)	1	1
Wt. Per Box (lbs.)	1 1/2	1 3/4
In Case (doz.)	24	6
Wt. Per Case (lbs.)	38	12

NO. OB-4425

List Price ... 3.80 per doz.

NO. N-4425

List Price ... 4.20 per doz.

PACKING AND WEIGHTS

Numbers	4425	4825
In Box (doz.)	1	2 3/8
Wt. Per Box (lbs.)	2 1/4	2 1/2
In Case (doz.)	12	6
Wt. Per Case (lbs.)	28	15

Phone 4341
Joliet, Illinois



RELY ON BARRETT FOR ALL YOUR
ELECTRICAL NEEDS. ONE ORDER,
ONE SHIPMENT, ONE INVOICE, ONE
PAYMENT—MAKES BUYING FROM
BARRETT EASY AND ECONOMICAL.

STORM QUEEN PACKAGE FELT WEATHER STRIP

No. 65-17—Size 11/16"x17 feet in display sleeve. Three dozen in fiber shipping container. Weight 8 pounds.
Price, per gross packages..... 2.50 doz.



No. 57-10—Size 3/4"x10 feet in display sleeve. Dark gray cotton felt, 3/8" thick. Six dozen packages in shipping container. Weight per carton, 5 lbs.
Price, per gross packages..... 1.66 doz.



No. 57-20—Size 3/4"x20 feet in display sleeve. Three dozen packages in shipping container. Weight, 8 pounds.
Price, per gross packages..... 3.01 doz.



Full size cut of Silver King Strip showing punched nail holes for convenience in applying.




Metal Counter Display Stand free with 1 dozen cartons of Silver King Weather Strip.

No. 1 SILVER KING Weather Strip is made from White Metal Alloy and Silver Gray Rubber-Shod Felt.

No. 1, 20' Cartons, List price each..... 1.15 box
Packed 1 dozen in container with nails and display stand, weight 8 lbs.

Draft-Seal Weather Strip

Patented—Patent No. 1675844



3 Ply Sanitary Tacking Flange
No. 501—3/4" (actual size). Maroon color, for sides, tops and bottoms of doors and outside meeting rail. Can also be had in No. 500 Black, and No. 504 Pearl Gray.

No. 501—3/4" Maroon, per C ft.....
No. 500—3/4" Black, per C ft.....
No. 504—3/4" Pearl Gray, per C ft.....
Weight per 1,000 ft., 34 lbs.
Packed 250 or 500 feet in a shipping container.

500 ft.
Reels
6.65

The cut above illustrates style 800—801—804
2-Ply Sanitary Tacking Lap, Cotton Yarn Center, heavy rubber coated sheeting.

No. 801—3/4" Maroon, price per M ft....
No. 800—3/4" Black, per M ft.....
No. 804—3/4" Gray, per M ft.....

Average weight per 1,000 ft.—800, 801, 804, 32 lbs.

500 ft.
Reels

5.50


THE DENNIS NEW STYLE SUPER-FLEX GASKETS

The above cut illustrates the R-850, R-860, R-870, R-880 and R-890 lines, made from high grade rubber coated sheeting Super-Flex cotton yarn, with 2-ply double stitched sanitary tacking flange. Any color desired in the following stock sizes:

List Price 7.00

No. R884—7/8 x 7/8"—Pearl Grey

250
Foot
Reels } 48 lbs. }



BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

238

No. 70 — CLINCHER WEATHER STRIP

Wood Moulding (Walnut Stained)



For upper sash of windows. Is applied to the parting strip on the inside, felt pressing against the upper sash. Cut meeting rail of lower sash before applying, so as to allow it to move freely over the weather strip. Packed 500 feet in bundle, weight 12 pounds.

No. 70— $\frac{3}{8}$ x $\frac{1}{2}$ inch 7 or 12-foot lengths.

Price, per 1,000 feet..... 6.75

No. 71½ — CLINCHER WEATHER STRIP

Wood Moulding (Walnut Stained)




For sides and tops of doors. To apply, close the door and brad strip to the jamb or frame outside, so that the felt presses against door. Packed 500 feet in bundle, weight 30 pounds.

No. 71½— $\frac{3}{8}$ x 1 inch, 7 or 12-foot lengths.

Price, per 1,000 feet..... 9.00

No. 71 — CLINCHER WEATHER STRIP

Wood Moulding (Walnut Stained)




For lower sash of windows. Apply to window stop and sill on the inside, felt pressing against the side and bottom of the lower sash, and is also used for closing the joint between the two sashes. Apply to the top of lower sash with felt projecting over the opening. Packed 500 feet in bundle, weight 18 pounds.

No. 71— $\frac{3}{8}$ x $\frac{3}{4}$ inch, 7 or 12-foot lengths.

Price, per 1,000 feet..... 6.75

No. 74 — CLINCHER WEATHER STRIP

Wood Moulding (Walnut Stained)




NOTE — NAIL PASSES THROUGH BOTH MOULDING AND FELT

For bottom of light doors. To apply, close the door and brad the strip firmly to the bottom of the door on the inside with felt pressing against the threshold, and is also used for the center of double doors; apply to one door with the felt projecting over the opening between the two. Packed 250 feet in bundle, weight 18 pounds.

No. 74—Size $\frac{1}{8}$ x 1½ inches, 3, 6, 7 or 12-foot lengths.

Price, per 1,000 feet..... 11.50



Made from "special tempered white metal alloy"

Size 600-W, 1" width, 100 ft. coils.

Price per coil..... 4.50

Size 600-W, 1¼" width, 100 ft. coils

Price per coil..... 5.15

Weight: 600-W, 1"-2¾ lbs. 100 feet.

600-W. 1¼"-4¾ lbs. 100 feet.

WHITE METAL WEATHERSTRIP

For Outside Doors

Door Sets Have Full Length Strip for Hinge Side, Which Is Furnished in Better Grade Sets Only.

No. 5, size 3x7x1184 (as illustrated at right.)—For any door opening up to size 3x7'. Set consists of 2 pieces of V-14—7', 1 piece of V-14—3', 1 piece of 1185 White Metal and Felt Door Bottom.

Price, per set..... 4.95

WEIGHT: No. 5—1½ lbs. per set.

No. 7000 MECHANICS' SPECIAL HEMMED BRONZE WEATHERSTRIP

No. 7000 — Mechanics' Special Hemmed Bronze is made from high-grade full spring tempered bronze. Plain (not perforated tacking flange). Coiled 100 lineal feet in carton, complete with rust-proof copperweld nails. A super quality Hemmed Bronze Strip at low prices.

PRICE LIST, No. 7000 STRIP
Made in seven sizes.

Size	Thickness	Weight M Ft.	Price per M Ft.
1"	.008	50 lbs.	7.15
1½"	.009	58 lbs.	8.48




EZE BRONZE
NO. 1020
20' length
List 1.60
each

BRASS AND RUBBER SHOD FELT

No. 73—1½ inch. Made of .018 polished brass and Extra Heavy weight ¼ inch rubber shod "Moth Proof and Water Proof" felt in 32 in., 36 in., 42 in., and 48 in. lengths. Slotted holes through both metal and felt for ease of application and to take up wear. Packed each in paper sleeve and one dozen each size in fibre box, complete with brass screws.

Size 32 inch, weight per dozen pieces 6½ lbs.....	Price, per dozen pieces..	11.05
Size 36 inch, weight per dozen pieces 7 lbs.....	Price, per dozen pieces..	12.35
Size 42 inch, weight per dozen pieces 8 lbs.....	Price, per dozen pieces..	14.40




No. 373—1¼ inch. Slotted holes through both metal and felt for ease of application. Made of .015 brass and medium weight ⅜ inch rubber shod. "Moth Proof and Water Proof" felt in 32 in., 36 in., 42 in., and 48 in. lengths. Packed each in paper sleeve and 1 dozen each size in carton complete with brassed screws.

	32"	36"	42"
Per dozen pieces.....	7.95	8.90	10.40
Weight, per dozen pieces.....	3½ lbs.	4½ lbs.	5½ lbs.

Packed 1 dozen of a size in carton, complete with brassed screws.

No. 373—7 and 12-ft. lengths, 250 feet in tube, with screws. Weight 35 lbs.
Price, per 100 feet.....



ASSORTMENT No. 8 NAILS

Each Consists of

- 12 pkgs. 1 oz. each ⅝x17
Copper Plated
- 12 pkgs. 1 oz. each ¾x17
Galv. Steel
- 12 pkgs. 1 oz. each ⅝x17
Esc. Pins

Packaged 36 pkgs. in display box.

Price per assortment.....3.75..

Weight per assortment—3 lbs.



1 Oz. Package
COPPERWELD NAILS
1 oz. Pkg.
5/8"x 17"
List Price 1.60 doz.



INNER-SEAL Live Rubber WEATHER STRIPPING.....

Sponge Rubber Wire Insert
NX-352N-79....500' reel House
Weatherstrip...
NX-352N-79....100' reel House
Weatherstrip...

SHIPPING INFORMATION

Wgt. per 500 ft. reel approx. 22 lbs. Size: 13½" high, 18¼" long, 14⅝" wide. Wgt. per carton of 6 — 100 foot reels 26 lbs. Size: 22½" high, 7½" long, 15" wide.

Suggested Selling Price
10¢ per foot

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

240



**INNER-SEAL
WEATHERSTRIP CUSHION for
OVERHEAD GARAGE DOORS**

**GDC-8' box Garage Cushion
GDC-9' box Garage Cushion**


	8 feet per box	9 feet per box
SHIPPING WEIGHTS	Single Box — 1 lb. 2 oz. 1 Dozen — 15 lbs. 8 oz. 1 Gross — 186 lbs.	Single Box — 1 lb. 3 oz. 1 Dozen — 17 lbs. 8 oz. 1 Gross — 210 lbs.
Suggested Selling Price	2.95 per box	3.25 per box



**100 YEARS OF EXPER-
IENCE HAS PROVEN
THAT CUSTOMERS
NEVER CHANGE FROM
BARRETT QUALITY AND SERVICE ONCE
THEY KNOW IT.**

Get acquainted with your BARRETT sales-
man. Learn the products he stocks that you
can use. Tell him the items you buy and
your supply problems. He can save you
headaches, money and deliver the goods.

stop-a-draft for doors



A SIZE TO FIT EVERY STANDARD DOOR	
STANDARD SIZES	LIST PRICE EACH
28" - 30"	\$2.95
32" - 34" - 36"	
ADJUSTABLE	LIST PRICE EACH
32" to 36"	\$3.45
36" to 40"	3.75
40" to 44"	3.95



SENIOR ASSORTMENT No. 24

RETAIL VALUE \$73.60

STANDARD SIZES	ADJUSTABLE SIZES
2-28"	2-32" to 36"
4-30"	1-36" to 40"
6-32"	1-40" to 44"
2-34"	
6-36"	

size
15" Wide
48" High

DISPLAY RACK
INCLUDED
FREE

List Price 73.60

BARRETT HARDWARE COMPANY

Over 100 Years Service to the Trade

243

NUMBER 3#
and Larger




SASH WEIGHTS
Catalog Numbers

3 #
4 #
5 #
6 #
7 #
8 #
10 #
11 #
12 #
25 #
18 #

BUTTONS
Catalog Number $\frac{1}{2}$

Side View



Top View




List Price .12 a pound

List Price .15 a pound

No. 1132 Display Hook—Steel, bright
nickel finish.

6" size with $\frac{5}{16}$ " rod $2\frac{3}{4}$
lbs. per doz. 10" size with $\frac{3}{8}$ " rod $5\frac{1}{4}$
lbs. per dozen. One dozen in a box.



NUMBER	SIZE	LIST PRICE
1132	6"	24.00 c
1132	10"	36.00 c

Phone 4341
Joliet, Illinois



WE CARRY A COMPLETE LINE OF
HAND AND POWER TOOLS. IN
FACT, BARRETT IS YOUR ONE
DEPENDABLE SOURCE OF SUPPLY
FOR ALL YOUR ELECTRICAL NEEDS.

BARRETT
HARDWARE CO.
JOLIET, ILLINOIS